# **USE DIRECTIONS**

Use at 2 ounces per gallon. This product will be effective against Pseudomonas aeruginosa PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi.

For best results, use UTIKLEEN SANITONE with a cloth or mop and apply to walls, floors and other hard surfaces.

If used for sanitization of food equipment or food contact items, limit the level of active quaternary to 200 ppm. (2.8 ounces per 5 gallons). NO RINSE REQUIRED.

This product when used on environmental, inanimate, hard surfaces at 2 ounces per gallon of

water, is effective against Influenza A2, Herpes Simplex, Adenovirus type 2, and Vaccinia viruses.

For heavy soil or organic matter, a precleaning step is recommended.

#### PHENOL COEFFICIENTS:

Guaranteed	Minimum
S. aureus	42
S. typhosa	27

Rinse empty container thoroughly with water and discard.

#### CLEANER DEODORIZER

ACTIVE n-Alkyl (60 dimet n-Alkyl (68 ethyl Sodium Ca INERT IN

NET CONTENTS:

Keep Out of Reach of Children. See right side panel for additional precautionary statements.

# UTIKLEEN® SANITONE

DISINFECTANT FUNGICIDE Designed for Hospital and Instutitional Use

#### ACTIVE INGREDIENTS:

50% C14, 30% C16, 5% C12, 5% C18) ethyl benzyl ammonium chlorides	<b>2.25</b> %
58% C12, 32% C14) dimethyl	
/lbenzyl ammonium chlorides	· · 2.25%
Carbonate	3.00%
NGREDIENTS:	92.50%
	100.0%

EPA REG. NO. 3525-44



# UTILITY CHEMICAL COMPANY

Paterson, N. J. 07524

UTIKL such as l importar SANIT( floors, w Effective Also effe

When us quaterna

Keep Ou skin or u fatal if s

In case ( For eyel swallow( quantiti)

# **UTIKLEEN® SANITONE**

CLEANER	DISINFECTANT
DEODORIZER	FUNGICIDE
	Designed for Hospital and Instutitional Use

#### **ACTIVE INGREDIENTS:**

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chlorides	2.25%
n-Alkyl (68% C12, 32% C14) dimethyl	
ethylbenzyl ammonium chlorides	· 2.25%
Sodium Carbonate	3.00%
INERT INGREDIENTS:	. 92.50%
	100.0%

NET CONTENTS: \_\_\_\_\_

EPA REG. NO. 3525-44

### DANGER

Keep Out of Reach of Children. See right side panel for additional precautionary statements.

### **UTILITY CHEMICAL COMPANY**

MANUFACTURING CHEMISTS Paterson, N. J. 07524

When used for sanitization of food processing equipment and food contact items, limit active quaternary to 200 ppm. At this level No Potable Water Rinse is required.

Keep Out Of Reach Of Children. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

UTIKLEEN SANITONE is a cleaner, disinfectant, and sanitizer designed for institutional use, such as HOSPITALS, NURSING HOMES, and SCHOOLS where housekeeping will be of prime importance in controlling the hazard of cross-infection from environmental surfaces. UTIKLEEN SANITONE can provide the assurance you need in this area, when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms. Effective against Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas aeruginosa. Also effective against pathogenic fungi, Trichophyton interdigitale.

## DANGER

# FIRST AID