

## Cold Disinfection

For disinfection of previously cleaned surgical instruments, barber tools and dental equipment, simply submerge instruments into solution containing 1½ ounce SANI-SAN per gallon of water for 10 minutes.

### Restaurant and Bar Rinse

Dishes, glassware, silverware, cooking utensils, wash with soap or synthetic detergent; rinse thoroughly and immerse in a sanitizing solution containing 1 ounce SANI-SAN to 4 gallons of water. No Terminal Potable Water Rinse required.

## DANGER

Keep Out Of Reach Of Children. Corrosive. Causes eye and skin damage. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

## FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

### NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Rinse empty container thoroughly with water and discard.

# SANI-SAN

DISINFECTANT

DEODORIZER

SANITIZER

### ACTIVE INGREDIENTS:

n-Alkyl (60% C<sub>14</sub>, 30% C<sub>16</sub>, 5% C<sub>12</sub>, 5% C<sub>18</sub>)

dimethyl benzyl ammonium chlorides ..... 5%

n-Alkyl (68% C<sub>12</sub>, 32% C<sub>14</sub>) dimethyl

ethylbenzyl ammonium chlorides ..... 5%

INERT INGREDIENTS: ..... 90%

100%

SANI-SAN is a concentrate and should be diluted before using.

NET CONTENTS: .....

EPA REG. NO. 3525-46

## DANGER

Keep Out Of Reach Of Children. See First Aid and other precautionary statements on left side panel.

## UTILITY CHEMICAL COMPANY

MANUFACTURING CHEMISTS

Paterson, N.J. 07524

# SANI-SAN

DISINFECTANT

DEODORIZER

SANITIZER

**ACTIVE INGREDIENTS:**

n-Alkyl (60% C<sub>14</sub>, 30% C<sub>16</sub>, 5% C<sub>12</sub>, 5% C<sub>18</sub>)

dimethyl benzyl ammonium chlorides ..... 5%

n-Alkyl (68% C<sub>12</sub>, 32% C<sub>14</sub>) dimethyl

ethylbenzyl ammonium chlorides ..... 5%

INERT INGREDIENTS: ..... 90%

100%

SANI-SAN is a concentrate and should be diluted before using.

NET CONTENTS: \_\_\_\_\_

EPA REG. NO. 3525-46

## DANGER

Keep Out Of Reach Of Children. See First Aid and other precautionary statements on left side panel.

## UTILITY CHEMICAL COMPANY

MANUFACTURING CHEMISTS

Paterson, N.J. 07524

### USE DIRECTIONS:

**Household**

For sanitizing and disinfecting floors, walls and inanimate hard surfaces. For schools, homes, locker rooms, garbage pails, sink tops, corridors, classrooms, offices and shower stalls. Apply solution with mop or cloth. Sanitize with 1 ounce SANI-SAN to 4 gallons of water. Disinfect with 3 ounces SANI-SAN to 5 gallons of water. Kills Staphylococcus aureus and Salmonella choleraesuis. For heavily soiled or contaminated areas, a precleaning step is recommended.

**Hospitals**

For floors, walls and other hard surfaces. In nursing homes, institutions, as well as sink tops, garbage pails, telephones and restrooms, use SANI-SAN at 3½ ounces per 5 gallons of water. At this level SANI-SAN will be effective against Pseudomonas aeruginosa PRD-10.

**Food Processing Equipment**

For sanitization of previously cleaned food processing equipment and food utensils dilute 1 ounce SANI-SAN per 4 gallons of water to provide 200 ppm of active quaternary. At this level, no Potable Water Rinse is required.

**Dairies**

To sanitize dairy equipment such as tanks, lines, pails, and milk cans, first clean and rinse the equipment thoroughly. Then apply sanitizing solution containing 1 ounce SANI-SAN to 4 gallons of water (200 ppm). At this level, No Potable Water Rinse is required. Follow recommendations of local Health Board.

**RESIDUAL BACTERIOSTAT and RESIDUAL SELF-SANITIZER UNDER CONDITIONS OF HIGH RELATIVE HUMIDITY OR WET CONTAMINATION.**

Fabric treated as directed will develop residual bacteriostatic activity and residual self-sanitizing activity against Gram positive (S. aureus) and Gram negative (E. coli) organisms, under conditions of high relative humidity or wet contamination.

SANI-SAN prevents the growth of ammonia producing organisms (B. ammoniagenes) which act on urine in the diapers to produce ammonia.

USE DIRECTIONS: Use 2 ounces SANI-SAN per 8 pounds of laundry in RINSE CYCLE.

ACCEPTED WITH COMMENTS

=