### **DIRECTIONS FOR USE:**

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

UTIKEM SHOCK TREATMENT RAPIDLY KILLS UNSIGHTLY ALGAE. JUST ADD DIRECTLY TO THE POOL AND ALGAE WILL BEGIN TO BE DESTROYED!


UTIKEM SHOCK TREATMENT PROVIDES AN EASY METHOD FOR SUPER CHLORINATION. HIGH CHLORINE RESIDUALS CAN BE OB-TAINED IN MINUTES WITH THE USE OF UTIKEM SHOCK TREAT-MENT. SPECIALLY RECOMMENDED FOR USE IN STARTING UP POOLS AT THE BEGINNING OF THE SEASON WHEN SUPER () RINATION IS REQUIRED.

### **START UP:**

- 1. Adjust pH of swimming pool water to 7.2-7.6 using your UTIKEM Test Kit.
- Shut off pool filter 4-6 hours before use. Allow water to become calm with no motion.
- Add 3 oz. of UTIKEM SHOCK TREATMENT for every 1000 gallons of pool water. Apply treatment along ralls, at edge of pool and over surface of water.
- 4. After 6-8 hours, turn on filter and vacuum or scrub dead algae from pool bottom, and walls. Dead algae may be removed from pool walls or pool bottom using an algae brush. If live algae remains, repeat treatment. For super chlorination, follow steps #1 & #3.
- Before using pool, check the chlorine residual. If chlorine residual is above 2.0 p.p.m., do not use pool until chlorine residual drops to below 2.0 p.p.m. as determined by your UTIKEM Test Kit.

#### ADD UTIKEM SHOCK TREATMENT DIRECTLY TO POOL WATER.

# NEVER MIX POOL CHEMICALS TOGETHER! ALWAYS ADD THEM



BEST AVAILABLE CON

ACTIVE INGREDIENTS:

\*Sodium dichloro-s-triazinetrione Sodium Carbonate

AN

E.P.A

\*Available Chlorine 35% E.P.A. Reg. No. 3525-53AA

## KEEP OUT OF REACH OF DANGER

SEE STATEMENT OF PRACTICAL AND ADDITIONAL PRECAUTIONS O

> NET WT. 35 Ib/15.9' ITEM NO. SAL-05-68

> > Get in



(P)

DUCTS

TILITY CHENICAL COMPANY — Corposte Offices — PATERS'N, N.J. 07544

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER:** Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

**PRACTICAL TREATMENT, (FIRST AID):** If swallowed, feed bread soaked in milk, followed by olive oil or cooking oil. Call a physician immediately. If on skin, brush off excess chemical and flush skin with cold water for at least 15 minutes, get medical attention. If in eyes, flush with cold water for at least 15 minutes. Get medical attention.

#### PHYSICAL AND CHEMICAL HAZARDS: STRONG OVIDIZING AGENT: Strong Ovider

STRONG OXIDIZING AGENT: Strong Oxidizing Agent. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters, unless in accordance with an NPDES Permit. For guidance contact the regional office of the Environmental Protection Agency.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Store in cool, dry, well ventilated area away from heat or open flame. In case of decomposition isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding. Do not reuse empty container. Wrap container and put in trash collection or dispose in approved landfill area, or bury in a safe place.

## DO NOT REUSE EMPTY CONTAINER.

MADE IN U.S.A.

ASK FOR THE OTHER WILLER POOL AND SPA PRODUCTS