

The control of pH is greatly simplified using Utikem Super Concentrate concentrated Pool Chlorine. In fact, you will require from 1/2 to 3/4 the amount of acid usually applied. Utikem Super Concentrate concentrated Pool Chlorine provides a more stable form of chlorine for easier maintenance of an effective chlorine residual in pool water for disinfecting action. It requires less storage space and maintains constant strength regardless of storage time. It is economical to use in that, after the pool is stabilized, you will need to apply Utikem Super Concentrate concentrated Pool Chlorine less often.

INSTRUCTIONS

When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.0 ppm to 2.0 ppm available chlorine. To accomplish this, add 2 oz. Utikem Super Concentrate concentrated Pool Chlorine per 1,000 gallons of pool water. The next morning, add Utikem Chlorine Stabilizer and Conditioner (cyanuric acid) at the rate of 4 oz. per 1,000 gallons to stabilize the pool.

Utikem Super Concentrate concentrated Pool Chlorine should be added daily or as needed at the rate of 1/8 to 1/4 oz. per 1,000 gallons of pool water to maintain a chlorine residual at all times. pH should be maintained between 7.2 to 7.6.

A shock treatment should be made every week during hot weather or after heavy rains. Less frequent shock treatments may be made during cool weather. For the shock treatment, add 2 oz. of Utikem Super Concentrate concentrated Pool Chlorine per 1,000 gallons of pool water. Swimmers should not be permitted in the pool after the shock treatment until the chlorine residual has reached the 1.0 ppm to 2.0 ppm range.

Keep in mind that a slight flexibility must be maintained in the event of heavy accumulations of dust and dirt caused by storms or super heavy bathing loads which require additional dosages as needed to maintain the chlorine residual between 1.0 ppm and 2.0 ppm.

EPA Reg. No. 3525-57
 Packaged by: UTILITY CHEMICAL CO., PATERSON, N.J. 07524

EPA 25-3525 (N) 1

ACCEPTED
 3525-57
 SEP 5 1974
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTERED
 UNDER NO. 3525-57

UTILITY CHEMICAL COMPANY

Utikem® NET WT. 5 LBS.
 new fire resistant
**Concentrated
 Pool Chlorine**
 GRANULAR CHLORINE

ACTIVE INGREDIENT:
 SODIUM DICHORO-S-TRIAZINETRIONE DIHYDRATE 100%
 AVAILABLE CHLORINE 56%

DANGER: KEEP OUT OF REACH OF CHILDREN
 SEE FIRST AID AND OTHER PRECAUTIONS ON SIDE PANEL

21

Utikem[®]
new fire resistant
**Concentrated
Pool Chlorine**

NET WT. 5 LBS.

GRANULAR CHLORINE

ACTIVE INGREDIENT:

SODIUM DICHLORO-S-TRIAZINETRIONE DIHYDRATE 100%
AVAILABLE CHLORINE 56%

DANGER: KEEP OUT OF REACH OF CHILDREN
SEE FIRST AID AND OTHER PRECAUTIONS ON SIDE PANEL

- Features a dry chlorine that dissolves immediately.
- A most effective germicide and algacide.
- Will not cause cloudiness in water.
- Will not add scale forming minerals in the water.
- Will maintain your pool crystal clear.
- Flame-resistant.

DANGER: KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage. Do not get in eyes or on skin. Protect eyes and skin when handling product. Do not breathe dust. Dust may be harmful if inhaled. May cause skin, nose and throat irritation. May be fatal if swallowed. May cause burns to broken skin.

First Aid: In case of personal contact remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Clean contaminated clothing before reuse. If swallowed, feed gruel or cooked cereal followed by olive oil or cooking oil. Call a Physician immediately.

DANGER

Strong oxidizing agent. Moisture contamination may liberate irritating and corrosive chlorine-containing gases. Decomposes at 350-400° F with liberation of harmful gases. In case of decomposition, if possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary. Mix only with water. Do not mix with other pool chemicals. Use only dry, clean measuring utensils. Store in a cool dry place. Keep closed when not being used.

Do not reuse container. Rinse empty container thoroughly with water and discard.

This product is toxic to fish. Treated pool effluent water should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label.

21

Super Con-
will require
Utikem Super
more stable
active chlorine
requires less
regardless of
whether the pool is
concentrate con-

To satisfy chlorine
of 1.0 ppm to 2.0
add 2 oz. Utikem
per 1,000 gallons
Chlorine Stabilizer
of 4 oz. per 1,000 gal-

Pool Chlorine should
1/8 to 1/4 oz. per 1,000
residual at all times
a suitable test kit. The
7.6.

every week during hot
requent shock treatments
r the shock treatment, add
concentrated Pool Chlorine
immers should not be per-
treatment until the chlorine
2.0 ppm range.

ity must be maintained in the
ust and dirt caused by storms
ich require additional dosages
rine residual between 1.0 ppm

EPA EST 3525 NJ-1
PATERSON, N.J. 07524

UTILITY CHEMICAL COMPANY

Utikem[®] new fire res Concent Pool Ch GRANULAR CHLO

ACTIVE ING
SODIUM DICHLORO-S-TRIAZINETRI
AVAILABLE CHLORINE

DANGER: KEEP OUT OF RE
SEE FIRST AID AND OTHER PRECA

- **Features a dry chlorine that dissolves immediately.**
- **A most effective germicide and algaecide.**
- **Will not cause cloudiness in water.**
- **Will not add scale forming minerals in the water.**
- **Will maintain your pool crystal clear.**
- **Flame-resistant.**

DANGER: KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage. Do not get in eyes or on skin. Protect eyes and skin when handling product. Do not breathe dust. Dust may be harmful if inhaled. May cause skin, nose and throat irritation. May be fatal if swallowed. May cause burns to broken skin.

First Aid: In case of personal contact remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Clean contaminated clothing before reuse. If swallowed, feed gruel or cooked cereal followed by olive oil or cooking oil. Call a Physician immediately.

DANGER

Strong oxidizing agent. Moisture contamination may liberate irritating and hazardous chlorine-containing gases. Decomposes at 350-475° F with liberation of harmful gases. In case of decomposition, if possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

Mix only with water. Do not mix with other pool chemicals. Use only dry, clean measuring utensils. Store in a cool dry place. Keep closed when not being used.

Do not reuse container. Rinse empty container thoroughly with water and discard.

This product is toxic to fish. Treated pool effluent water should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label.

0%
6%

ANEL

