HEAD-STRONG is a concentrated acid disinfectant bathroom toilet bowl cleaner designed for institutional and hospital use. This disinfectant toilet bowl cleaner is especially formulated to kill many germs commonly found in hospital, industrial, and household environments. HEAD-STRONG is designed for use in toilet bowls and urinals.

HEAD-STRONG contains a high level of acid together with an acid compatible detergent system. This unusual combination facilitates the easy removal of resistant stains and permits its disinfectant action.

When used as directed, HEAD-STRONG cleans, disinfects and deodorizes in one easy step.

USE-DIRECTIONS

Fiush toilet. Add 1 fluid oz. (2 table-spoons) directly to water in toilet bowl (% gallon). Brush to cover all interior surfaces of the bowl including under the rim. Allow disinfectant solution to remain at least 10 minutes. Flush toilet.

For badly stained bowls, repeat above treatment using 2 to 4 fluid ounces of HEAD-STRONG.

For use in urinals, add 1 fluid oz. (2 tablespoons) to 34 gallon of water. Apply by brush to all urinal surafces. Allow disinfectant solution to remain at least 10 minutes. Flush.

At 1 fluid oz./% gallon of water, HEAD-STRONG is effective against a broad spectrum of microorgan-

isms commonly found in toilet bowls and urinals. Effectiveness against pseudomonas aeruginosa, Salmonella choleraesuis, Staphylococcuraureus, Shigella dysenteriae, Strebtococcus faecalis and Escherichia coli has been confirmed by the AOAC Use-Dilution procedure.

Special Note

The cationic detergent system of HEAD-STRONG inhibits the acid corrosion of metal parts found around toilet bowls and urinals.

DANGER:

Corrosive. Keep Out of Reach of Children. May be fatal or harmful if swallowed. Do not breathe vapor or fumes. Produces chemical burns. Do not get in eyes, on skin, or on clothing.

FIRST AID

If swallowed, call a physician immediately. Drink a teaspoonful or more of milk of magnesia or a cup of soapy water followed with milk or raw egg whites.

Eye contact: Wash with water for 15 minutes. Get prompt medical attention.

Skin Contact: Wipe off the acid gently immediately flood the surface with water, using soap freely, then cover with mosit magnesia or baking soda.

Rinse empty container with water before discarding it.

话是温低

CONCENTRATE!
DISINFECTANT TOILET E
DESIGNED FOR INSTITUTE
AND HOSPITAL U

for Hospitals-Industry-Homes Disinfects-Cleans-Deodorizes

Removes Stains

Kills Many Germs in Toilet Bowl Including Those Found in Hospi (eg, Pseudomonas aeruginosa & Active Ingredients

Octyl decyl dimethyl ammonium chk Dioctyl dimethyl ammonium chloride Didecyl dimethyl ammonium chloride Alkyl* amino betaine Hydrogen chloride Essential oils

> *Akyl = C₆, 7%; C₁₀, 8%; C₁₂, C₁₄, 24%; C₁₄, 10%; C₁₈, 5% Contains no phosphate compounds

DANGER:

KEEP OUT OF R SEE BACK PANEL FOR ADDITIONA

EPA Est. 3525-NJ-1

Manufactured By UTILITY CHEMIC

ms commonly found in toilet bowls nd urinals. Effectiveness against seudomonas aeruginosa, Salmonla choleraesuis, Staphylococcurula choleraesuis, Staphylococcurula ureus, Shigella dysenteriae, Streblicoccus faecalis and Escherichia oli has been confirmed by the OAC Use-Dilution procedure.

pecial Note

ne cationic detergent system of EAD-STRONG inhibits the acid prosion of metal parts found ound toilet bowls and urinals.

DANGER:

orrosive. Keep Out of Reach of hildren. May be tatal or harmful swallowed. Do not breathe vapor fumes. Produces chemical burns. o not get in eyes, on skin, or on lothing.

RST AID

swallowed, call a physician imediately. Drink a traspoonful or ore of milk of magnesia or a cup soapy water followed with milk raw egg whites.

ye contact: Wash with water for 5 minutes. Get prompt medical Itention.

kin Contact: Wipe off the acid ently immediately flood the surce with water, using soap freely, en cover with mosit magnesia or aking soda.

inse empty container with water efore discarding it.

REACT SET DITE

CONCENTRATED ACID

DISINFECTANT TOILET BOWL CLEANER

DESIGNED FOR INSTITUTIONAL

AND HOSPITAL USE

for

Hospitals-Industry-Homes Disinfects-Cleans-Deodorizes

Removes Stains

Kills Many Germs in Toilet Bowls Including Those Found in Hospitals

(eg, Pseudomonas aeruginosa & Staphylococcus aureus)
Active Ingredients

Octyl decyl dimethyl ammonium chloride
Diactyl dimethyl ammonium chloride
Didacyl dimethyl ammonium chloride
O.625
Alkyl* amino betaine
Hydrogen chloride
Essential oils
78.800

1.250% 0.625% 0.625% 1.000% 17.500% 0.200% 78.800%

100.000%

*Allyl = Co. 7%; C10. 8%; C12. 46%; C14. 24%; C14. 10%; C18. 5%
Contains no phesphate compounds

DANGER:

KEEP OUT OF REACH OF CHILDREN

SEE BACK PANEL FOR FIRST AID STATEMENT AND ADDITIONAL PRECAUTIONS.

EPA Est. 3525-NJ-1

A Contract of the second

EPA REGISTRATION NO. 3525-61

Manufactured By UTILITY CHEMICAL COMPANY, PATERSON, N. J. 07524







ms commonly found in toilet bowls nd urinals. Effectiveness agains: seudomonas aeruginosa, Salmonlla choleraesuis, Staphylococcu² ureus, Shigella dysenteriae, Strebococcus faecalis and Escherichia oli has been confirmed by the OAC Use-Dilution procedure.

pecial Note

he cationic detergent system of EAD-STRONG inhibits the acid orrosion of metal parts found round toilet bowls and urinals.

DANGER:

corrosive. Keep Out of Reach of hildren. May be tatal or harmful swallowed. Do not breathe vapor r fumes. Produces chemical burns. o not get in eyes, on skin, or on lothing.

IRST AID

swallowed, call a physician imrediately. Drink a teaspoonful or nore of milk of magnesia or a cup f soapy water followed with milk r raw egg whites.

ye contact: Wash with water for 5 minutes. Get prompt medical ttention.

kin Contact: Wipe off the acid ently immediately flood the surace with water, using soap freely, nen cover with mosit magnesia or aking soda.

linse empty container with water efore discarding it.

CONCENTRATED ACID

DISINFECTANT TOILET BOWL CLEANER

DESIGNED FOR INSTITUTIONAL

AND HOSPITAL USE

for

Hospitals-Industry-Homes Disinfects-Cleans-Deodorizes

Removes Stains

Kills Many Germs in Toilet Bowls Including Those Found in Hospitals

(eg, Pseudomonas aeruginosa & Staphylococcus aureus) Active Ingredients

Octyl decyl dimethyl ammonium chloride Dioctyl dimethyl ammonium chloride Didecyl dimethyl ammonium chloride Alkyl* amino betaine Hydrogen chloride Essential oils inert ingresients

1.250% 0.625% 0.625% 1.000% 17.500% 0.200% 78.800%

100.000%

*Alkyl == Ca. 7%; C10. 8%; C12, 46%; C14. 24%; C16. 10%; C18. 5% Contains no phosphate compounds

DANGER:

KEEP OUT OF REACH OF CHILDREN

SEE BACK PANEL FOR FIRST AID STATEMENT AND ADDITIONAL PRECAUTIONS.

EPA Est. 3525-NJ-1

EPA REGISTRATION NO. 3525-61

Manufactured By UTILITY CHEMICAL COMPANY. PATERSON, N. J. 07524





