

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

DANGER: Corrosive. May cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS:
STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc. or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

manufactured by
UTILITY CHEMICAL COMPANY
Sixth Avenue and Wait St.
Paterson, NJ 07524

EPA REG. NO. 3525-68 EPA EST. NO.
NET CONTENTS

ACCEPTED

3525-68

16 JUL 1979

**UTIKEM LIQUID
POOL SHOCK**

**"FOR SWIMMING POOL CHLORINATION
AND SANITIZING."**

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk or gelatin solution. If these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional precautions on safety label.

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT
IN A MANNER INCONSISTENT WITH ITS LABELING**

DIRECTIONS FOR SWIMMING POOL CHLORINATION

1. Determine the size of the pool in square feet. Measure the length and width of the pool. Multiply the length by the width to get the area in square feet. For example, a pool that is 10 feet wide and 20 feet long has an area of 200 square feet. Round up to the next whole number.

2. Add 1.5 ounces of UTKEM LIQUID POOL SHOCK per 1,000 square feet of pool area. For example, for a 200 square foot pool, add 3 ounces. For a 400 square foot pool, add 6 ounces. For a 600 square foot pool, add 9 ounces. For an 800 square foot pool, add 12 ounces. For a 1,000 square foot pool, add 15 ounces.

3. Pour the UTKEM LIQUID POOL SHOCK into the pool. Walk around the perimeter of the pool, stirring the water with a pool brush. This will help the shock distribute evenly throughout the pool.

4. Allow the pool to sit for at least 4 hours before swimming. The water will be cloudy at first, but it will clear up within 24 hours. If the water does not clear up, add more shock.

**DIRECTIONS FOR DISINFECTION OF POTABLE WATER
FOR HOME WELL WATER SYSTEMS**

1. Determine the size of the water system in gallons. Measure the length and width of the water system. Multiply the length by the width by the depth to get the volume in gallons. For example, a water system that is 10 feet wide, 20 feet long, and 4 feet deep has a volume of 800 gallons. Round up to the next whole number.

2. Add 1.5 ounces of UTKEM LIQUID POOL SHOCK per 1,000 gallons of water. For example, for an 800 gallon water system, add 12 ounces. For a 1,000 gallon water system, add 15 ounces.

3. Pour the UTKEM LIQUID POOL SHOCK into the water system. Walk around the perimeter of the water system, stirring the water with a pool brush. This will help the shock distribute evenly throughout the water system.

4. Allow the water to sit for at least 4 hours before drinking. The water will be cloudy at first, but it will clear up within 24 hours. If the water does not clear up, add more shock.

**DIRECTIONS FOR SANITIZING FOOD PROCESSING
OR DAIRY EQUIPMENT**

1. Determine the size of the equipment in square feet. Measure the length and width of the equipment. Multiply the length by the width to get the area in square feet. For example, a piece of equipment that is 10 feet wide and 20 feet long has an area of 200 square feet. Round up to the next whole number.

2. Add 1.5 ounces of UTKEM LIQUID POOL SHOCK per 1,000 square feet of equipment area. For example, for a 200 square foot piece of equipment, add 3 ounces. For a 400 square foot piece of equipment, add 6 ounces. For a 600 square foot piece of equipment, add 9 ounces. For an 800 square foot piece of equipment, add 12 ounces. For a 1,000 square foot piece of equipment, add 15 ounces.

3. Pour the UTKEM LIQUID POOL SHOCK into the equipment. Walk around the perimeter of the equipment, stirring the water with a pool brush. This will help the shock distribute evenly throughout the equipment.

4. Allow the equipment to sit for at least 4 hours before using. The equipment will be cloudy at first, but it will clear up within 24 hours. If the equipment does not clear up, add more shock.

NOTE: UTKEM LIQUID POOL SHOCK is a strong oxidizing agent. It will react with certain materials, such as oil, grease, and paint. Avoid contact with these materials.

STORAGE AND DISPOSAL: Store in a cool, dry area away from children and pets. Do not store near food, feed, or fertilizer. If the container is damaged, do not use the product. Dispose of the product in a safe manner. Do not pour down the drain or into the water.