


ACCEPTED
19.3
5.27



SCOTT'S
Super
BONUS
for dichondra
(in California)
Controls weeds and lawn insects
Fertilizes your dichondra to promote growth
Use as directed on label.



Super
BONUS
Fertilizer
Weed and Insect Control

NOT AVAILABLE

Lawn Pro

Lawn Pro

NET WEIGHT (LBS) 25-0-0

Super Bonus
Fertilizer

3438

3438



(with letter of 8/7/67)



3

ACCEPTED
0014 1967
THESE THE...
FUNCTIONS AND...
FOR...
TO...

FRONT PANEL

DURC CLOR

For Long Lasting Super Chlorination

Instant Dissolving Will not Cloud Water

WARNING:

Keep out of reach of children
See other warnings on back label

NET CONTENTS 2 lbs.

BACK PANEL

DURC CLOR is a dry chlorine product which provides 24 hour chlorination with only one daily addition. Its instant dissolving granular form, will not cloud water.

For best results DURC CLOR should be used together with KEM AID chlorine stabilizer to provide the desired long lasting results.

APPLICATION:

The cap on this container is a convenient measuring device. One level capful holds 1/2 ounce of DURC CLOR

INITIAL TREATMENT:

1- Stabilize pool water immediately by adding 1 pound of KEM AID Chlorine stabilizer per 4000 gallons.

or

2- Stabilize pool water over 3-4 week period by adding a daily dosage of 6 1/2 ounces of DURC CLOR per 10,000 gallons.

SUBSEQUENT TREATMENT:

daily
The daily dosage is 1 ounce per 5,000 gallons or more frequently as needed to maintain 1.0-1.5 ppm residual chlorine.

This product, because it contains over 10% available chlorine is required by law to be labeled POISON. The recommended solutions are not classified as poisonous.

POISON

ANTIDOTE: CALL PHYSICIAN

External---- flood with water
Internal---- Drink raw egg white, milk or rice gruel.
Follow with emetic (tablespoon of mustard in glass of water).

BEST DOCUMENT AVAILABLE

11

3525-70

ACCEPTED
28 FEB 1980
FEDERAL BUREAU OF INVESTIGATION
U.S. DEPARTMENT OF JUSTICE
WASHINGTON, D.C. 20535

UTREX ALGAEKIDE TABLETS Control growth of microscopic plants called algae which turn water green.

UTREX ALGAEKIDE TABLETS keep your water sparkling clear and free from green algae. They also keep your pool water clear of visible algae and slime. They do not harm fish or other animals.

DIRECTIONS FOR USE
GENERAL CLASSIFICATION
IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

INITIAL APPLICATION: To a Clean, Open Free Pool: Add 22 Tablets to 10,000 Gallons of Water.

MAINTENANCE DOSE: Every 5 to 7 Days Add 2 Tablets to 10,000 Gallons of Water.

UTREX ALGAEKIDE TABLETS

SIZE OF POOL	TABLETS
13,500 Gallons	22 Tablets
12 1/2" Dia. x 4 ft. Deep	3 1/2 Tablets
8,000 Gallons	15 Tablets
18" Dia. x 4 ft. Deep	2 1/2 Tablets
As Pools	2 Tablets to 10,000 Gallons of Water

UTILITY CHEMICAL COMPANY PATERSON, N.J. 07654
Net Wt. 1 lb. 8 oz. (681g) Made in USA

U Utrex algaeicide tablets

Controls Green Water and Slime Due to Algae in Swimming Pools

- Convenient, pre-measured algaeicide tablets
- Keeps pool water clear of visible algae and slime
- 100% active formula

ACTIVE INGREDIENTS
Aluminum Chloride 92.5%
Sodium Chloride 7.5%
TOTAL 100.0%

DANGER:
KEEP OUT OF REACH OF CHILDREN

UTILITY CHEMICAL COMPANY PATERSON, N.J. 07654
Net Wt. 1 lb. 8 oz. (681g) Made in USA

DANGER
HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes irritation and can damage your eyes, on skin, or on clothing. Protect eyes when handling. Avoid contact with skin. Avoid contact with food.

ENVIRONMENTAL HAZARD:

This pesticide is toxic to fish. Do not discharge into streams, ponds, or other public water.

STATEMENT OF PRACTICAL TREATMENT:

In case of contact, immediately flush eyes or skin with water for at least 15 minutes. For eye irritation, remove and wash contaminated contact lenses if recommended. Do not gargle. If inhaled, get fresh air. If on skin, wash with soap and water. Avoid contact with eyes, nose, mouth, and clothing. Call a physician immediately.

NOTE TO PHYSICIAN:

Prevent mucous damage may contribute to gastric leakage. Measure against calcium chloride and oxygen and measure to support breathing. Mechanical may be needed if persistent. Call may be controlled by the cautious physician.

STORAGE AND CONTAINER DISPOSAL:

Do not store in water, food, or food containers. Do not reuse empty container. EPA REG NO 3525-70 EPA EST NO 31

BEST DOCUMENT AVAILABLE

BEST DOCUMENT AVAILABLE

3525-70

ACCEPTED
20 FEB 1987
3525-70

ALGAE CONTROL controls growth of algae in swimming pools. It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR USE
GENERAL CLASSIFICATION
 1. IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

APPLICATION To a Clean, Aged Pool Free of Algae.

SIZE OF POOL

00 Gallons	22 Tablets
1-2 Gallons	3 to 7 oz.
3-4 Gallons	13 Tablets
5-6 Gallons	12 to 14 oz.
7-8 Gallons	2 Tablets (5 oz. for every 1200 Gallons)

ENTRANCE POOL Every 5 to 7 Days Add

SIZE OF PAVIL

1-2 Gallons	7 to 10 oz.
3-4 Gallons	1 to 2 1/2 oz.
5-6 Gallons	4 to 6 oz.
7-8 Gallons	11 to 14 oz.

1 Tablet for every 1200 Gallons (1 to 2 oz.)

UTILITY CHEMICAL COMPANY
 1000 S. 10TH AVENUE
 DENVER, COLORADO 80202

U Utiken
algicide tablets

Controls Green Water and Slime Due to Algae in Swimming Pools

- Convenient, pre-measured algicide tablets
- Keeps pool water clear of visible algae and slime
- 100% active formula

ACTIVE INGREDIENTS

Algaecide	15.00
Ammonium Chloride	1.50
Sodium Chloride	8.50
TOTAL	15.00

DANGER:
 KEEP OUT OF REACH OF CHILDREN

UTILITY CHEMICAL COMPANY PATENT NO. 3,075,24
 Net Wt. 1 lb. 8 oz. (681g) Made in U.S.A.

DANGER
 HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CORROSIVE Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Protect eyes and skin when handling normally in case of spillage. Avoid contamination of food.

ENVIRONMENTAL HAZARDS
 This product is toxic to fish. Do not discharge pool water into streams, ponds, or other public waters.

STATEMENT OF PRACTICAL TREATMENT
 In case of spillage, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash clothing and footwear. Wash contaminated areas promptly with plenty of water. In case of ingestion, induce vomiting if these are not contraindicated. Seek medical attention if these are not contraindicated.

NOTE TO PHYSICIAN:
 This product may cause damage to the eyes and skin if used in excess. Measure against clothing which is wet and dry and measure to support breathing methods or other first aid may be needed. If persistent, consultation may be indicated by the absence of serious reaction of a patient to the substance.

STORAGE AND CONTAINER DISPOSAL
 This product is toxic to fish. Do not discharge pool water into streams, ponds, or other public waters.

PAR. NO. 3525-70 EPA EST. NO. 3525-NJ-1

BEST DOCUMENT AVAILABLE

BEST DOCUMENT AVAILABLE

6

ACCEPTED

26 FEB 1980

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTRATION
ED UNDER NO. 3525-70

ALGAEICIDE TABLETS control growth of plants called algae which thrive in warm sunlight.

ALGAEICIDE TABLETS keep pool water sparkling by killing visible algae and slime that cause odors. **ALGAEICIDE TABLETS** improve filter operation and reduce the need for other chemicals.

DIRECTIONS FOR USE
GENERAL CLASSIFICATION
A VIOLATION OF FEDERAL LAW
USE THIS PRODUCT IN A MANNER
CONSISTENT WITH ITS LABELING.

APPLICATION: To a Clean Algae Free Pool Add:

SIZE OF POOL	UTIKEM ALGAEICIDE TABLETS
12 x 4 ft. Deep	22 Tablets (3 lb. 7 oz.)
16 x 4 ft. Deep	13 Tablets (2 lbs. 1/2 oz.)
20 x 4 ft. Deep	2 Tablets (5 oz.) for every 1200 Gallons

MAINTENANCE DOSE: Every 5 to 7 Days Add:

SIZE OF POOL	UTIKEM ALGAEICIDE TABLETS
12 x 4 ft. Deep	7 1/2 Tablets (1 lb. 2-3/4 oz.)
16 x 4 ft. Deep	4 1/2 Tablets (1 lb. 1 1/4 oz.)
20 x 4 ft. Deep	1/2 Tablet for every 1200 gallons (1 1/4 oz.)

FOR BEST RESULTS FOLLOW ABOVE DIRECTIONS
EVEN WHEN POOL IS NOT USED.
UTILITY CHEMICAL COMPANY
- Main Office -
PATERSON, NEW JERSEY 07524
SEE OTHER **Utikem** POOL & SPA CHEMICALS AND ACCESSORIES

Utikem® algaecide tablets

**Controls Green Water and Slime
Due to Algae in Swimming Pools**

- Convenient, pre-measured algaecide tablets
- Keeps pool water clear of visible algae and slime
- 100% active formula

ACTIVE INGREDIENTS:

Alkyl (C ₁₄ 95%, C ₁₂ 3%, C ₁₆ 2% Dimethyl Benzyl	
Ammonium Chloride Dehydrate	7.5%
Sodium Carbonate	92.5%
TOTAL	100.0%

DANGER:
KEEP OUT OF REACH OF CHILDREN

SEE SIDE PANEL FOR STATEMENT OF PRACTICAL TREATMENT AND OTHER PRECAUTIONS
UTILITY CHEMICAL COMPANY, PATERSON, N.J. 07524

Net Wt. 1 lb. 8 oz. (681g) Made in U.S.A.

DANGER

**HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

CORROSIVE. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Protect eyes and skin when handling. Harmful or fatal if swallowed. Avoid contamination of food.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge pool water into lakes, streams, ponds, or other public waters.

**STATEMENT OF
PRACTICAL TREATMENT**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Measure against circulatory shock as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbiturate drug.

STORAGE AND CONTAINER DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Rinse empty container with water and discard it. Do not reuse empty container.
EPA REG. NO. 3525-70 EPA EST. NO. 3525-NJ-1

BEST DOCUMENT AVAILABLE

37

BEST DOCUMENT AVAILABLE

37A