UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

4/11/2002

5-75

APR 1 2002

Ms. Debbie Schaub Qualco, Inc. 225 Passaic Street Passaic, N.J. 07055

Subject: Utikem Trichlor Shock Treatment EPA Registration Number 3525-75 Application Date: 10/16/01 Receipt Date: 02/08/02

Dear Ms. Schaub:

The following amendment submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable with the conditions listed below:

to revise the "first aid" as per PR Notice 2001-1.

Conditions

Revise the label as follows:

1. The percentage of available chlorine is 92%.

2. The correct name for this product is "Utikem Trichlor Shock Treatment" and not "Pool-Trol Trichlor Shock". If you wish to change the name of your product, you must submit to the Agency a amendment requesting a product name change.

General Comments

A stamped copy of the accepted labeling is enclosed. Submit three (3) copies of your final printed labeling before distributing or selling the product bearing the revised labeling.

CONCURRENCES								
SYMBOL								
SJRNAME	N	· · · · · · · · · · · · · · · · · · ·				*********		
DATE				******	****************			
EPA For	n 1320-1A (1/90)		· · · · · ·	Printed on Recycled	Paper		OFFICI	AL FILE COPY

Printed on Recycled Paper

Should you have any questions or comments concerning this letter, please contact Delores Williams at (703) 308-6372.

۰,

Sincerely

 $^{2}/_{3}$

Robert S. Brennis Product Manager 32 Regulatory Management Branch II Antimicrobials Division (7510C)

P	00		

TRICHLOR SHOCK SUPERCHLORINATOR FOR GUNITE OR CONCRETE POOLS

•DESTROYS ALL TYPES OF ALGAE

INCLUDING BLACK ALGAE •COMPLETELY SOLUBLE

ACTIVE INGREDIENT:

ROOLTRO

Trichloro-s-triazinetrione	99.0%
OTHER INGREDIENTS	
	100.0%

Available Chlorine.......89.0%

	KEEP OUT OF REACH OF CHILDREN DANGER
	FIRST AID STATEMENT
BWALLOWED:	Call a poison control of doctor immediately for treatment advice. Have person sip glass of water if able to evalow. Do not induce vomiting unless told to do so by a poison control center of doctor. Do not give anything by mouth to an unconscious person.
IF IN EYES:	Hold eye open and rines slowly and ganity with water for 15-20 minutes. Remove contact lenses, if present, after the limit 5 minutes, then continue rineing eye. Cell a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	Take off conteminated dotting. Hinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treament advice.
IF INHALED:	Nove person to leash air. If person is not breathing, call \$11 or an ambulance, then give an actual respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further tractment advice.
HOT LINE NUMBER:	Have the product container or label with you when calling the poison control center or doctor, or going for weatment 'tou may eleb contact 973-473-1222 for further questions
NOTE TO PHYSICIAN:	Provebly museul density, may contraindicate the use of gastric lavage.

MADE ESPECIALLY FOR POOL SPECIALISTS

Net Weight: 2 lbs. (02 oz.) (907.2 grams)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling Reentry into treated swimming pools/spas is prohibited above levels of 3.0 ppm. Trichtor Shock rapkly kills unsightly black algae as well as other types of algae. Just add directly to the pool and algae will begin to be destroyed. REGULAR CARE:

 Adjust pH of awimming pool water to 7.2 to 7.6 before using Trichlor Shock.
Shut off pool filter 4-6 hours before use. Allow water to become calm, with no motion. If black algae is present, scrub black algae colonies with a steel algae brush prior to application of Trichlor Shock.

3. Add 14 oz. of Trichlor Shock per 10,000 gallons of pool water. Apply treatment along walls, at edge of pool, and over surface of water.

4. After 6-8 hours, turn on filter and vacuum or scrub dead algae from pool bottom or walls. Dead algae colonies may be removed from pool walls or pool boltom with steel algae brush. If live algae remains, repeat treatment.

5. Before using pool, check the chlorine residual. If chlorine residual is above 2.0 ppm, do not use pool until chlorine residual drops to below 2.0 ppm as determined by a PoolChern Test Kit.

DO NOT USE TRICHLOR SHOCK IN PAINTED, VINYL LINED, FIBERGLASS OR COLORED

PLASTER POOLS. USE ISO SHOCK OR INSTANT SHOCK FOR THESE POOLS. NEVER MIX POOL CHEMICALS TOGENTERI ALWAYS ADD THEM SEPARATELYI

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZAHDS TO HUMANS AND DOMESTIC ANMALS DANGER: Keep Out Of Reach Of Children. CORROSIVE. Causes irrevensible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swalkowed. Do not get in syes, on skin or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before, eating, drinking or using tobacco. Remove contami-nated clothing and wash before reuse.

PHYSICAL AND CHEMICAL HAZARDS

PHYSICAL AND CHEMICAL HAZARDS STRONG OXIDIZING AGENT. Mb: only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. Isolate container, if possible, in open air or well ventilated area. Flood with large volumes of water to dissolve all material before discarding container. ENVIRONMENTAL tiAZARDS

This pesticide is toxic to fish and other aquatic organism. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimina-tion System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sever systeme without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Keep product dry in tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat and open flame. In case of decomposition, do not reseal container. Isolate container, it opsaible, in open air or well ventilated area. Flood with large volumes of water to dissolve all material before discarding this container. Do not reuse empty container, but place in trash collection. Do not contaminate food or feed by storage, disposal or cleaning of equipment. Pesticke wastes are acutely hazardous. Improper disposal of excess pesticke, spray mixture or rineate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticke or Environmental Control Agency, or the

EPA Reg No 3525-76 65002

Made & Printed in U.S.A Manufactured by: QUALCO, INC. 225 Passaic Street Passaic, NJ 07055

Hazardous Waste representative at the nearest E.P.A. Regional Office for guide CEPTED with COMMENTS EPA Letter Dated:

> APR 2002

Under the Federal Insecticide. Fundicide, and Rodenticide Act as amended for the pesticide. requstered under EPA Reg. No. -2525-75