0/21/2008

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

SEPA United Status Environmental Protection Office of Pesticide Programs

October 21, 2008

Debbie Schaub Qualco, Inc. 225 PASSAIC Street PASSAIC, NJ 07055

FILE COPY

Subject: **TRICHLOR SHOCK TREATMENT** EPA Registration Number: 3525-75 Application Dated: October 10, 2008 Receipt Dated: October 16, 2008

Dear Ms. Schaub:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA Section 3(c) 9.

Proposed Notification

Updated the storage and disposal per PR Notice 2007-4.

General Comment

Based on a review of the material submitted, the following comment applies:

This notification is accepted and a copy has been inserted in your file for future reference.

Should you have any questions concerning this letter, please contact Wanda Henson at (703) 308-6345.

Sincerely, Wanda Hensor

Product Reviewer (32) Regulatory Management Branch II Antimicrobials Division (7510P)

Check if this is a new address Section - II Amendment - Explain below Resubmission in response to Agency letter dated Resubmission in response to Agency letter dated Water Co* Application Section - III Material This Product Will Be Packaging Yes No Yes No If "Yes" No Section of Net Contents Information Label Container Amener in Which Label is Affixed to Product Manner in Which Label is Affixed to Product Manner in Which Label is Affixed to Product Manner in Which Label is Affixed to Product Certification of Int (Complete items directly below for identification of individual to be contacted, if necessary, to process thit Manner in Which Label is Affixed to Product Certification Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process thit Certification Certification Certification Certification Certification Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process thit Certification	ration OPP Identifier dment Number
3525-75 ROBERT BRENNIS Company/Product (Name) TRICHLOR SHOCK TREATMENT 32 5. Name and Address of Applicant (Include ZIP Code) QUALCO, INC. 225 PASSAIC STREET PASSAIC, NJ 07055 6. Expedited Review. In accordance w Product is similar or identical in com Product is similar or identical in com 225 PASSAIC STREET PASSAIC, NJ 07055 EPA Reg. No. 3525-75 Check if this is a new address Product Name TRICHLOR SHG Amendment – Explain below Final printed labels in response to Agency letter dated Magency letter dated Image: No. Section - II Notification – Explain below. Image: No. Section 1.0 Image: No. Section – III Section – III Material This Product Will Be Packaged In: Third Resistant Unit Packaging Image: No. per No Image: No. per No Image: No. per No Image: No. Image: No. per No Image: No. per No <t< th=""><th></th></t<>	
Company/Product (Name) TRICHLOR SHOCK TREATMENT PM# 32 Name and Address of Applicant (Include 2IP Code) QUALCO, INC. 8. Expedited Review. In accordance v Product is similar or identical in com 225 PASSAIC STREET PASSAIC, NJ 07055 EPA Reg. No. 3525-75 Check if this is a new address Product Name Resubmission in response to Agency letter dated Product Name Notification – Explain below Final printed labels in response to Agency letter dated Notification – Explain below. The Too" Application Notification – Explain below. Other – Explain below. Image: State and Address and this product Will Be Packaging Other – Explain below. State and Top and Packaging Unit Packaging Yes No No Yes No Yes No Yes No Yes No Yes No Yes No Stenciled Manner in Which Label is Affixed to Product Uithograph Paper Glued Section – IV Container Container Title Paper Glued Other_SILK Manner in Which Label is Affixed to Product U	3. Proposed Classification
TRICHLOR SHOCK TREATMENT 32 Image and Address of Applicant (Include ZIP Code) QUALCO, INC. Expedited Review. In accordance v Product is similar or identical in com 225 PASSAIC STREET PASSAIC, NJ 07055 EPA Reg. No. 3525-75 Check If this is a new address Product Name Amendment – Explain below Final printed labels in response to Agency letter dated Notification – Explain below. Final printed labels in response to Agency letter dated Notification – Explain below. Other – Explain below. Import Strand St	None Restricted
Name and Address of Applicant (Include ZIP Code) QUALCO, INC. 225 PASSAIC STREET PASSAIC, NJ 07055 Check if this is a new address Check if this is a new address Section - II Amendment – Explain below Resubmission in response to Agency letter dated Resubmission in response to Agency letter dated Motification – Explain below. Section – II Material This Product Will Be Packaging Yes No If "Yes" Unit Packaging wgt. No. per Unit Packaging wgt. No. per Unit Packaging wgt. No. per Unit Packaging wgt. Container Libel Container 2 LB-, 15 LB., 25 LB. Contact Point (Complete items diractly below for identification of individual to be contacted, if necessary. to process this thereto are true, accurate and complete. Contact Point (Complete items diractly below for identification of individual to be contacted, if necessary. to process this thereto are true, accurate and complete. Contact Point (Complete items diractly below for identification of individual to be contacted, if necessary. to process this thereto are true, accurate and complete. Certification with the statements I have made on this form and all attachments thereto are true, accurate and complete.	
Section - II Amendment – Explain below Final printed labels in response to Agency letter dated Agency letter dated Resubmission in response to Agency letter dated "Me Too" Application Notification – Explain below. Other – Explain below. Image: Stand and the statements I have made on this form and all attachments thereto are true, accurate and complete.	
Amendment – Explain below Resubmission in response to Agency letter dated Resubmission in response to Agency letter dated Notification – Explain below. Replanation: Use additional page(s) is necessary. (For section I and Section II.) IPDATE STORAGE AND DISPOSAL AS PER PR NOTICE 2007-4. Retrial This Product Will Be Packaged In: Nild Resistant Ackaging Yes No Iff "Yes" No Resubmitted Iff "Yes" No Resubmitted Iff "Yes" No Resubmitted Resubmit	
Agency letter dated	
Notification – Explain below. Other – Explain below. Other – Explain below. Image: Strength Strengt	· · · · · · · · · · · · · · · · · · ·
Container Debox. Container Cont	
JPDATE STORAGE AND DISPOSAL AS PER PR NOTICE 2007-4. Section – III Material This Product Will Be Packaging Material This Product Will Be Packaging Water Soluble Packaging 2. Type of Col Material This Product Will Be Packaging Yes Yes No Plast Mo If "Yes" No Plast Plast Plast Certification must re submitted If "Yes" No. per Unit Packaging wgt. No. per Container No. per Unit Packaging wgt. No. per Container No. per Container Size(s) Retail Container No. per Container Size(s) Retail Container Size(s) Location Label Container 4. Size(s) Retail Container Size(s) Location Image: Size Container Size(s) Location Manner in Which Label is Affixed to Product Lithograph Other SILK Section – IV Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this are Certification Certification Section – IV Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this are	
Material This Product Will Be Packaged In: hild Resistant ackaging Yes No Yes No Certification must If "Yes" Unit Packaging wgt. No Paper Other Location of Net Contents Information Label Container Label Container Anner in Which Label is Affixed to Product Lithograph Paper Glued Stenciled Section – IV Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this arme Title BBIE SCHAUB Certification certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. certification relephone No GENERAL ADMINISTRATOR 973-473-12 Certification certification certification certification certification certification </th <th></th>	
hild Resistant Unit Packaging Water Soluble Packaging 2. Type of Consider and the statements I have made on this form and all attachments thereto are true, accurate and complete. 2. Type of Consider and the statement or both Yes No Yes Yes Meta Yes No Yes No Plast No If "Yes" No. per If "Yes" No. per Unit Packaging wgt. If "Yes" No. per Container Plast Label Container 4. Size(s) Retail Container 5. Location Pape Manner in Which Label is Affixed to Product Lithograph Paper Glued Image: State Stat	
Yes No Yes No Plast Certification must If "Yes" No. per If "Yes" No. per Container If "Yes" No. per Container Unit Packaging wgt. No. per Container Pape Location of Net Contents Information 4. Size(s) Retail Container 5. Location Label Container 2 LB., 15 LB., 25 LB. Image: Container Size(s) Retail Container Size(s) Retail Container Container Size(s) Retail Container Container Size(s) Retail Container Size(s) R	tainer
No No No No No Plast Certification must If "Yes" No. per Unit Packaging wgt. If "Yes" No. per container No. per Unit Packaging wgt. No. per Container No. per Unit Packaging wgt. No. per Container No. per Unit Packaging wgt. No. per Container No. per Container No. per Unit Packaging wgt. No. per Container Size(s) Retail Container Soction Soction No. per Container No. per Container Soction No. per Container	
Certification must e submitted If "Yes" Unit Packaging wgt. No. per container If "Yes" Unit Packaging wgt. No. per container No. per Unit Packaging wgt. No. per container No. per Unit Packaging wgt. No. per container Glass Pape Othe Location of Net Contents Information 4. Size(s) Retail Container 5. Location Label Container 2 LB., 15 LB., 25 LB. 5. Location Manner in Which Label is Affixed to Product Lithograph Paper Glued Stenciled Other SILK Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this are Title EBBIE SCHAUB GENERAL ADMINISTRATOR 973-473-12 Certification and all attachments thereto are true, accurate and complete. Certification and all attachments thereto are true, accurate and complete.	C .
Label Container 2 LB., 15 LB., 25 LB. Manner in Which Label is Affixed to Product Lithograph Paper Glued Other_SILK Stenciled Stenciled Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this ame Title Certification of individual to be contacted, if necessary, to process this ame EBBIE SCHAUB Certification Certification Certification Certification Certification Certification Certification Certification Certification	
Label Container 2 LB., 15 LB., 25 LB. Manner in Which Label is Affixed to Product Lithograph Paper Glued Other_SILK Stenciled Other_SILK Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this ame Title Title Telephone No EBBIE SCHAUB GENERAL ADMINISTRATOR 973-473-12 Certification Certification certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. Statement may be punishable by fine or imprisonment or both	of Label Directions
Paper Glued Other SILK Stenciled Stenciled Section – IV Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this ame Title EBBIE SCHAUB Certification Complete items directly below for identification of individual to be contacted, if necessary, to process this Certification Certification Certification Certification Complete items directly below for isolating statement may be punishable by fine or imprisonment or both	
Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this ame Title Telephone No IEBBIE SCHAUB GENERAL ADMINISTRATOR 973-473-12 Certification Certification certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. Image: Certification acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both Image: Certification	SCREENED
ame Title Telephone No IEBBIE SCHAUB GENERAL ADMINISTRATOR 973-473-12 Certification Certification certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. Image: Certification acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both Image: Certification	
EBBIE SCHAUB GENERAL ADMINISTRATOR 973-473-12 Certification Certification Service of the statements I have made on this form and all attachments thereto are true, accurate and complete. Service of the statement of the s	application.) (Include A/ca/Code)
Certification certify that the statements I have made on this form and all attachments thereto are true, accurate and complete.	C ,
nder applicable law.	6. Date Application Received ((Stamped)
Signature Nullie Schult GENERAL ADMINISTRATOR	
Typed Name 6. Date DEBBIE SCHAUB	

2/6

.

QUALCO, INC.

225 Passaic Street Passaic, NJ 07055

Phone No.: (973) 473-1222 Fax No.: (973) 473-0535 Website: www.Qualco.com

October 10, 2008

Attn.: Ms. Emily Mitchell Product Manager 32 Regulatory Management Branch II Antimicrobial Division 7510C US EPA 1200 Pennsylvania Avenue Washington, D.C. 20460-0001

Ref: 3525-75 Trichlor Shock Treatment

Dear Ms. Mitchell:

This notification is consistent with the provisions of PR Notice 2007-4 and EPA regulations at 40CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 95-2 and 40-CFR 152.46, this product may be in violation of FIFRA, and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Sincerely.

vecèc

core

Debbie Schaub

QUALCO, INC.

225 Passaic Street Passaic, NJ 07055

Phone No.: (973) 473-1222 Fax No.: (973) 473-0535 Website: www.Qualco.com

> -υυ ουοσούο ε είνου είνου

> > υČυ

October 10, 2008

Attn.: Ms. Emily Mitchell Product Manager 32 Regulatory Management Branch II Antimicrobial Division 7510C US EPA 1200 Pennsylvania Avenue Washington, D.C. 20460-0001

Ref: 3525-75 Trichlor Shock Treatment

Dear Ms. Mitchell:

Enclosed is our notification to update the storage and disposal as per PR Notice 2007-4.

If you need any additional information, please let me know.

Sincerely,

Schaut

Debbie Schaub

Enc.

TRICHLOR SHOCK SUPERCHLORINATOR FOR GUNITE OR CONCRETE POOLS •DESTROYS ALL TYPES OF ALGAE INCLUDING BLACK ALGAE •COMPLETELY SOLUBLE

ACTIVE INGREDIENT:

Trichloro-s-triazinetrione		99.0%
OTHER INGREDIENTS		1.0%
T	DTAL ·	100.0%

Available Chlorine......92.0%

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID STATEMENT

IF SWALLOWED:	Call a poison control center or doctor immediately for treatment advice. Have person sip glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	Take off contaminated clothing. Rinse skin immediately with plenty of water fcr 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice.
HOT LINE NUMBER:	Hav, L'e produc: container or label with you when calling the poison control center or doctor, or going for treadnen. You may also conjuct 973-473-1222 for further questions.
NOTE TO PHYSICIAN:	Probat 'e mucos-I "ame or may contraindicate the use of gastric lavage.

MADE ESPECIALLY FOR POOL SPECIALISTS

Net Weight: 2 lbs. (32 oz.) (907.2 grams)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Reentry into treated swimming pools/spas is prohibited above levels of 3.0 ppm. Trichlor Shock rapidly kills unsightly black algae as well as other types of algae. Just add directly to the pool and algae will begin to be destroyed. **REGULAR CARE:**

1. Adjust pH of swimming pool water to 7.2 to 7.6 before using Trichlor Shock.

2. Shut off pool filter 4-6 hours before use. Allow water to become calm, with no motion. If black algae is present, scrub black algae colonies with a steel algae brush prior to application of Trichlor Shock.

3. Add 14 oz. of Trichlor Shock per 10,000 gallons of pool water. Apply treatment along walls, at edge of pool, and over surface of water.

4. After 6-8 hours, turn on filter and vacuum or scrub dead algae from pool bottom or walls. Dead algae colonies may be removed from pool walls or pool bottom with steel algae brush. If live algae remains, repeat treatment.

5. Before using pool, check the chlorine residual. If chlorine residual is above 2.0 ppm, do not use pool until chlorine residual drops to below 2.0 ppm as determined by a PoolChem Test Kit.

DO NOT USE TRICHLOR SHOCK IN PAINTED, VINYL LINED, FIBERGLASS OR COLORED PLASTER POOLS. USE ISO SHOCK OR INSTANT SHOCK FOR THESE POOLS.

NEVER MIX POOL CHEMICALS TOGENTER! ALWAYS ADD THEM SEPARATELY!

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Keep Out Of Reach Of Children. CORROSIVE. Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before, eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT. Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. Isolate container, if possible, in open air or well ventilated area. Flood with large volumes of water to dissolve all material before discarding container.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and other aquatic organism. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

STORAGE: Keep product dry in tightly closed container when not in use. Store in a cool, dry well ventilated area away from heat and open flame.

NONREFILLABLE CONTAINER. IF EMPTY: Do not reuse or refill this container. Place in trash or offer for recycling, if available.

IF PARTLY FILLED: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain. E.P.A. Reg. No. 3525-75 E.P.A. Est. No. 3525-NJ-1

55002

Made & Printed in U.S.A. Manufactured by: QUALCO, INC. 225 Passaic Street Passaic, NJ 07055 \$55002

Optional Text that may or may not appear on final printed label. Optional Text:

Sun Protected for Extended Chlorine Life Made Especially for Pool Specialists

00000

• • • • • • • •