

### DIRECTIONS FOR USE:

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN ANY MANNER INCONSISTENT WITH ITS LABELING.

UTIKEM CHLORINATOR STIX are formulated for use in floating dissolving baskets, skimmers and chlorinators designed for this type of chlorinating agent. Never put UTIKEM CHLORINATOR STIX directly into the pool water. Use only with proper dispensing device!

One UTIKEM CHLORINATOR STIX (7.33 oz.) will provide approximately 5 ppm of available chlorine when added to 10,000 gallons of water.

### START UP:

1. Adjust pH of pool water to 7.2-7.6 range with UTIKEM pH CONTROL CHEMICALS.
2. To a clean pool which is free of visible algae, add 15 oz. of UTIKEM SHOCK TREATMENT for every 5000 gallons of water.
3. Test water for chlorine residual using a suitable UTIKEM Test Kit.
4. If chlorine residual is below 1.0-1.5 ppm, repeat treatment until proper level is reached.
5. If your pool has not been stabilized previously, add UTIKEM CHLORINE STABILIZER AND WATER CONDITIONER (Cyanuric Acid) according to directions.

### REGULAR CARE:

1. After start up, add 1 UTIKEM CHLORINATOR STIX (approx. 7.33 oz.) for every 10,000 gallons of pool water. Place UTIKEM CHLORINATOR STIX in plastic skimmer basket, floating dispenser, or chlorinator. Follow manufacturer's direction when used in chlorinator.
2. Add 1 UTIKEM CHLORINATOR STIX for each 10,000 gallons of water every week or as needed to maintain a chlorine residual of 1.0-1.5 ppm as determined by a suitable UTIKEM Test Kit.
3. Check pool water daily with your test kit and maintain a chlorine residual of 1.0-1.5 ppm and a pH of 7.2-7.6.
4. During extremely hot weather and/or heavy bathing loads, additional treatment may be required.

NEVER PUT ANY OTHER CHEMICALS IN SKIMMER BASKETS, DISSOLVING BASKETS, OR ANY OTHER FEEDER WHEN USING UTIKEM CHLORINATOR STIX IN THESE DEVICES.

NEVER MIX POOL CHEMICALS TOGETHER.  
ALWAYS ADD THEM SEPARATELY.

# Utikem<sup>®</sup> chlorinator

- POOL WATER SANITIZER  
DISINFECTANT
- COMPLETELY SOLUBLE
- STABILIZED FOR EXTENDED  
CHLORINE LIFE
- CONTROLS BACTERIA AND  
ALGAE  
CHLORINATING AGENT FOR SWIMMING  
POOLS  
FOR USE IN DISSOLVING BASKETS, SKIMMERS,  
AND CHLORINATORS.

#### ACTIVE INGREDIENT:

\*Trichloro-s-triazinetriene

#### INERT INGREDIENT

\*Available Chlorine 89%  
E.P.A. Reg. No. 3525-76

KEEP OUT OF REACH OF CHILDREN  
**DANGER**

STATEMENT OF PRACTICAL TREATMENT AND ADDITION  
ACCEPTED  
3525-76  
MAR 23 1981  
Under the Federal Insecticide, Fungicide, and Rodenticide Act  
ASK FOR THE OTHER **Utikem** POOL AND SPA PRODUCTS  
MADE IN U.S.A.  
Net Wt. 8 lbs. 4 oz. / 3.75 kg

UTILITY CHEMICAL COMPANY  
— Corporate Offices —  
PATERSON, N.J. 07624

ASK FOR THE OTHER **Utikem** POOL AND SPA PRODUCTS  
MADE IN U.S.A.

Net Wt. 8 lbs. 4 oz. / 3.75 kg

37

HOW TO USE THIS PRODUCT IN ACCORDANCE WITH ITS LABELING.

are formulated for use in swimming pools and chlorinators. Never put directly into the pool dispensing device!

STIX (7.33 oz.) will provide available chlorine when dissolved in water.

to 7.2-7.6 range with pH ADJUSTING CHEMICALS.

in the presence of visible algae, add 15 TABLETS for every 5000 gallons of water.

Residual using a suitable test kit.

When chlorine level is low (1.0-1.5 ppm), repeat treatment is reached.

If water has been stabilized previously, add STIX and WATER CONDITIONER according to directions.

1 TABLET CHLORINATOR STIX will treat 10,000 gallons of pool water. Use CHLORINATOR STIX in plastic dispensing device, or chlorinator. Follow directions when used in chlorinator.

Use CHLORINATOR STIX for each week or as needed to maintain chlorine level of 1.0-1.5 ppm as determined by Test Kit.

Use your test kit and maintain chlorine level of 1.0-1.5 ppm and a pH of 7.2-7.6.

For heavy and/or heavy bathing, additional treatment may be required.

DO NOT USE CHEMICALS IN SKIMMER BASKETS, OR ANY OTHER DISPENSING DEVICES. USE ONLY CHLORINATOR STIX.

DO NOT MIX WITH OTHER CHEMICALS. ALWAYS READ LABELING CAREFULLY.



# Utikem<sup>®</sup> chlorinator stix

- POOL WATER SANITIZER AND DISINFECTANT
  - COMPLETELY SOLUBLE
  - STABILIZED FOR EXTENDED CHLORINE LIFE
  - CONTROLS BACTERIA AND ALGAE
- CHLORINATING AGENT FOR SWIMMING POOLS. FOR USE IN DISSOLVING BASKETS, SKIMMERS AND CHLORINATORS.**

**ACTIVE INGREDIENT:**

*Trichloro-s-triazinetriene	99%
INERT INGREDIENT	1%

\*Available Chlorine 89% 100%  
 E.P.A. Reg. No. 3525-76 E.P.A. Est. No. 3525-NJ-1

KEEP OUT OF REACH OF CHILDREN

### DANGER

SEE STATEMENT OF PRACTICAL TREATMENT AND ADDITIONAL PRECAUTIONS ON SIDE PANEL.

**ACCEPTED**  
 3525-76  
 MAR 23 1981  
 Utility Chemical Company  
 - Corporate Offices -  
 PATERSON, N.J. 07524

ASK FOR THE OTHER **Utikem** POOL AND SPA PRODUCTS

MADE IN U.S.A.

Net Wt. 8 lbs. 4 oz./3.75 kg

**PRECAUTIONARY STATEMENTS - HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**DANGER:**

Highly corrosive. Causes severe skin burns and eye damage. Fatal if swallowed. Irritating to nose and throat. Wash contaminated clothing before reuse.

**ENVIRONMENTAL HAZARDS:**

This product is toxic to aquatic life. Do not discharge into streams, ponds, or other bodies of water.

**PHYSICAL AND CHEMICAL HAZARDS:**

**STRONG OXIDIZING AGENT**  
Strong Oxidizing Agent. May cause fire or explosion. Contact with combustible materials may cause a violent reaction. Do not add to containers containing remnants of other chemicals. Do not use in confined spaces. Heat, liberation of hazardous gases, or explosion may occur if mixed with certain chemicals. Do not use in open air or in confined spaces. Do not use in volumes of water, if necessary.

**STORAGE AND DISPOSAL:**

Keep product dry in original container. Store in a cool, dry place. Do not use in heat or open flame. Do not use in confined spaces. Do not use in open air or in confined spaces. Do not use in volumes of water, if necessary. Do not use in open air or in confined spaces. Do not use in volumes of water, if necessary.

**PRACTICAL TREATMENT:**

If swallowed, feed bread or milk. Do not induce vomiting. If in eyes, flush with cold water for at least 15 minutes. If on skin, brush off excess chemical and flush with cold water for at least 15 minutes. Seek medical attention.

DO NOT REUSE EMPTY CONTAINER.

# Ulikem<sup>®</sup> chlorinator stix

**POOL WATER SANITIZER AND  
DISINFECTANT**

**COMPLETELY SOLUBLE**

**STABILIZED FOR EXTENDED  
CHLORINE LIFE**

**CONTROLS BACTERIA AND ALGAE**

**CHLORINATING AGENT FOR SWIMMING POOLS.  
FOR USE IN DISSOLVING BASKETS, SKIMMERS AND  
CHLORINATORS.**

**ACTIVE INGREDIENT:**

Trichloro-s-triazinetriene ..... 99%  
**INERT INGREDIENT** ..... 1%

available Chlorine 89% ..... 100%  
A. Reg. No. 3525-76 ..... E.P.A. Est. No. 3525-NJ-1

**KEEP OUT OF REACH OF CHILDREN**

**DANGER**

**STATEMENT OF PRACTICAL TREATMENT AND ADDITIONAL PRECAUTIONS ON  
SIDE PANEL.**

**UTILITY CHEMICAL COMPANY**

— Corporate Offices —  
PATERSON, N.J. 07524

**Ulikem** POOL AND SPA PRODUCTS

**MADE IN U.S.A.**

Net Wt. 8 lbs. 4 oz./3.75 kg

37

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER:**

Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Protect eyes, skin and face when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

**ENVIRONMENTAL HAZARDS:**

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters.

**PHYSICAL AND CHEMICAL HAZARDS:**

**STRONG OXIDIZING AGENT:**

Strong Oxidizing Agent. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

**STORAGE AND DISPOSAL:**

Keep product dry in tightly closed container when not in use. Store in a cool dry, well ventilated area away from heat or open flame. In case of decomposition isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding. Do not reuse empty container. Wrap container and put in trash collection.

**PRACTICAL TREATMENT, (FIRST AID):**

If swallowed, feed bread soaked in milk, followed by olive oil or cooking oil. Call a physician immediately. If on skin, brush off excess chemical and flush skin with cold water for at least 15 minutes, get medical attention. If in eyes, flush with cold water for at least 15 minutes. Get medical attention.

**DO NOT REUSE EMPTY CONTAINER**

**ACCEPTED**  
3525-76  
MAR 23 1981  
For the Federal Insecticide,  
and Rodenticide Act  
**ASK FOR THE OTHER Ulikem**