

KIDDIE POOL SURFACE SANITIZER AND ALGAEICIDE

ACTIVE INGREDIENT:

Alkyl (C₁₂, 95%; C₁₃, 3%; C₁₄, 2%)

Dimethyl benzyl ammonium chloride dihydrate 5-

INERT INGREDIENTS:

97 ~

100 ~

E.P.A. Reg No. 3525-77

E.P.A. Est No. 33967-NJ-1

**KEEP OUT OF REACH OF CHILDREN
WARNING**

SEE STATEMENT OF PRACTICAL TREATMENT
AND ADDITIONAL PRECAUTIONS ON REAR PANEL

NET WT. 2 OZ / 56.7 g

ITEM NO. SAL-09-14

Utikem®

Get in the swim with

SWIMMING POOL & SPA PRODUCTS

**KIDDIE POOL SURFACE SANITIZER
AND ALGAEICIDE**

SA. 09 14 NET CONTENTS (2 oz. Packets)
(17 oz. 454.2 g)

**Get in the swim with
SWIMMING POOL & SPA PRODUCTS**

UTILITY CHEMICAL COMPANY
PATERNON, N.J. 07650

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN ANY MANNER INCONSISTENT WITH ITS LABELING

UTIKEM KIDDIE POOL SURFACE SANITIZER AND ALGAEICIDE WHEN USED AS DIRECTED WILL CONTROL THE GROWTH OF CHLORELLA PYRENDOISA (GREEN) AND PHORMIDIUM INUNDATUM (BLUE-GREEN) SPECIES OF ALGAE

UTIKEM KIDDIE POOL SURFACE SANITIZER AND ALGAEICIDE controls the growth of microscopic plants called algae which thrive in warm, sunlit pools. It is algae that turns the water green and produces odors that make swimming unpleasant.

TREATMENT: For initial application in a clean and freshly filled, algae-free pool, use 1 packet (2 oz.) for every 200 gallons of water. If visible algae is present, use 2 packets (4 oz.) for every 200 gallons of water and remove dead algae debris with pool vacuum, skimmer, etc. If visible algae is still present, repeat treatment until algae growth is visibly controlled.

POOL CAPACITY	INITIAL DOSE
200 gal. (6' dia x 12" deep)	1 packet (2 oz.)
450 gal. (8' dia x 15" deep)	2 packets (4 oz.)
600 gal. (8' dia x 20" deep)	3 packets (6 oz.)

After initial application, use 1 packet (2 oz.) for every 400 gallons of water every 5-7 days.

Always add entire contents of UTIKEM KIDDIE POOL SURFACE SANITIZER AND ALGAEICIDE directly to pool water along pool edge. After treatment, wait at least 30 minutes (1/2 hour) before using pool.

SANITIZING POOL WALLS AND OTHER SURFACES: Surfaces should be cleaned prior to sanitizing. Add entire contents of 1 packet (2 oz.) to 2 gallons of fresh water. Apply this solution to pool walls and other surfaces with a brush, mop, or rag. Treated surfaces must remain wet for at least 5 minutes.

ALWAYS USE ENTIRE CONTENTS OF PACKET IN ONE APPLICATION!

NEVER MIX POOL CHEMICALS TOGETHER! ALWAYS ADD THEM SEPARATELY!

MADE IN U.S.A.

ASK FOR THE OTHER **Utikem** POOL AND SPA PRODUCTS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Keep out of the reach of children. Harmful if swallowed. Causes eye and skin irritation. Do not get in eyes, on skin, or on clothing. Protect eyes and skin when handling. Avoid contamination of food.

PRACTICAL TREATMENT, (FIRST AID): If swallowed, promptly drink a large quantity of milk, ice water, or fruit solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. In case of external contact, flush eyes and/or skin with plenty of water for at least 15 minutes. For every get medical attention. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public waters unless in accordance with a NPDES Permit. For guidance, contact your Regional Office of the Environmental Protection Agency.


DISPOSAL: Wrap empty packets and put in trash collection.

ESTIMATING POOL CAPACITY

RECTANGULAR & SQUARE POOLS: Multiply length in feet x width in feet x average depth in feet x 7.5. The result will be capacity of pool in gallons.

ROUND POOLS: Multiply diameter in feet x diameter in feet x average depth in feet x 5.9. The result will be capacity of pool in gallons.

OVAL POOLS: Multiply largest diameter in feet x shortest diameter in feet x average depth in feet x 6.7. The result will be capacity of pool in gallons.



0

TO OPEN-CUT ALONG DOTTED LINE WITH SCISSORS

ALWAYS USE ENTIRE CONTENTS OF PACKETTE IN ONE APPLICATION

DIRECTIONS FOR USE:

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN ANY MANNER INCONSISTENT WITH ITS LABELING.

For initial application in a clean and freshly tiled, algae-free pool, use 1 packette (2 oz) for every 200 gallons of water. After initial application, use 1 packette (2 oz) for every 400 gallons of water every 5-7 days.

Always add entire contents of packette directly to pool water along pool edge. After treatment, wait at least 30 minutes before using pool.

SANITIZING POOL WALLS AND OTHER SURFACES:

Surfaces must be cleaned prior to sanitizing. Add entire contents of 1 packette (2 oz) to 2 gallons of fresh water. Apply this solution with a brush, mop or rag. Treated surfaces must remain wet for at least 5 minutes.

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Keep out of reach of children. Harmful if swallowed. Causes eye and skin irritation. Do not get in eyes, on skin, or on clothing. Protect eyes and skin when handling. Avoid contamination of food.

PRACTICAL TREATMENT, (FIRST AID): If swallowed, promptly drink a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. In case of external contact, flush eyes and/or skin with plenty of water for at least 15 minutes. For eyes, get medical attention. Remove and wash contaminated clothing before reuse.

DISPOSAL: Wrap empty packette and put in trash collection.

SEE DISPLAY PACKAGE FOR ADDITIONAL PRECAUTIONS AND DIRECTIONS FOR USE.

ASK FOR THE OTHER **WILLAM**® POOL AND SPA PRODUCTS