

3525-101

11/6/2009

10#2



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF  
PREVENTION,  
PESTICIDES  
AND TOXIC  
SUBSTANCES

November 6, 2009

Debbie Schaub  
Qualco, Inc.  
225 Passaic Street  
Passaic, N.J. 07055

RE: Label Amendment Dated August 26, 2009  
Product Name: Boost Pool Shock Treatment  
EPA Registration Number: 3525-101

Dear Ms. Schaub:

The Agency has reviewed your submission in accordance with continuing registration under the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as amended, and determined the action acceptable.

In summary, your request to revise the Storage and Disposal directions in accordance with PR Notice 2007-4 is acceptable. A copy of your stamped accepted label is enclosed.

If you have questions concerning this letter, please contact Tom Luminello by telephone, (703) 308-8075, or by e-mail at [luminello.tom@epa.gov](mailto:luminello.tom@epa.gov).

Sincerely,

*for Tom Luminello*

Emily H. Mitchell  
Product Manager 32  
Antimicrobials Division (7510-P)

Enclosure

ALWAYS USE ENTIRE CONTENTS WHEN OPENED  
DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Boost Pool Shock should be used at spring start-up, once a week, or as necessary to eliminate discomforting irritation due to formed chloramines in the pool and to control algae. Prior to using Boost Pool Shock, adjust the pH of the pool water using Coastal pH Minus or pH Plus as necessary, following label directions. Maintain the pH in the range of 7.2 to 7.6. Add 1 to 2 oz. of Boost Pool Shock per 1,000 gallons of pool water to yield an available chlorine residual of 5 to 10 ppm (parts per million). Boost Pool Shock should be sprinkled over an extensive area of pool water surface, or pre-dissolved in a large bucket of water with the dissolved solution poured over a wide area of pool water surface. Allow the chlorine residual to drop below 2.0 ppm before re-entering the pool. If algae growth is present, brush affected areas with a stiff bristle brush.

For winterizing use, add 0.6 oz. of Boost Pool Shock per 1,000 gallons of pool water while pool is still clean and clear. Run filter for at least 2 hours. Follow manufacturer's closing instructions.

NOTE: Non chelated copper based algaecides should not be used with this product.

**PRECAUTIONARY STATEMENTS**  
**Hazards To Humans And Domestic Animals**

**DANGER:** Keep Out Of Reach Of Children. Highly Corrosive. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or safety glasses and rubber gloves when handling this product. Irritating to nose and throat. Avoid breathing dust. Remove contaminated clothing and wash before reuse.

# BOOST

## POOL SHOCK TREATMENT

### For Superchlorinating Pool Water and Control of Algae

ACTIVE INGREDIENT:	
Calcium Hypochlorite.....	68.0%
OTHER INGREDIENTS.....	32.0%
TOTAL	100.0%
Available Chlorine Content.....	65.0%

**KEEP OUT OF REACH OF CHILDREN**  
**DANGER**  
**FIRST AID**

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. **HOT LINE NUMBER:** Have the product container or label with you when calling the poison control center or doctor, or going for treatment. You may also contact 617-547-9145 for further questions. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

**PHYSICAL AND CHEMICAL HAZARDS**  
**STRONG OXIDIZING AGENT.** Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. Isolate container, if possible, in open air or well ventilated area. Flood with large volumes of water to dissolve all material before discarding container.

**ENVIRONMENTAL HAZARDS**  
This pesticide is toxic to fish and other aquatic organism.

**STORAGE AND DISPOSAL**  
**STORAGE:** Keep product dry in tightly closed container when not in use. Store in a cool, dry well ventilated area away from heat and open flame. **NONREFILLABLE CONTAINER. IF EMPTY:** Do not reuse or refill this container. Place in trash or offer for recycling, if available. **IF PARTLY FILLED:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

EPA Reg. No. 3525-101  
EPA Est. No. 3525-NJ-1  
Mfr. #55132 Part #R55132A

Manufactured by:  
**QUALCO, INC.**  
225 Passaic Street  
Passaic, NJ 07055



**Net Weight: 1 lb. (16 oz.)(453.6 grams)**

