

Coastal


Once-A-Week Tarry LONG-LASTING 1 OZ. CHLORINATING TABLETS

ACTIVE INGREDIENT: Trichloro-s-triazinetrione......98.8% OTHER INGREDIENTS....... 1.2% TOTAL 100.0% Available Chlorine......89%

energy (%) (%)

KEEP OUT OF REACH OF CHILDREN DANGER FIRST AID STATEMENT	
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	Take off contaminated clothing. Plinse skin immediately with plenty of water for 15-20 minutes. Cell a poison control center or doctor for treatment advice.
IF INHALED:	Move person to treeh air. If person is not breething, cell \$11 or an ambulance, then give artificial respiration, preferably mouth- to-mouth if possible. Cell a poison control center or doctor for further treatment advice.
HOT LINE NUMBER:	Have the product container or label with you when calling the poleon control center or doctor, or going for treatment. You may also contact 973-473-1222 for further questions.
NOTE TO PHYSICIAN	Probable mucceal damage may contraindicate the use of gastric levege

.



Net Weight: 8 lbs. (3.63 kg)

PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT, Mix only with water. Use clean, dry utensiis. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. Isolate container, If possible, in open air or well ventilated area. Flood with large volumes of water to dissolve all material before discarding container.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and other aquatic organism. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the regulrements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Keep product dry in tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat and open flame. In case of decomposition, do net reseal container, isolate container, if possible, in open air or weil ventilated area. Flood with large volumes of water to dissolve all material before discarding this container. Do not reuse empty container, but place in trash collection. Do not contaminate food or feed by storage, disposal or cleaning of equipment. Pesticide wastes are acutely hazardous, improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label-instructions, contact Your State Pesticide or Environmental Control Agency; or the Hazardous Waste representative at the nearest E.P.A. Regional Office for guidance. E.P.A. Reg. No. 3525-111

E.P.A. Est. No. 3525-NJ-1

Made & Printed in U.S.A. Manufactured by: QUALCO, INC. 225 Passaic Street Passaic, NJ 07055

CHEMICAL PROPERTIES

المراجعين

Contains 69% Available Chlorine / Soluble in all Pool Water No Alkall Build-up / Long-Lasting Chlorine Residual Slow Dissolving / For use in Automatic or Floating Dispensers

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Reentry into treated swimming pools/spas is prohibited above levels of 3.0 ppm.

Tarry Long-Lasting 1 oz. Chlorinating Tablets are to be used as a disinfectant and algae control in pool water. They are long-tasting and are intended to slowly meter chlorine into pool water. Tarry Long-Lasting 1 oz. Chlorinating Tablets are intended for use in a tablet dispenser, in-line chlorinator, in-line feeder or other similar dispenser, in order to receive its maximum effect, use as follows:

- Superchlorinate the pool water with fast acting Coastal Blast Shock Treatment or other chlorinating product, following label directions for that product. Do not enter pool until the chlorine residual drops to 2,0 ppm (parts per million).
- Using Coastal Chlorine Stabilizer, adjust the cyanuric acid level in pool water to 35 ppm, following label directions.
- Adjust the pH to the ideal range of 7.2 to 7.6 using Coastal pH Plus if the pH is below 7.2 or Coastal pH Minus if the pH is above 7.6.
- Suggested dosage is seven (7) Tarry Long-Lasting 1 oz. Chlorinating Tablet per 3,600 gallons of pool water per week. Add tablet to a floating dispenser, in-line feeder or similar as needed as determined by a chlorine test kit to maintain a 1.0 to 1.5 ppm (parts per million) residual chlorine. Check water for chlorine content at regular intervals. This dosage may vary due to unusual conditions, such as heavy bather loads, heavy rains or high temperatures. During these conditions, water should be checked every 2 hours. Maintain a pH level of 7.2 to 7.6 for best results.

One (1) Tarry Long-Lasting 1 oz. Chlorinating Tablet weighs approximately 1 oz. (28 grams) and WILL LAST APPROXIMATELY ONE WEEK DEPENDING ON TEMPERA-TURE, BATHER LOAD AND AMOUNT OF WATER FLOW, Tablets should never be thrown directly into pool as they may cause spotting or bleaching. Not recommended for splasher or wader pools.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Keep Out Of Reach Of Children, CORROSIVE, Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before, eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.