

FRONT PANEL

ASEPTICARE

DISINFECTANT  
ODOR COUNTERACTANT

ACCEPTED  
SEP 17 1973  
UNDER THE ECONOMIC  
EMERGENCY PRICE CONTROL AND  
FOR ECONOMIC STABILIZATION ACT  
ED UNDER NO 353977 SUBJECT  
TO ATTACHED COMMENTS.

WARNING:

Keep Out of Reach of Children.  
Do not spray in face. (See side  
panel for additional precautions.

NET WEIGHT 13 AV. OZ.

LEFT PANEL

Asepticare reduces the number of airborne bacteria i.e. Staphylococcus Aureus, eliminates offensive malodors and leaves air smelling fresh and clean. On surfaces: Asepticare kills Staphylococcus, Streptococcus, Pseudomonas, Mycobacterium tuberculosis, Trichophyton Interdigitale (Athlete's Foot Fungi), viruses such as Influenza A<sub>2</sub> (Aichi), Para influenza I (Sendai), Canine Distemper, Feline Pneumonitis, Vaccinia, Herpes Simplex, and most disease germs. It provides ~~8-10~~ residual bacteriostatic action between uses if not washed or rubbed off. Asepticare controls mold and mildew on hard non-porous surfaces. Use Asepticare on door handles, clean-up carts, light switches, dressing or linen carts, hampers, diaper pails, bed-pans, toilet seats, plastic mattress covers and lockers

**DIRECTIONS:** To Disinfect Surfaces: Hold container 6-8 inches from the surface. Spray 2-3 seconds or until surface is wet. Avoid using Asepticare on delicate fabrics, lacquered, shellacked, or other finished wood surfaces.  
To Control Mold, Mildew & Bacterial growth: Clean surfaces prior to application. Repeat application after 7 days or as necessary to maintain control.  
To Sanitize the Air: Close the doors and windows and spray 20-30 seconds in most average-size rooms, moving the spray in a circular arc about the room. It is also a true odor counteractant that eliminates lingering malodors, leaving Airkem's famous Air Freshened Effect.™

3533-17  
**ACCEPTED**

SEP 17 1963

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER  
ED UNDER NO. 100000 SUBJECT  
TO ATTACHED COMMENTS

RIGHT PANEL

**WARNING:** Avoid getting into eyes. In case of contact, flush with water; if irritation persists, get medical attention. Harmful if swallowed.

Avoid contamination of food.

EPA Reg. No. 3533-18

**FLAMMABLE** - Contents under pressure. Do not use near fire, sparks or flame. Do not puncture or incinerate container. Exposure to temperature above 130° may cause bursting.

**Active Ingredients:**

n-alkyl* dimethyl ethylbenzyl ammonium chloride	0.09%
n-alkyl* dimethyl dimethylbenzyl ammonium chloride	0.09%
n-alkyl* dimethyl cumenyl ammonium chloride	0.06%
n-alkyl (60% C14, 30% C16, 5% C 12 5% C18) dimethyl benzyl ammonium chloride	0.06%
Ethanol	61.52%
Isopropanol	0.43%

\*n-alkyl distribution = 50% C12, 30% C14, 17% C16, 3% C18

**Inert Ingredients:**

37.75% Contains 0.01% Sodium Nitrite.

**AIRKEM**

A Division of Airwick Industries, Inc.  
Carlstadt, N.J. 07072/Made in U.S.A.

For a more healthful environment  
Through Modern Chemistry®

