

Asepticare temporarily reduces the number of airborne bacteria such as Staphylococcus aureus.

KILLS MOST GERMS—On environmental surfaces. Staphylococcus, Streptococcus, Pseudomonas, Mycobacterium tuberculosis, *viruses like: influenza A2 (Aichi), Parainfluenza 1 (Sendai), Vaccinia,

asepticare®

DISINFECTANT

*VIRUCIDE

**Air Sanitizer-Odor Counteractant
with Residual Bacteriostatic Odor Control**

Use Asepticare on door handles, clean-up carts, light switches, dressing or linen carts, hampers, diaper pails, bedpans, toilet seats, plastic mattress covers and lockers. Asepticare is designed for use in hospitals, offices, pet care areas, motels, and other areas where odor and bacterial control is desired.

Canine distemper, Feline pneumonitis, Herpes simplex as well as Athletes Foot fungi and most disease germs. It provides residual bacteriostatic action against odor causing bacteria if not washed or rubbed off.

CONTROLS MOLD & MILDEW—Asepticare Spray controls mold and mildew on hard non-porous surfaces if not washed or rubbed off. **ELIMINATES ODORS AND SANITIZES THE AIR.**

DIRECTIONS: TO DISINFECT: Hold container 6-8 inches from the surface. Spray 2-3 seconds or until surface is wet. Avoid using spray on delicate fabrics, lacquered, shellacked or other finished wood surfaces.

TO CONTROL MOLD & MILDEW: Clean surfaces prior to application. Spray as above. Repeat application in 7 days or as necessary to maintain control.

TO SANITIZE AIR: Close doors and windows and spray 20-30 seconds in most average size rooms, moving the spray in a circular arc.

TO ELIMINATE ODORS: Spray 1-2 seconds in room as required.



EPA Reg. No. 3533-54 EPA Est. No. 5590-CT-1

WARNING:

Keep Out of Reach of Children.

Do not spray in face.

(See side panel for additional precautions.)

NET WEIGHT 3 OZ.

WARNING: Avoid getting into eyes, avoid contamination of food. In case of contact, flush with water; if irritation persists, get medical attention. Harmful if swallowed.

FLAMMABLE—Contents under pressure. Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperature above 130° may cause bursting.

ACTIVE INGREDIENTS:

n-alkyl (60% C₁₂, 30% C₁₄, 5% C₁₆, 5% C₁₈) dimethyl benzyl ammonium chlorides . . . 0.15%
n-alkyl (68% C₁₂, 32% C₁₄) dimethyl ethylbenzyl ammonium chlorides . . . 0.15%
Ethanol 59.70%
Isopropanol 0.42%
Essential Oils 0.50%

INERT

INGREDIENTS: 39.08%
Contains 0.01% Sodium Nitrite.



airkem,

A Division of Airwick Industries, Inc.
Carlstadt, N.J. 07072 Made in U.S.A.

ACCEPTED