


ENTICIDE

**Kills—Roaches, Spiders,
Ants, Earwigs, Crickets,
Silverfish, Waterbugs.**

**Residual Odor
Controlled Insecticide
CITRUS SCENTED**



**CAUTION:
Keep Out of Reach of Children.
See additional precautions
on back of container.**

**For Institutional Use
EPA Reg. No. 3533-56
EPA Est. No. 5590-CT-1**

NET WEIGHT 14 OZ. AV.

airkem®
A Division of Airwick Industries, Inc.
Commerce Rd., Carlstadt, N.J. 07072

Directions For Use: Hold can upright and spray infested surfaces only until wet.

ROACHES, ANTS, WATERBUGS, SILVER-FISH, SOWBUGS, SPRINGTAILS, SPIDERS, FIREBRATS, CRICKETS, EARWIGS: Spray until wet, surface behind and beneath cabinets, refrigerators, sinks, stoves, ant trails, and other localized areas infested with insects. Spray window and door frames where ants enter. Repeat as necessary.

FLIES, MOSQUITOES, WASPS, AND SMALL FLYING MOTHS – OUTDOORS: For outdoor use as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors and window frames. Also treat surfaces around outside light fixtures such as on porches or garages.

CHIGGERS, ANTS, BROWN DOG TICKS, AND CLOVER MITES – OUTDOORS: For treatment of localized infestations of insects in outdoor areas where there is no vegetation, spray infested areas. For ants, wet hills and runways. Repeat as necessary.

Non-Food Areas – Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

Enticide • R™ Kills Even Resistant Roaches and Ants.

Directions For Use:

Food Handling Establishments – Places other than private residences in which exposed food is held, processed, prepared or served.

Food Areas – Application Limited to Crack and Crevice Treatment Only – Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation also would be considered a food area).

For Control of Roaches: Use Injection or Insertion Tube – Apply in small amounts directly into cracks and crevices using in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, where roaches hide.

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

Applications of This Product in the Food Areas of Food Handling Establishments, Other Than as a Crack and Crevice Treatment Are Not Permitted.

Serving Areas – Facilities where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held.

Apply as a spot treatment to selective surfaces such as baseboards, under elements of construction into cracks and crevices to control roaches. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed.)

Active Ingredients:

O, O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate*	0.500%
Pyrethrins	0.045%
Technical piperonyl butoxide (equivalent to 0.072%) [butylcarbityl] [6-propyl-piperonyl] ether and other related compounds 0.018%	0.090%
N-octyl bicyclo heptene dicarboximide**	0.151%
Petroleum distillate	68.710%
Inert Ingredients:	30.504%
Total:	100.000%

*Diazinon™ trademark of CIBA GEIGY Corp. U.S. Patent No. 2,754,243

**U.S. Patent No. 2,476,512

CAUTION – Keep Out of Reach of Children. Harmful if swallowed. Avoid contamination of feed and foodstuffs. Avoid inhalation and skin contact. Wash thoroughly after using. Do not use on household pets and humans.

WARNING – Flammable – Contents under pressure. Do not puncture. Do not use or store near heat, fire, sparks, or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

