3534-4

05/28/2003

1/3 300 5-631542

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

May 28, 2003

Pipestone Products Co., Inc. P.O. Box 223 Jasper, MN 56144

Attention: Don Brockberg

Subject	H*K Mouse & Rat Bait EPA Reg. No. 3536-4 Your amended application of February 25, 2003 Revised Label
Purpose	The purpose of your submission under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) is to revise your label according to PR Notices 2001-1 and 2001-6 and to show your new product name, "H*K Mouse & Rat Bait", and new company address.
Label	The label submitted with the above letter, under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) is acceptable, provided that you submit one (1) copy of final printed labeling, including graphics, to us before you release product for shipment. A copy of the stamped label is enclosed for your records.
Existing stocks	Stocks of existing labels may be used for eighteen (18) months.
Consequence for non- compliance	If these conditions are not complied with, the registrations will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.
Questions	If you have questions about this letter, please contact me at 703-305-5407 (by phone), 703-305-6596 (by fax), or <u>peacock.dan@epa.gov</u> (by E-Mail).
	Sincerely yours,
	DBP
	Daniel B. Peacock, Biologist Insecticide-Rodenticide Branch Registration Division (7504C)

Letter Disk 105:C:\Disk 105\Warfarin\3536-4, revised label, 5-25-2003.wpd,May 25, 2003 location

H&K Mouse & Rat Bait EPA Reg. No. 3536-4 February, 2003 Page 1 of 2



MOUSE & RAT BAIT

ACCEPTED with COMMENTS in EPA Letter Dated:

MAY 2 8 2003

Under the Forieral Insecticide, KILLS HOUSE MIDEricide, and Rodentacide Act ROOF RATEmended, for the pesticide AND NORWAY RATS 3636-4

ACTIVE INGREDIENT: Warfarin {3-(alpha- Acetonylbenzyl)-4-hydroxycoumarin} 0.025% INERT INGREDIENTS: 00.025% TOTAL 00.000% KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS & DOMESTIC ANIMALS

CAUTION

Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

FIRST AID

If Swallowed . Call a poison control center or doctor for treatment advice.

Call a poison control center or doctor for treatment advice.

• Have label with you when obtaining treatment advice.

 Note to Physician: if ingested, administer Vitamin K₁, intramuscularly or orally as indicated in bishydroxycoumarin overdose. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARDS

This product is toxic to mammals and birds. Do not apply this product directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

STORAGE AND DISPOSAL

STORAGE: Store only in original container, in a dry place inaccessible to children and pets. **DISPOSAL: Empty containers:** Do not reuse empty container. Place in trash or offer for recycling if available. **Partly filled containers:** Call your local solid waste agency for disposal instructions. Do not place unused product down any indoor or outdoor drain. H&K Mouse & Rat Bait EPA Reg. No. 3536-4 February, 2003 Page 2 of 2

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. **IMPORTANT**: Do not expose children, pets or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.

2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.

3. Dispose of product container and unused, spoiled, and unconsumed balt as specified on this label.

USE RESTRICTIONS

SELECTION OF TREATMENT AREAS

For control of Norway rats, roof rats, and house mice in and around homes, industrial buildings, and similar man-made structures. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or snow. Remove as much alternative food as possible.

APPLICATION DIRECTIONS

RATS: Apply 4 to 16 oz. of bait per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days

MICE: Apply ¼ to ½ oz. (1-2 level tablespoons) of bait at 8- to 12-foot intervals. Larger placements (up to 2 oz.) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

RATS/MICE: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

E.P.A. Reg. No. 3536-4

E.P.A. Est. No. 3536-MN-02

PIPESTONE PRODUCTS CO, INC.

JASPER, MINNESOTA 56144

Net Contents: 1 lb. (454 g)

A range from 1 lb. to 5 Lbs. (2.27 Kg) Such as: 2 lbs. 4 lbs.