

441260

Dr. I. Lynwood Kanin
Lynwood Laboratories, Inc.
945 Great Plain Avenue
Needham, MA 02192

MAY 21 1993

Dear Dr. Kanin:

Subject: Amendments - Revised labeling in response to
Agency letter dated September 20, 1991,
and Removal of 1,1,1 Trichloroethane
Shoofly Hornet Jet Bomb
EPA Reg. No. 3546-27
Your label submission dated April 27, 1993
and your revised CSF dated May 3, 1993

The amendments referred to above, submitted in connection with a registration under the Federal Insecticide, Fungicide, and Rodenticide Act are acceptable provided the following revisions are made prior to release for shipment under the amended labeling:

- 1) Based on the revised Confidential Statement of Formula (CSF), change the text of the Physical and Chemical Hazards to read:

Extremely Flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting.

- 2) In the ingredients statement, delete the quotation marks before and after Diazinon and its chemical name.
- 3) In the ingredients statement, delete the quotation marks before and after Piperonyl butoxide technical and after compounds. Also, change the * to a - after technical, since the entry explaining what is in the piperonyl butoxide now appears in the running line text, rather than as a footnote.

A stamped copy of the label is enclosed for your records. Please submit five copies of revised amended labeling incorporating the above revisions prior to release for shipment under the amended labeling.

The revised CSF dated May 3, 1993, deleting 1,1,1 Trichloroethane is acceptable, and has been added to this product's registration file as the basic formula of record.

Sincerely,

George T. LaRocca
Product Manager (13)
Insecticide Rodenticide Branch
Registration Division (H7505C)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes, or clothing. Avoid breathing vapor or spray mist. Do not smoke while applying this product. Wash thoroughly with soap and water after handling and before eating or smoking. May cause contact sensitization following repeated contact with skin. Avoid repeated contact with skin. If sensitization reactions result, consult a physician. Remove contaminated clothing and wash before reuse. Avoid contamination of food or feed. Do not use on household pets or humans. Remove pets from area and remove or cover fish bowls before spraying. Do not allow children or pets in treated areas.

Statement of Practical Treatment

If swallowed: Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING UNLESS NO OTHER TREATMENT IS AVAILABLE. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Do not induce vomiting or give anything by mouth if person is unconscious or convulsing.

IF INHALED: Remove victim to fresh air and apply artificial respiration if indicated. Get medical attention.

IF IN EYES: Flush eyes with plenty of water and call a physician immediately.

IF ON SKIN: Wash promptly with plenty of soap and water. Get medical attention.

Note to Physician: This product contains an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine. This product contains petroleum distillate solvent which may present an aspiration hazard. Gastric lavage may be indicated if product was taken internally.

RESIDUAL ACTION

One spraying of the Shoo-Fly HORNET Jet-Bomb lasts for weeks. When used as directed this bomb leaves an invisible film that continues to kill hornets, wasps, earwigs, bees, flies, ants, mosquitoes, spiders and aids in the prevention of maggots in garbage pails.

PHYSICAL AND CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° may cause bursting.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to birds, fish, and other wildlife. Birds, especially waterfowl, feeding or drinking on treated areas may be killed. Keep out of lakes, streams, ponds, tidal marshes, and estuaries. Do not apply directly to water or to area where surface water is present. Do not contaminate water by disposal. This pesticide is highly toxic to bees exposed to direct treatment or to residues on blooming plants where they feed. Do not apply this product to or allow it to drift to food crops or any desirable vegetation at any time.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area away from heat or open flame. DISPOSAL: Wrap container and dispose of in trash. Do not puncture, compact or incinerate container.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. TO OPERATE: Remove protective cap. Point nozzle toward area to be sprayed and press down all the way for a long-distance blast. The special nozzle will project a blast 25 feet. Treated surfaces have a residual killing action for two to four weeks against insects. If reinfestations occur, due to migrations — or removal of the insecticidal film by water or wear, repeat treatment. Avoid spraying light colored shingle roofs directly, dark stains may occur.

OUTDOOR USE FOR LONG-RANGE DISTANCE BOMBING (up to 25 feet)

HORNETS, WASPS, BEES, YELLOW JACKETS: Here is a good method to control these insects when they become a menace. Look for the holes whereby they enter, or surfaces where they congregate — and spray thoroughly. Be sure to depress nozzle all the way down and move back as far as possible. These insects hit directly by the spray will fall to the ground very shortly. Since the spray is residual, insects coming in contact with the sprayed surfaces will die soon after. Usually the treated areas are free of hornets 24 hours after spraying.

EARWIGS: Use regular mist spray. Hold container 12 to 18" from surface to be sprayed. Spray to the point of run-off, doorsills, windowsills, lawn furniture, clothes posts, junction between foundation and house, and other areas where earwigs tend to congregate.

SPIDERS: Spray spiders and their immediate vicinity thoroughly. **MAGGOTS:** To aid in keeping garbage cans free of flies and maggots, spray inside and outside frequently.

FLIES, MOSQUITOES: Apply only as a residual spray to screens and surfaces where insects alight.

Spray with wind to your back. Do not spray if wind is strong. If clothing becomes wet from spray during use, remove clothing after spraying, wash affected body areas thoroughly with soap and water and launder clothing before wearing again. Do not allow children or pets to contact treated areas until spray has dried. Do not apply to desirable plants.

INDOOR USE

ROACHES, ANTS, WATERBUGS, SILVERFISH, SPIDERS, CRICKETS: Spray heavily into all cracks, around baseboards and other places where these insects hide. Also spray under wet, surfaces behind and beneath cabinets, refrigerators, sinks, stoves etc. Spray other localized areas infested with these pests. Repeat treatment as required.

Do not spray inside cabinets where food is stored. Discard infested food packages. Do not spray across top of stove or near pilot lights.

Do not use this product indoors as an overall surface spray or as a space spray. Take care not to introduce this product into the air during application. Use only in well ventilated areas. Do not apply where children are likely to frequently contact treated surfaces.

Do not treat pets or plants with this product. Remove pets and cover fish bowls before spraying. Do not apply when other persons are in the immediate area. Do not allow children or pets in treated areas until spray has dried. Do not apply in areas, surfaces or utensils which will contact food or feed. Exposed food should be covered or removed during application. All food processing surfaces and utensils should be covered during application or thoroughly washed with soap and water before use. Do not use in edible product areas of food processing plants, restaurants, or other places where food is commercially prepared or processed.

Do not spray floors, wallcoverings, or ceilings as dark stains may occur.

EPA Est. 5693-MA-1
EPA Reg. No. 3546-27

LYNWOOD LABORATORIES
Needham, Massachusetts

shoo-fly®

horner

JET-BOMB

EXCLUSIVE!
Shoots 25 Ft.*
Jet Stream

- kills
- wasps
- hornets
- bees
- yellow jackets

*NON-CONDUCTIVE UP TO 35,000 volts
shoots nests, etc.
crevices

FOR USE IN AND AROUND THE HOME

KEEP OUT OF REACH OF CHILDREN

CAUTION: CONTENTS UNDER PRESSURE
SEE ADDITIONAL CAUTIONS ON BACK PANEL

ACTIVE INGREDIENTS:

"Claznon (0,0-Diethyl-0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate)..... 0.5000%
Pyrethrins..... 0.025%

"Piperonyl butoxide technical" consists of 0.210% (butyl carbonyl) (6-propyl piperonyl) ether and 0.05% related compounds..... 0.262%

*INERT INGREDIENTS:

*Contains Petroleum Distillate..... 99.213%

BY WT.

NET V. 12 OZ.

* U.S. Testing Co.

