

003546-00027-060899

Printed: 07:43:21 Tuesday, 13 Jul, 1999 # 28 / 3539

Systems Integration Group, Inc.

Action to the second section in

RESIDUAL ACTION

One spraying of the Shoo-Ry HORNET WASP Jet-Bomb lasts 4 to 6 weeks. When used as directed this bomb leaves an invisible film that continues to tall hornets, wasps, earwigs, bees, flies, gnats, no-seeums, ants, carpenter ants, mosquitoes, spiders and aids in the prevention of maggots in garbage pails.

OUTDOOR USE

HORNETS, WASPS, BEE, YELLOW JACKETS: Here is a good method to control these insects when they become a menace. Look for the holes whereby they enter, or surfaces where they congregate --- and spray throughly. Be sure to depress nozzle al the way down and move back as far as possible. Those insects hit directly by the spray will fall to the ground very shortly. Since the spray is residual, insects coming in contact with the sprayed surfaces will die soon after. Usually the treated areas are free of homets 24 hours after spraying.

EARWIGS, ANTS: Hold container 12 to 18' from surface to be sprayed. Spray to the point of run-off, doorsills, windowsills, lawn furniture, clothes poste; junction between foundation and house, and other areas where earwigs and ants tend to congregate.

SPIDERS: Soray spiders and their immediate vicinity thoroughly MAGGOTS: To aid in keeping garbage cans free of flies and maggots, spray inside and outside frequently.
SURFACES, SCREENS AND LIGHTS: Apply only as a residual

spray where insects alight. When used as directed this bomb leaves and invisible film that continues to kill mosquitoes, flies, homets, wasps, spiders, ants, carpenter ants, and earwigs. Spray with wind to your back. Do not spray if wind is strong. If clothing becomes wet from spray during use, remove clothing after spray ing, wash affected body areas thoroughly with soap and water and launder clothing before wearing again. Do not allow children or pets to contact treated areas until spray has dried. Do not apply

PRECAUTIONARY STATEMENTS HAZARDS TO **HUMANS AND DOMESTIC ANIMALS**

CAUTION: Harmful if swallowed, inhaled or absorbed though skin. Avoid contact with skin, eyes, or clothing. Avoid breathing vapor or spray mist. Do not smoke while applying this product Wash thoroughly with soap and water after handling and before eating or smoking. May cause contact sensitization following repeated contact with skin. Avoid repeated contact with skin. If sensitization reactions result, consult a physician. Remove contaminated clothing and wash before reuse. Avoid contamination of food or feed. Do not use on household pets or humans. Remove pets from area and remove or cover fish bowls before spraying. Do not allow children or pets in treated areas until sprayed surfaces have dried.

Statement of Practical Treatment

If swallowed: Call a physician or Poison Control Center Immediately. DO NOT INDUCE VOMITING UNLESS NO OTHER TREATMENT IS AVAILABLE. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Do not induce vomiting or give anything by mouth if person is uncon-scious or convulsing. IF INHALED: Remove victim to fresh air and apply artificial respiration if indicated. Get medical attention. IF IN EYES: rinse eyes with plenty of water and call a physician immediately. IF ON SKIN: Wash promptly with plenty of scap and water. Get medical attention. Note to Physician: This product contains an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine. This product contains pertrole-um distillate solvent which may present an aspiration hazard. Gastric lavage may be indicated if product was taken internally

DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

TO OPERATE: Remove protective cap. Point nozzle toward area to be soraved and press down all the way for a long-distance blast. the special nozzle will project a blast 25 feet. Treated surfaces have a residual killing action for four to six weeks against insects. If reinfestations occur, due to migrations - or removal of the secticidal film by water or wear, repeat treatment. Avoid spraying light colored shingle roofs directly, dark stains may occur

INDOOR USE

ROACHES, ANTS, CARPENTER ANTS, WATERBUGS, SILVER-FISH, SPIDERS, CRICKETS: Spray heavily into all cracks, around baseboards and other places where these insects hide. Also spray until wet, surfaces behind and beneath cabinets, refrigera sinks, stoves etc.. Spray other localized areas infested with these sts. Repeat treatment as required.

SPIDERS: Spray spiders and their immediate vicinity thoroughly. Do not spray inside cabinets where food is stored. Discard infested food packages. Do not spray across top of stove or near pilot

Do not use this product indoors as an overall surface spray or as a space spray. Take care not to introduce this product into the air during application. Use only in well ventilated areas. Do not apply where children are likely to frequently contact treated surfaces. Do not treat pets or plants with this product. Remove pets and cover fish bowls before spraying. Do not apply when other per-sons are in the immediate area. Do not allow children or pets in treated areas until spray has dried. Do not apply in areas, surfaces or untensits which will contact food or feed. Exposed food should be covered or removed during application. All food processing surfaces and utensils should be covered during application or thoroughly washed with soap and water before use. Do not use in edible product areas of food processing plants, restaurants, or other places where food is commercially prepared or processed. Do not spray floors, wallcoverings, ceilings without

PHYSICAL AND CHEMICAL HAZARDS

EXTREMELY FLAMMABLE: Contents under pressure. Keep away from fire, sparks and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to birds, fish, and other wildlife. Birds, especially waterfowl, feeding or drinking on treated areas may be killed. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Do not apply directly to water or to area where surface water is present. Do not contaminate water by disposal. This pesticide is highly toxic in bees exposed to direct treatment or to residues on blooming plants where they feed. Do not apply this product to or allow it to drift to food crops or any desirable vegetation at any time

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area away from heat or open flame, DISPOSAL: Wrap container and dispose of in trash. Do not ire, compact or incinerate container. Buyer assumes al risks of use, storage or handling of this material not in strict accordance with direction give herewith.


Manufactured for

LYNWOOD LABORATORIES

Needham, MA 02492 (781) 449-6776 Fax (781) 444-2454

EPA Est. 5693-MA-1 EPA Reg. No. 3546-27





KEEP OUT OF REACH OF CHILDREN CAUTION CONTENTS UNDER PRESSURE SEE ADDITIONAL CAUTIONS ON BACK PANEL

NET WT. 15 OZ./ 425a

REGULATIONS PROHIBIT CPC

PROPELLANTS IN AEROSOLS

ACTIVE INGREDIENTS BY WT Dizzinon (0.0-Diethyl-0-(2-isopropyl-6 methyl-4-pyrimidinyl) phosphorofricate) Piperonyl butoxide technical consists of 0.210% (butyl carbity) (6-propyl piperonyl) efter and 0.052%

Contains Petroleum Distilati

..0025% ...99.213%