



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Avenue, N.W.
Washington, D.C. 20460

EPA Reg. Number: 3546-41

Date of Issuance: MAR 22 2007

Term of Issuance: Conditional

Name of Pesticide Product: Shoo-fly Flying Insect Killer

NOTICE OF PESTICIDE:
[X] Registration
[] Reregistration

(Under FIFRA as amended)

Name and Address of Registrant (include ZIP Code):
Lynwood Laboratories, Inc.
945 Great Plain Avenue
Needham, MA 02492

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A), provided that you:

1. You will submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. You will make the following label changes before you release the product for shipment:

a. Revise the EPA Registration Number to read "EPA Registration Number 3546-41."

b. Change the Hazard To Humans & Domestic Animals section to read "Caution: Harmful if inhaled. Avoid breathing spray mist. Remove contaminated clothing before reuse." Wash thoroughly with soap and water after handling.

Signature of Approving Official:

Date:

EPA Reg. No. 3546-41

c. You may delete the "IF IN EYES", "IF SWALLOWED", and "IF ON SKIN OR CLOTHING" statements since the toxicity category for these routes of exposure is a Category IV.

d. After the "IF INHALED" section add "Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-858-7378 for emergency medical treatment information."

e. On front panel revise "For Household Use" to "For Residential Use Only".

f. Either delete "Repeat treatment as necessary" throughout the label or add a specific time i.e. "Repeat treatment every () days.". This should be based on efficacy data.

g. Change "Fleas in Buildings" to "Fleas in Homes". Also change "enfirm" to "infirm" and delete "Do not apply to classrooms when in use." Since the product is intended for residential use only.

h. Add to the end of the storage and disposal section "IF EMPTY: Place in trash or offer for recycling if available. IF PARTIALLY FILLED: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.". Delete the statement "Wrap container in several layers of newspaper and dispose in trash.".

i. Delete the garden insect pests, white flies, aphids, Japanese beetles and thrips.

j. Add the following precautions to the "Outdoors" paragraph, "Remove all exposed food and cooking utensils. Cover food handling surfaces or wash thoroughly after treatment or before use. Do not use on edible crops.".

k. Add "Allow all treated areas to dry thoroughly before use" to the directions for Fleas in Homes.

3. Please note that a notice of availability of EPA's registration eligibility document (RED) for product containing Permethrin was published in the FR on June 28, 2006 (Vol71 No. 124 page 36788). Additional data and/or labeling changes may be required for products containing Permethrin.

4. Please submit two (2) copies of your final printed labeling before releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

If you have any questions regarding this action, please contact Linda A. DeLuise of my team at (703) 305-5428.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING: Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches. Remove birds and other fish aquariums before spraying. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

INDOORS: FLIES, HOUSEFLIES, FRUIT FLIES, MOSQUITOES, WASPS, WASPS, HORNETS, BEES: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average rooms. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep and discard fallen insects. Repeat treatment as necessary. **COCKROACHES, WHITEBODIES, PALMETTO BUGS, SILVERFISH, CRICKETS, SCORPIONS, SPIDERS, MILLEPEDES:** Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hiding insects with spray whenever possible. Repeat treatment as necessary. **ANTS:** Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary. **CARPET BEETLES:** Spray directly on beetles, floors, baseboards, shelves, and carpets. Repeat treatment as necessary. **BEDBUGS:** Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Repeat treatment as necessary.

FLEAS IN BUILDINGS - space spray: Hold can 3 inches above floor and direct spray toward floor and lower walls at a rate of 10 seconds per 100 sq. ft. making sure that all floor, sofa and chair surfaces are contacted. Leave room and keep area closed for 15 minutes. Open and ventilate before respraying. Repeat treatment after 7 days or as needed.

In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Do not use in rooms/areas while occupied by patients, the elderly or infirm. Do not apply to classrooms when in use.

Storage and Disposal: Store in a cool, dry area. Do not transport or store below 32°F. Wrap container in several layers of newspaper and dispose of in trash. Do not incinerate or puncture.

Outdoors: Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Allow a few minutes for product to take effect. Spray with wind if breeze is blowing.

Flying insects: Flies, Mosquitoes, Gnats, Small Flying Moths, Hornets, Wasps and Yellow Jackets. Allow fog to drift over area. Direct spray toward bushes, or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as garbage cans and compost piles. Repeat as necessary.

Mud daubers and wasp nests: Spray mist directly on insects and their nests from approximately 2 feet away. Contacted insects will fly away from fog. Applications should be made in late evening when insects are at rest. Spray into hiding and breeding places contacting as many insects as possible.

Crawling insects: Ants, Cockroaches, including Asian Cockroaches, Crickets, Mole Crickets, Centipedes, and Silverfish. Spray infested surface of patio or picnic area, wetting as many insects as possible. Also spray legs of table and chairs to repel ants. Spray ant hills for best control.

For the control of garden insects: For use on roses, dahlias, asters, and other ornamentals to kill Japanese Beetles hit by spray as well as Whiteflies, Aphids, exposed Thrips, Spiders, Red Mites and Leafminers.

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English Ivy, eunymus, fuschia, geraniums, crassula, grape vine, Kentia palm, laurel, mangolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering jews and zinnias.

Effective when used as directed against Whiteflies, Aphids, Spider and Red Mites, Exposed Thrips, lace Bugs, Japanese beetles, Pavement Ants, Clover Mites and Army Worms. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS: CAUTION: Harmful if absorbed through skin or inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes, and clothing. Avoid breathing vapor or spray mist. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before spraying or surface applications. Vacuum room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry. **ENVIRONMENTAL HAZARDS:** This product is toxic to fish. Do not apply directly to any body of water. **PHYSICAL OR CHEMICAL HAZARDS:** Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not apply this product in confined, motor housing, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not use on surfaces that can be harmed or stained by water.

FIRST AID:

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if 16 EYES: Flush with plenty of water. Call a physician if irritation persists. **IF INHALED:** Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.

ACCEPTED
with COMMENTS
in EPA Letter Dated

MAR 22 2007

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

3546-41



EPA NO. 3546-36
EPA EST. NO. 5693-MA-1

Manufactured for
LYNWOOD LABORATORIES Needham, MA 02462 • 100-1-027A
SPECIALIST IN INSECT CONTROL
FAX NO: 781-444-2454

shoo-fly 

FLYING INSECT KILLER

HIGHLY EFFECTIVE

- CONTROLS RESIDENTIAL AND GARDEN INSECTS
- SEEKS OUT BUGS WHERE THEY HIDE
- KILLS ON CONTACT
- FOR HOUSEHOLD USE
- NON-STAINING

CAUTION
KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENTS:

Pyrethrins	0.10%
Piperonyl Butoxide, Technical	0.50%
Permethrin	0.20%
Other Ingredients	99.20%
	100.00%

EPA REG. NO. _____
EPA EST. NO. _____
NET WT. 15 OZ.

- BROAD SPECTRUM SPRAY KILLS:**
- HOUSEFLIES
 - FRUIT FLIES
 - MOSQUITOES
 - GNATS
 - ANTS
 - COCKROACHES
 - PALMETTO BUGS
 - SPIDERS
 - EARWIGS
 - WHITE FLIES
 - APHIDS
 - JAPANESE BEETLES
 - SILVER FISH
 - CRICKETS
 - MOTHS
 - WASPS
 - HORNETS
 - BEES
 - SCORPIONS
 - MILLEPEDES
 - CENTIPEDES
 - THRIPS