

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

SEP 2 2008

Mr. Kanin, DVM Lynwood Laboratories, Inc. 945 Great Plain Avenue Needham, MA 02492

Dear Dr. Kanin:

Subject:

Amendment - Submission of Updated Claims

Shoo – fly Flying Insect Killer EPA Registration Number 3546-41 Your application dated May 8, 2008

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable subject to the comments listed below. Two (2) copies of the finished labeling must be submitted prior to releasing the product for shipment. A stamped copy of the label is enclosed for your records.

1. Delete "Ticks from the "Bedbug, Tick, Lice and their eggs" section. The claim for Ticks can be retained under the following heading and directions.

Ticks (Adult and Larvae): Remove and thoroughly clean and replace pet bedding. Spray pet sleeping quarters, bed, floor and floor covering with special attention to cracks and crevices around base boards and window and door frames. Infested upholstered furniture and mattresses may be treated with this product. Allow all sprayed articles to dry thoroughly before use.

2. Revise the use instructions for bed bugs to read as follows: "Spray mattresses, particularly around tufts and seams. Take bed apart and spray into all joint. Apply to crack and crevices where evidence of bed bugs occurs. This includes bed frames, box springs, inside empty dressers and clothes closets and carpet edges, high and low wall mountings and wallpaper edges. Do not use this product on pillows, bed linens or clothes. Remove all clothes and other articles from dressers or clothes closets before application. Allow all treated areas to dry thoroughly before use".

If you have any question in regard to this letter please feel free to contact me at (703) 305-6100.

Sincerely,

George T. LaRocca Product Manager 13 Insecticide Branch

Registration Division (7505P)

Enclosure

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling

SHAKE WELL BEFORE USING: Remove protective cap, hold container upright and spray form a distance of 12 to 15 inches. Remove birds and cover fish aquariums before spraying. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be

INDOORS: FLIES, HOUSEFLIES, FRUIT FLIES, MOSQUITOES, GNATS, WASPS, HORNETS, BEES: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep and discard fallen insects. COCKROACHES, WATERBUGS, PALMETTO BUGS, SILVERFISH, CRICKETS, SCORPIONS, SPIDERS, MILLIPEDES: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. ANTS: Spray trails, nests and points of entry. Spray directly on ants where possible. CARPET BEETLES: Spray directly on beetles, floors, baseboards, shelves, and carpets.

edbugs, Ticks, Lice and their eggs: Spray mattresses, particularly tufts and cams. Take bed apart and spray into all joints. Treat baseboards, moldings and oors. Allow all sprayed articles to dry thoroughly before reuse. Do not apply to bed

nens or pillows. FLEAS IN HOMES - Space spray. Hold can 3 inches above floor and direct spray toward floor and lower walls at a rate of 10 seconds per 100 sq. ft, making sure that all floor, sofa and chair surfaces are contacted. Leave room and keep area closed for 15 minutes. Open and ventilate before respraying. Allow all treated areas to dry thoroughly before use. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. Do not use in rooms/areas while occupied by patients, the elderly or infirm.

> STORAGE AND DISPOSAL: Store in a cool, dry area. Do not transport or store below 32'F. Do not incinerate or puncture. IF EMPTY: Place in trash or offer for recycling if available. IF PARTIALLY FILLED: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

> OUTDOORS: Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Allow a few minutes for product to take effect. Spray with wind if breeze is blowing. Remove all exposed food and cooking utensils. Cover food handling surfaces or wash thoroughly after treatment or before use. Do not use on edible crops. Hying insects: Flies, Mosquitoes, Gnats, Small Flying Moths, Hornets, Wasps and Yellow Jackets. Allow fog to drift over area. Direct spray toward bushes, or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as garbage cans and compost piles. Mud daubers and wasp nests: Spray mist directly on insects and their nests from approximately 2 feet away. Contacted insects will fly away from fog. Applications should be made in late evening when insects are at rest. Spray into hiding and breeding places contacting as many insects as possible. Crawling insects: Ants, Cockroaches, including Asian Cockroaches, Crickets, Mole Crickets, Centipedes, and Silverfish. Spray infested surface of patio or picnic area, wetting as many insects as possible. Also spray legs of table and chairs to repel ants. Spray ant hills for best control. Be cautious about wetting tender foliage, young plants and new growth. Contact insects directly whenever possible.

## PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS: CAUTION: Harmful if inhaled. Avoid breathing spray mist. Remove contaminated clothing before reuse. Wash thoroughly with soap and water after handling. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before spraying or surface applications. Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry. ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply directly to any body of water. PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not apply this product in conduits, motor housing, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not use on surfaces that can be harmed or stained by water.


IF INHALED: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth to mouth. Get medical attention. Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-858-7378 for emergency medical treatment information.

EPA Registration Number 3546-41 FPA FST NO. 5693-MA-1

Manufactured for LYNWOOD LABORATORIES Needham, MA 02492 • 10M-1-027A SPECIALIST IN INSECT CONTROL FAX NO: 781-444-2454

CONTAINS NO CFC'S OR OTHER OZONE DEPLETING SUBSTANCES. FEDERAL REGULATIONS PROHIBIT CFC PROPELLANTS IN AEROSOLS.





**BROAD SPECTRUM** SPRAY KILLS:

HOUSEFLIES

FRUIT FLIES

MOSQUITOES

**GNATS** 

COCKROACHES

ACCEPTED

with COMMENTS

To der the Federal Insecticide, for gicide, and Rodenticide Act,

as amended, for the pesticide

gistered under EPA Reg. No.

**EPA Letter Dated:** 

2 2008

PALMETTO BUGS

EARWIGS

SILVER FISH

**HORNETS** 

SCORPIONS

MILLIPEDES

**CENTIPEDES** 

Ticks

Lice