

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

May 27, 2021

Katherine Poiesz Authorized Representative The Procter & Gamble Company 5299 Spring Grove Avenue Cincinnati, OH 45217

Subject: PRIA Label and CSF Amendment – Addition of labeling claims, reduction of contact times for 16 organisms and revisions of Basic CSF and Alternate CSF 1 Product Name: CSP-3002-3 EPA Registration Number: 3573-77 Received Date: September 25, 2020 Action Case Number/Decision Number: 00151976

Dear Ms. Poeisz:

The amended label and CSFs referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, are acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. Pursuant to 40 CFR 156.10(a)(6), you must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Please note that the record for this product currently contains the following CSF(s):

- Basic CSF dated 02/03/2021
- Alternate CSF 1 dated 02/03/2021

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. See FIFRA section 2(p)(2). If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the

Page 2 of 2 EPA Reg. No. 3573-77 Action Case No. 00151976

website may not substantially differ from those claims approved through the registration process, FIFRA section 12(a)(1)(B). Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Assurance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Melanie Bolden by phone at (703) 347-0165, or via email at Bolden.Melanie@epa.gov.

Sincerely,

Demson Fuller, Product Manager 32 Regulatory Management Branch I Antimicrobials Division (7510P) Office of Pesticide Programs

Enclosure

FRONT Panel

Active Ingredient: Sodium Hypochlorite	1.45%
Other Ingredients:	98.55%
Total:	.100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION: EYE AND SKIN IRRITANT. See back\side panel for other precautions and First Aid.

Net Weight Statement

Optional:

Ready-to-Use Refill For Automatic Dilution [Closed Loop] Dilution Control Dilution Control [Closed Loop] Concentrate 5X Concentrate Disinfectant Hospital Use\Level Disinfectant Bactericide\Bactericidal Virucide*Virucidal* Germicide**\Germicidal** Sanitizer Deodorizer Institutional Foodservice Commercial [For] Commercial Use Disinfects Disinfecting Not for Retail Sale

ACCEPTED 05/27/2021 Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 0570, 77

[°] 3573-77

{Note to reviewer: X may represent a single number or multiple numbers unique to this product} [3-40] [X] [X-X] [XX] [X-XX] [XX-XX] [other unique product code]^[o] ^[o][Unique] [Product] [Identification] [ID] [Order] [Catalog] [Reorder] [Code] [Number] [No.] [:] [3-20] [X] [X-X] [XX] [X-XX] [XX-XX] [other unique product code]

P&G ProLine[™] logo\ Procter & Gamble Professional[™]\ P&G Professional[™] logo

Must appear in a smaller type size (such as ½ the size of the product name or smaller) and different font and/or color from that of the product brand name AND is not located in close proximity to the product brand name (for example, on the back panel or at the bottom of the front panel if the product name is at the center or top of the front panel).

BACK\SIDE Panel

{NOTE TO REVIEWER: DIRECTIONS FOR USE ARE PROVIDED IN THE SUB-LABELS AT THE END OF THIS LABEL.}

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

CAUTION: Harmful if absorbed through the skin. Causes moderate eye irritation. Do not get in eyes, on skin, or on clothing. Avoid breathing vapor or spray mist. Wear protective eyewear when using this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Not recommended for use by persons with heart conditions or chronic respiratory problems such as asthma, emphysema or obstructive lung disease. For sensitive skin or prolonged use, wear gloves. Remove contaminated clothing and wash clothing before use.

FIRST AID: If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. If in eyes, hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye. If inhaled, move person to fresh air. Contact a poison control center or doctor for treatment advice. Have the product container or label with you when calling the poison control center or doctor, or going for treatment.

PHYSICAL AND CHEMICAL HAZARDS: Contains Bleach. Do not mix with other products, especially toilet bowl cleaners or products that contain ammonia as hazardous vapors\fumes may result. \ Do not mix with other cleaning products or chemicals as irritating fumes may be formed. Avoid contact with clothes, fabric, carpet, wood, rubber, painted or paper surfaces, as they will discolor. Rinse immediately after use on metal, old glazed porcelain, or worn countertops to avoid discoloration or pitting.

STORAGE AND DISPOSAL

Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

STORAGE: Store this product in a cool, dry area away from direct sunlight and heat to avoid deterioration. In case of spill, flood area with large quantities of water.

PESTICIDE DISPOSAL: Products or rinsates that cannot be used must be diluted with water before disposal in a sanitary sewer.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container [except as described in the directions for use]. Clean container promptly after emptying. Triple rinse as follows: Fill container 1/4 full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Offer for recycling if available or puncture and place in trash.

Contains No Phosphate

UPC Code Kosher Symbol ™ ® © [YEAR] [P&G] [1-800-332-7787] or [X-XXX-XXX-XXXX] [www.pgbrands.com] [www.pgpro.com]

{Note to Reviewer: The website URL may also be provided as a Quick Response (QR) code}
[QR Code icon]
[DATA RATES [MAY] APPLY]
[Use your [smart]phone] [to] [and] [scan] [the] [this] [tag] [code] [to] [learn] [see] [more] [uses] [information]
[videos] [on how to use] [on] [for] [this product] [for] [how to] [tips]

Questions? [M]SDS? MADE IN USA by PROCTER & GAMBLE [1 P&G Plaza] Cincinnati, OH 45202-3315. *or* Distributed \ Distr.by PROCTER & GAMBLE, Cincinnati, OH 45202-3315. *or* Distributed \ Distr.by PROCTER & GAMBLE, 1 P&G Plaza, Cincinnati, OH 45202-3315. *or* Distributed \ Distr.by PROCTER & GAMBLE, 1 Procter & Gamble Plaza, Cincinnati, OH 45202-3315.

Comet and associated trademarks and design elements are owned and licensed by Prestige Brands. © [*year*] Prestige Brands. All rights reserved.

EPA Reg. No. [:] 3573-77

EPA Est. No.[:] {insert appropriate EPA Est. No.}

[Lot code designates actual Est.] [Circled letter is the last/first digit/number/letter of lot number.] [Last/first digit/number/letter of batch code designates the actual Est.] [Digits/positions/numbers {insert appropriate beginning position within batch code} – {insert appropriate end position within batch code} of batch code designates the actual Est.] [The {insert appropriate beginning position within batch code}th – {insert appropriate beginning positions in the batch code designate the actual Est.]

SANITIZING CLAIMS	
 Kills\Eliminates\Destroys\Removes [and reduces the spread \ cross contamination of] 99%\99.9% of <i>Staphylococcus aureus</i> [ATCC 6538] and <i>Enterobacter aerogenes</i> [ATCC 13048] on \ between treated surfaces [and] [when diluted 1 part product to 4 parts water (200 ppm [unsoftened] [hard] [tap] water\11.7 gpg water hardness) [and 5% fetal bovine serum] [according to the AOAC Non-food Contact Sanitizer test]. Kills\Eliminates\Destroys\Removes 99%\99.9% of bacteria [when diluted 1 part product to 4 parts water (200 ppm [unsoftened] hard [tap] water\11.7 gpg water hardness)] [and 5% fetal bovine serum] [according to the AOAC Non-food Contact Sanitizer test]. Cleans and kills\eliminates\destroys\removes 99%\99.9% of bacteria [in 60 seconds\1 minute][§] [when diluted 1 part product to 4 parts water (200 ppm [unsoftened] [hard] [tap] water\11.7 gpg water hardness) [and 5% fetal bovine serum] [according to the AOAC Non-food Contact Sanitizer test]. Cleans and kills\eliminates\destroys\removes 99%\99.9% of bacteria [in 60 seconds\1 minute][§] [when diluted 1 part product to 4 parts water (200 ppm [unsoftened] [hard] [tap] water\11.7 gpg water hardness) [and 5% fetal bovine serum] [according to the AOAC Non-Food Contact Sanitizer test]. [Effective as a] sanitizer against <i>Staphylococcus aureus</i> [ATCC 6538] and <i>Enterobacter aerogenes</i> [ATCC 13048]. 	 Cleaner\Sanitizer[§] Sanitizing Cleaner[§] Cleans and sanitizes[§] Sanitizes non-food contact surfaces Leaves surfaces [clean and] sanitized[§] Sanitizes in 60 seconds

			1 age: 5 61 16
	te to reviewer: The following sentence will only be used during the	e Cal	ijornia review process:
	: [yet] approved in California.		
	fective as a] disinfectant [in 1 minute\60 seconds] against: \	•	Antibacterial Cleaner ⁴
	s product is a hospital use\level disinfectant that	•	Cleans and disinfects ^w
	s\destroys\ removes a broad\wide range\spectrum of ms** [and viruses*]: \ [Kills\destroys\removes and reduces	•	Disinfects as it cleans $^{\Psi}$
	spread of [germs**\bacteria and viruses*]\cross	•	Cleaner and disinfectant
	ntamination on/between treated surfaces] \ [Cleans and	٠	Disinfects
	s\destroys\removes ^{\U}] <i>list of and\or options:</i>	٠	Disinfects non-food contact surfaces
•	Salmonella enterica [ATCC 10708]	٠	Disinfects and deodorizes $^{\psi}$
•	Staphylococcus aureus [ATCC 6538]	٠	Cleans and disinfects outside of
			appliances ^ψ
•	Pseudomonas aeruginosa [ATCC 15442]	•	Combines cleaning, disinfecting and
•	*2009-H1N1 Influenza A virus [Novel H1N1] [Strain		stain removal in one∖1 product ^Ψ
	A/Mexico/4108/2009] [CDC #2009712192]	•	Disinfecting bleach cleaner ^{Ψ}
•	Multi-Drug Resistant\MDR <i>Acinetobacter baumannii</i> [ATCC 19606]	•	Disinfectant
	*Avian Influenza A [H3N2] [virus] [ATCC VR-2072] [Strain	•	Hospital Use\Level Disinfectant
•		•	Bactericide\Bactericidal
	A/Washington/897/80 x A/Mallard/New York/6750/78] *Avian Influenza A [H5N1] [virus] [Strain VNH5N1-	•	Virucide*\Virucidal*
•			Germicide**\Germicidal**
	PR8/CDC-RG] [CDC #2006719965] *Bovine Viral Diarrhea virus [ATCC VR-1422]		[Cleans and] kills [41\XX\over 40]
•	• •	-	germs**\bacteria and viruses* [in [just] 1
•	Burkholderia cepacia [ATCC 25416]		minute\60 seconds] $^{\Psi}$.
•	Campylobacter jejuni [ATCC 29428]	•	One product to clean [grease] and
•	*Duck Hepatitis B virus [9/1/15 strain]		disinfect ^{\(\Vecup \)}
•	Escherichia\E. coli NDM-1 positive \ NDM-1 positive	•	One product to clean [grease] and
	Escherichia\E. coli \ NDM-1 producing Escherichia\E. coli \		disinfect [germs**\bacteria and viruses*] $^{\Psi}$
	Carbapenem resistant <i>Escherichia</i> \ <i>E. coli</i> \ CR <i>Escherichia</i> \ <i>E. coli</i> \ Carbapenemase-producing	•	[Cleans and] kills/eliminates 99.9% of
	Escherichia\E. coli \ New Delhi Metallo beta lactamase		[41\XX\over 40] germs**\bacteria and
	(NDM) 1 producing <i>Escherichia</i> \ <i>E. coli</i> \ New Delhi Metallo		viruses* [in [just] 1 minute\60 seconds] Ψ .
	beta lactamase-1 (NDM-1) producing Escherichia\E. coli \	•	[Cleans and] kills\removes\destroys [and
	Escherichia\E. coli Carbapenemase [CDC 1001728]		reduces the spread\cross contamination
•	Enterococcus faecium [ATCC 51559]		of] [41\XX\over 40] germs**\bacteria and
•	Enterobacter\E. cloacae NDM-1 positive \ NDM-1 positive		viruses* [in [just] 1 minute\60 seconds] Ψ .
	Enterobacter\E. cloacae \ NDM-1 producing	•	[Effective as a] disinfectant in 1
	Enterobacter\E. cloacae \ Carbapenem resistant		minute\60 seconds against [41\XX\over
	Enterobacter\E. cloacae \ CR Enterobacter\E. cloacae \		40] germs**\bacteria and viruses*.
	Carbapenemase-producing <i>Enterobacter\E. cloacae</i> \ New	•	[Clean[ing]] +\plus 1 minute\60 second
	Delhi Metallo beta lactamase (NDM) 1 producing	1	disinfection ^Ψ .
	Enterobacter\E. cloacae \ New Delhi Metallo beta	•	1 minute\60 seconds to 99.9%
	lactamase-1 (NDM-1) producing Enterobacter\E. cloacae \		germ**\bacteria and virus* kill\removal
	Enterobacter\E. cloacae Carbapenemase [CDC 1000654]	•	1 minute\60 seconds
•	Enterococcus faecalis [ATCC 29212]		kills\removes\destroys [99.9% of]
•	Escherichia coli [ATCC 11229]		germs**\bacteria and viruses*
•	Escherichia\E. coli O157:H7 \ Pathogenic E. coli [ATCC	٠	1 minute\60 second disinfection
	35150]	٠	Disinfects in [just] 1 minute\60 seconds
•	*Feline calicivirus [F-9 Strain] [ATCC VR-782]	٠	One minute to clean and disinfect Ψ
•	*Hepatitis A virus [Strain HM-175]	•	One minute to disinfect and clean $^{\Psi}$
•	*[Human] Hepatitis B virus	•	2\3-n-1 multi\all-purpose cleaner\formula
•	*[Human] Hepatitis C virus	1	[cleans and] [disinfects in 1 minute\60
•	*Human Immunodeficiency Virus type 1 *HIV-1 [Strain	1	seconds][^Ψ]
	HTLV-III _B]	•	Cleans [grease] and disinfects in one
•	Klebsiella pneumoniae [(ATCC 4352)]	1	product ^Ψ
•	Klebsiella K. pneumoniae NDM-1 positive \ NDM-1 positive	•	Destroys germs ^{**} . Destroys grease. ^{Ψ}
	Klebsiella K. pneumoniae \ NDM-1 producing Klebsiella K.	1	, , , , , , , ,
L		<u> </u>	

 pneumoniae \ Carbapenem resistant Klebsiella\K. pneumoniae \ CR Klebsiella\K. pneumoniae \ CRKP \ Carbapenemase-producing Klebsiella\K. pneumoniae \ New Delhi Metallo beta lactamase (NDM) 1 producing Klebsiella\K. pneumoniae \ New Delhi Metallo beta lactamase-1 (NDM-1) producing Klebsiella\K. pneumoniae \ Klebsiella\K. pneumoniae Carbapenemase \ KPC [CDC 1000527] Listeria monocytogenes [ATCC 19111] *Norovirus *Poliovirus type 1 [ATCC VR-1562] 	 germs** [and controlling odors]. *Kills Pandemic 2009 H1N1 influenza A virus [formerly called swine flu]. Kills [Eliminates 99.9%] SARS-Related Coronavirus 2 [SARS-CoV-2] [USA-WA1/2020]^Δ [causative agent of COVID-19] [the virus that causes COVID-19]
10 MINUTE DISINFECTION CLAIMS	 Coronavirus 2 [SARS-CoV-2] [USA-WA1/2020][△] [in # minutes [# seconds]] Disinfects surfaces by killing [99.9% of] SARS-Related Coronavirus 2 [SARS-CoV-2] [USA-WA1/2020][△] [in One Step^Ψ] Kills [99.9% of] SARS-CoV-2[△], which causes COVID-19[†] Kills [Effective against] the virus[△] that causes COVID-19[†] Effective against SARS-CoV-2 virus[△] (agent of the respiratory illnesses COVID-19) responsible for the COVID-19 severe acute respiratory syndrome/disease/ outbreak/epidemic/pandemic Kills SARS-CoV-2 [COVID-19 virus] [virus][△] on hard non-porous surfaces Effective against SARS-CoV-2 (COVID-19 virus)[△] Kills SARS-CoV-2 Virus[△] [formerly called SARS-nCoV]
(For products that are Ready-to-Use only:) This product is a hospital use\level disinfectant that kills\ destroys\removes: Clostridium difficile \ Clostridium difficile – spore form (ATCC 43598)	

	Fage. 7 01 10
GENERAL CLAIMS	
 Institutional [Size] Institutional use Commercial Not harmful to\will not harm septic systems Suitable for septic systems [and] [wastewater systems] [and] [treatment plants] Contains sodium hypochlorite plus a cleaner Multi-purpose\Multi-use\Multi-surface\toilet bowl cleaner [with bleach] Developed\Formulated\Designed for [foodservice] [and] [hospital] [and] [restroom] use This product\Product name complies with consumer volatile organic compound (VOC)\VOC laws 	 A clean you can trust Fresh\pleasant scent Closed chemical container only: Tamper proof bottle Bottle\Sealed bottle\Container\Closed chemical system designed for employee safety Bottle\Sealed bottle\Container\Closed chemical system designed to prevent spills and accidental concentrate\product exposure. Concentrate: Concentrate 5X Concentrate Spray container only: For Household Use
 CLEANING, DEODORIZING & STAIN REMOVAL Cuts through tough food stains and greasy 	Deodorizer
 soils on sinks, counters, stove tops, food carts, appliances\appliance exteriors, and floors. Removes\Cleans\Eliminates soils, mildew stains, mold stains, soap scum and hard water stains from sinks, toilets, bathtubs, showers, shower stalls, and floors. Dissolves\Cleans\Cuts through tough [greasy soils] [and] [soap scum] [and] [hard water stains]. Removes\Cleans\Leiminates\Bleaches tough [stains] [food stains] [and] [mildew stains] [and] [greasy soils]. Cleans [and] [shines] [and] disinfects ^{\U0374} [and] [deodorizes] [washable] [kitchen] [and] [restroom\ bathroom] [surfaces] [and] [fixtures]. Helps clean tough soils & bleaches stains without scrubbing Kitchen – cuts through tough grease and bleaches troublesome food stains. Restrooms – great all-around restroom cleaner 	 Deodorizes Freshens Freshens\Deodorizes as you clean. Removes\Eliminates stains on contact. Cleans [greasy] dirt\grease and stains. Cleans and removes\eliminates tough [greasy] dirt\grease and stains. Whitens [and removes stains and greasy dirt.] Brightens Non-abrasive [formula] Non-abrasive [formula] won't scratch surfaces. Rinses away easily. Cleans with bleach Contains a powerful [grease] cleaner plus bleach Eliminates\Removes odors caused by bacteria\germs**. Cuts grime\grease
 makes employee tasks simple, cutting through soap scum and hard water stains Powerful restroom & multi-surface cleaner Supercharges your cleaning with bleach Designed to help improve cleaning productivity Saves time – little to no scrubbing needed! [Powerful] 2\3-n-1 multi\all-purpose cleaner\formula [cuts through [tough] grease] Superior [grease] clean[ing] Destroys\Cleans grease. One minute peace of mind. 	 A clean you can trust. As simple as 1-2-3 Attacks and bleaches mold and mildew stains with little or no scrubbing. Makes employee tasks\job\life simple\easy Powers away tough stains [and] [soap scum] [and] [hard water stains] [and] [greasy soils] and disinfects. Eliminates the need for multiple cleaners Bleaches and eliminates mold & mildew stains without scrubbing. Fewer products – broad range of applications

QUALIFIERS

The following qualifier must be used with the term germs**, germicide**, or germicidal**

**Effective against *Staphylococcus* \ *S. aureus, Salmonella* \ *S. choleraesuis,* {optional additional bacteria} and {at least one virus}.

The following qualifier must be used with combination cleaning/sanitizing claims [§]when used according to sanitizing directions

The following qualifier must be used with combination cleaning/disinfecting claims $^{\Psi}$ when used according to disinfecting directions

The following qualifier must be used with SARS-CoV-2 claims

^Δon hard, non-porous surfaces

WHERE TO USE	
This product may be used in <i>(list of and\or options)</i>	 laboratories
 foodservice establishments 	 recreational facilities
restaurants	 campgrounds
• bars	playgrounds
cafeterias	health clubs
 [institutional] kitchens 	 household areas
 fast food operations 	kitchens
food storage areas	 bathrooms\restrooms
medical environments	 basements
 hospitals 	 household garages
nursing homes	 automotive garages
 medical and dental offices and clinics 	 boats
operation rooms	• ships
isolation wards	campers
medical research centers	RVs
ambulance	trailers
schools	mobile homes
colleges	• cars
dormitories	buses
classrooms	trains
athletic facilities	• taxis
 gymnasiums 	 transportation terminals
locker rooms	 food processing plants
day care centers	dairy farms
nurseries	 poultry farms
retail establishments	turkey farms
wholesale establishments	 egg processing plants
supermarkets	veterinary clinics
convenience stores	animal life science laboratories
dressing rooms	kennels
laundries	 breeding and grooming establishments
laundromats	 pet\animal quarters
crime scenes	• ZOOS
funeral homes	 pet shops
office buildings	churches
hotels	 manufacturing facilities
motels	 military installations
factories	 blood banks

TASK AREAS		
Restroom surfaces	Toilets	
 Kitchen surfaces 	Urinals	
Glazed Porcelain	Countertops	
 Plexiglas 	Sinks	
Stainless Steel	 Showers\Tubs 	
 Floors [no wax] [and\or] [washable] 	Appliances	
Glazed Ceramic Tile	 Laminated surface[s] 	
Linoleum	Sealed granite	
Resilient flooring	Baked enamel	
 Sealed [Synthetic] [Cultured] marble 	Diaper pails	
 Outside of appliances [such as] 	 Diaper changing tables 	
[refrigerators] [microwaves] [freezers]	 [High] chairs 	
 Salad bar sneeze guard[s] 	 Table top[s] 	
 Outdoor furniture excluding cushions and 	 Dish rack[s] 	
other porous surfaces	 Dish pail[s] 	
 Wading pool[s] 	Bed frame[s]	
 Telephone[s] 	Door knob[s]	
Pet dishes	 [Baby] [Children's] Toys 	
 Pet soiled surface[s] 	 Lamp[s] 	
 Patient chair[s] 	Desk[s]	
 Examination table[s] 	Wheelchair[s]	

Picture Icons

Bathroom Surfaces	Kitchen Surfaces	Kitchen Appliances	Floor Surfaces
Mop and Bucket	Spray Bottle	Hand Holding Cloth and Wiping a Hard Surface	Wall-Mounted Automatic Dilution Equipment/System
Restroom (e.g., Toilet and Urinal)			

EMERGING VIRAL PATHOGENS

This product qualifies for emerging viral pathogen claims per the EPA's "Guidance to Registrants: Process for Making Claims Against Emerging Viral Pathogens not on EPA-registered Disinfectant Labels" when used in accordance with the use directions indicated below.

{Note to Reviewer: These statements for claims against large non-enveloped and/or enveloped emerging pathogens shall not appear on marketed (final print) product labels.}

This product meets the criteria to make claims against certain emerging viral pathogens from the following viral categories:

- Enveloped viruses
- Large Non-enveloped viruses
- Small Non-enveloped viruses

For an emerging viral pathogen that is a/an	follow the directions for use for the following organism(s) on the label
Enveloped virus	Norovirus
	Poliovirus
Large, non-enveloped virus	Norovirus
	Poliovirus
Small, non-enveloped virus	Norovirus
	Poliovirus

[CSP-3002-3][This product][Product Name] has demonstrated effectiveness against viruses similar to [name of emerging virus] on hard, non-porous surfaces. Therefore, [CSP-3002-3][this product] can be used against [name of emerging virus] when used in accordance with the directions for use against Norovirus or Poliovirus on hard non-porous surfaces. Refer to the [CDC or OIE] website at [pathogen-specific website address] for additional information.

AND/OR

[Name of illness/outbreak] is caused by [name of emerging virus]. [CSP-3002-3][This product] kills similar viruses and therefore can be used against [name of emerging virus] when used in accordance with the directions for use against Norovirus or Poliovirus on hard, non-porous surfaces. Refer to the [CDC or OIE] website at [website address] for additional information.

<u>SUB-LABEL 1</u>: <u>PRODUCT FOR AUTOMATIC DILUTION/DILUTION CONTROL SYSTEM</u>

DIRECTIONS FOR [HOUSEHOLD] [INSTITUTIONAL] [COMMERCIAL] USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CONCENTRATED PRODUCT – DILUTE BEFORE USING [(1 gallon makes 5 gallons of diluted\disinfecting\sanitizing product and 10 gallons of cleaning\deodorizing product)]

ATTACHING THIS PRODUCT TO THE [P&G] [AUTOMATIC] DILUTION CENTER: Remove the [white] shipping cap. **DO NOT REMOVE [WHITE] PLUG FROM BOTTLE THROAT!** Screw on [white] dispensing cap from dilution center tube. Push down while twisting.

PREPARING PREPARATION OF DISINFECTING [/] [AND] [SANITIZING] SOLUTION: Mix 1 part [of this] product\concentrate per 4 parts water into a [Product Name] [Cleaner with Bleach] spray bottle [using the dilution center]. Mix this product\concentrate with water using the [P&G] [AUTOMATIC] dilution center.

TO [CLEAN AND] SANITIZE hard, non-porous surfaces: Clean surfaces prior to sanitizing visibly soiled areas.\For visibly soiled areas, clean before sanitizing\following sanitizing directions. Thoroughly wet hard, non-porous surfaces [with [sanitizing] solution].\Spray product on surface. Treated surfaces must remain wet for 1 minute\60 seconds[, then rinse or wipe clean] [before wiping]. **TOILET BOWLS [AND URINALS]: To sanitize surfaces above the waterline,** empty water from the toilet bowl [or urinal]. [Hold 6-8" from surface.] Spray [covering] exposed surfaces. Brush thoroughly over surfaces and under the rim to completely wet surfaces. Treated surfaces must remain wet for 1 minute\60 seconds, then flush.

TO [CLEAN AND] DISINFECT hard, non-porous surfaces: Clean surfaces prior to disinfecting visibly soiled areas. \For visibly soiled areas, clean before disinfecting\following disinfecting directions. Thoroughly wet hard, non-porous surfaces [with [disinfecting] solution].\Spray product on surface. Treated surface must remain wet for 1 minute\60 seconds[, then rinse or wipe clean][before wiping]. **TOILET BOWLS [AND URINALS**]: To disinfect surfaces above the waterline, empty water from the toilet bowl [or urinal]. [Hold 6-8" from surface.] Spray [covering] exposed surfaces. Brush thoroughly over surfaces and under the rim to completely wet surfaces. Treated surfaces must remain wet for 1 minute\60 seconds, then flush.

PREPARING\MANUAL PREPARATION OF CLEANING\[DEODORIZING] SOLUTION: Mix 1 part [of this] product\concentrate per 9 parts water into a [Product Name] [Cleaner with Bleach] spray bottle [using the dilution center].\Mix this product\concentrate with water using the [P&G] [AUTOMATIC] dilution center.

GENERAL CLEANING [DIRECTIONS]: Apply to hard, non-porous surfaces. Spray\Pour\spray directly onto surface [or] [damp sponge] [cloth] [paper towel] [towel]. Rinse or wipe clean. For tough stains or soil, let soak\stand [1 minute\60 seconds].\For tougher soils, allow to soak. [FLOORS: Add 250 ml\1 cup [concentrate\product] per 3.78 L\1 gallon warm water. Mop and rinse.]

GENERAL DEODORIZING [DIRECTIONS]: Apply to hard, non-porous surfaces. Spray\Pour\spray directly onto surface [or] [damp sponge] [cloth] [paper towel] [towel]. Rinse or wipe clean. For tough odors, let soak\stand [1 minute\60 seconds].\For tougher odors, allow to soak. [FLOORS: Add 250 ml\1 cup [concentrate\product] per 3.78 L\1 gallon warm water. Mop and rinse.]

POULTRY FARM DISINFECTION [DIRECTIONS]: Remove all poultry and feeds from premises, trucks, coops, and crates. Remove all litter and droppings from floors, walls and surfaces of facilities occupied or traversed by poultry. Empty all troughs, racks, and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with the disinfecting solutions for a period of 10 minutes. Ventilate buildings, coops, and other closed spaces. Do not house poultry or employ equipment until treatment has been absorbed, set, or dried. Thoroughly scrub treated feed racks, troughs, automatic feeders, fountains, and waterers with soap or detergent, and rinse with potable water before reuse.

DAIRY FARM DISINFECTION [DIRECTIONS]: Do not use in milking stalls, milking parlors, or milk houses (for phenolics, cresylic acid, and pine oils). Remove all animals and feed from premises, vehicles, and enclosures. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes, and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks, and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate all surfaces with the disinfecting solution for a period of 10 minutes. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure. Ventilate buildings, cars, boats, and other closed spaces. Do not house livestock or employ equipment until treatment has been absorbed, set, or dried. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains, and waterers with soap or detergent, and rinse with potable water before reuse.

{Note to reviewer: For labels that list medical environments, hospitals, nursing homes, medical and dental offices and clinics, operation rooms, isolation wards, patient chairs, examination chairs and wheelchairs, the following statement must be used:}

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

{Note to Reviewer: The bloodborne pathogens listed in these special instructions will match those listed on the final printed label.}

KILLS [HIV-1 (AIDS VIRUS)][,] [and] [HBV][,] [and] [HCV] ON PRECLEANED ENVIRONMENTAL SURFACES\OBJECTS PREVIOUSLY SOILED WITH BLOOD\BODY FLUIDS, in health care settings in which there is an expected likelihood of soiling of inanimate surfaces\objects with blood or body fluids, and in which the surfaces\objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of [human immunodeficiency virus Type 1(HIV-1) (associated with AIDS)][,] [and] [HBV][,] [and] [HCV].

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST [HIV-1][,] [and] [HBV][,] [and] [HCV] ON SURFACES\OBJECTS SOILED WITH BLOOD\BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks and eye protection.

CLEANING PROCEDURE: Blood and other body fluids containing [HIV][,] [and] [HBV][,] [and] [HCV] must be thoroughly cleaned from surfaces and objects before application of this product.

CONTACT TIME: Thoroughly wet surfaces with disinfecting solution for 1 minute\60 seconds, then rinse or wipe clean. Please consult the usage directions to determine the appropriate contact times for other organisms.

DISPOSAL OF INFECTIOUS MATERIAL: Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.

<u>SUB-LABEL 2</u>: <u>READY-TO-USE PRODUCT</u>

DIRECTIONS FOR [HOUSEHOLD] [INSTITUTIONAL] [COMMERCIAL] USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. [Do not dilute].

{Gallon size:} **REFILL DIRECTIONS:** Refill [into] properly labeled spray bottle[s].\Refill [only] [properly labeled] [Product name] [Cleaner with Bleach] spray bottle[s].\Refill only [Product name] Cleaner with Bleach spray bottle[s].\Refill [1 QT] [/] [32 oz] sprayer [size] from [this convenient] container.\Use only in\to refill [CSP-3002-3] spray bottle.\Pour CSP-3002-3\[this] product into [CSP-3002-3] spray bottle.

{Spray Bottle:} REFILL DIRECTIONS\TO REFILL: Refill [this] [convenient] [sprayer] only with undiluted CSP-3002-3.\Use only undiluted CSP-3002-3 to refill [this] bottle.\Pour undiluted CSP-3002-2\product into [this] sprayer bottle from refill [container].

TO [CLEAN AND] SANITIZE hard, non-porous surfaces: Clean surfaces prior to sanitizing visibly soiled areas.\For visibly soiled areas, clean before sanitizing\following sanitizing directions. Thoroughly wet hard, non-porous surfaces [with [sanitizing] solution].\Spray product on surface. Treated surfaces must remain wet for 1 minute\60 seconds[, then rinse or wipe clean] [before wiping]. **TOILET BOWLS [AND URINALS]: To sanitize surfaces above the waterline,** empty water from the toilet bowl [or urinal]. [Hold 6-8" from surface.] Spray [covering] exposed surfaces. Brush thoroughly over surfaces and under the rim to completely wet surfaces. Treated surfaces must remain wet for 1 minute\60 seconds, then flush.

TO [CLEAN AND] DISINFECT hard, non-porous surfaces: Clean surfaces prior to disinfecting visibly soiled areas. \For visibly soiled areas, clean before disinfecting\following disinfecting directions. Thoroughly wet hard, non-porous surfaces [with [disinfecting] solution].\Spray product on surface. Treated surface must remain wet for 1 minute\60 seconds[, then rinse or wipe clean][before wiping]. **TOILET BOWLS [AND URINALS**]: To disinfect surfaces above the waterline, empty water from the toilet bowl [or urinal]. [Hold 6-8" from surface.] Spray [covering] exposed surfaces. Brush thoroughly over surfaces and under the rim to completely wet surfaces. Treated surfaces must remain wet for 1 minute\60 seconds, then flush.

TO CLEAN AND DISINFECT against *Clostridium difficile spores* on hard, non-porous surfaces: Clean[‡] surfaces prior to disinfecting.\Clean[‡] before disinfecting\following disinfecting directions. Thoroughly wet hard, non-porous surfaces [with [disinfecting] solution].\Spray product on surface. Treated surfaces must reman wet for 10 minutes[, then rinse or wipe clean] [before wiping].

[‡]See Special instructions for cleaning prior to disinfection against Clostridium difficile spores

GENERAL CLEANING [DIRECTIONS]: Apply to hard, non-porous surfaces. Spray\Pour\spray directly onto surface [or] [damp sponge] [cloth] [paper towel] [towel]. Rinse or wipe clean. For tough stains or soil, let soak\stand [1 minute\60 seconds].\For tougher soils, allow to soak. [FLOORS: Add 250 ml\1 cup [concentrate\product] per 3.78 L\1 gallon warm water. Mop and rinse.]

GENERAL DEODORIZING [DIRECTIONS]: Apply to hard, non-porous surfaces. Spray\Pour\spray directly onto surface [or] [damp sponge] [cloth] [paper towel] [towel]. Rinse or wipe clean. For tough odors, let soak\stand [1 minute\60 seconds].\For tougher odors, allow to soak. [FLOORS: Add 250 ml\1 cup [concentrate\product] per 3.78 L\1 gallon warm water. Mop and rinse.]

POULTRY FARM DISINFECTION [DIRECTIONS]: Remove all poultry and feeds from premises, trucks, coops, and crates. Remove all litter and droppings from floors, walls and surfaces of facilities occupied or traversed by poultry. Empty all troughs, racks, and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with the disinfecting solutions for a period of 10 minutes. Ventilate buildings, coops, and other closed spaces. Do not house poultry or employ equipment until treatment has been absorbed, set, or dried. Thoroughly scrub treated feed racks, troughs, automatic feeders, fountains, and waterers with soap or detergent, and rinse with potable water before reuse.

DAIRY FARM DISINFECTION [DIRECTIONS]: Do not use in milking stalls, milking parlors, or milk houses (for phenolics, cresylic acid, and pine oils). Remove all animals and feed from premises, vehicles, and enclosures. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes, and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks, and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate all surfaces with the disinfecting solution for a period of 10 minutes. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure. Ventilate buildings, cars, boats, and other closed spaces. Do not house livestock or employ equipment until treatment has been absorbed, set, or dried. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains, and waterers with soap or detergent, and rinse with potable water before reuse.

{Note to reviewer: For labels that list medical environments, hospitals, nursing homes, medical and dental offices and clinics, operation rooms, isolation wards, patient chairs, examination chairs and wheelchairs, the following statement must be used:}

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

{Note to Reviewer: The bloodborne pathogens listed in these special instructions will match those listed elsewhere on the final printed label.}

KILLS [HIV-1 (AIDS VIRUS)][,] [and] [HBV][,] [and] [HCV] ON PRECLEANED ENVIRONMENTAL SURFACES\OBJECTS PREVIOUSLY SOILED WITH BLOOD\BODY FLUIDS, in health care settings in which there is an expected likelihood of soiling of inanimate surfaces\objects with blood or body fluids, and in which the surfaces\objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of [human immunodeficiency virus Type 1(HIV-1) (associated with AIDS)][,] [and] [HBV][,] [and] [HCV].

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST [HIV-1][,] [and] [HBV][,] [and] [HCV] ON SURFACES\OBJECTS SOILED WITH BLOOD\BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks and eye protection.

CLEANING PROCEDURE: Blood and other body fluids containing [HIV][,] [and] [HBV][,] [and] [HCV] must be thoroughly cleaned from surfaces and objects before application of this product.

CONTACT TIME: Thoroughly wet surfaces with disinfecting solution for 1 minute\60 seconds, then rinse or wipe clean. Please consult the usage directions to determine the appropriate contact times for other organisms.

DISPOSAL OF INFECTIOUS MATERIAL: Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.

Special instructions for cleaning prior to disinfection against Clostridium difficile spores: Personal Protection: Wear appropriate barrier protection such as gloves, gowns, masks and eye protection.

Cleaning Procedure: Fecal matter/waste must be thoroughly cleaned from surfaces/objects before disinfection by application with product. Cleaning is to include vigorous wiping and/or scrubbing until all visible soil is removed. Special attention is needed for high touch surfaces. Surfaces in patient rooms are to be cleaned in an appropriate manner such as from right to left or left to right on horizontal surfaces and top to bottom on vertical surfaces to minimize spreading of the spores. Restrooms are to be cleaned last. Do not use soiled cloths.

Infectious Material Disposal: Materials used in the cleaning process that may contain feces/wastes are to be disposed of immediately in accordance with local regulations for infectious material disposal.

Disinfection: Thoroughly wet surfaces with undiluted\ready-to-use disinfection solution for 10 minutes using a clean mop, cloth, or sponge, then rinse or wipe clean.

<u>SUB-LABEL 3</u>: <u>Product for Manual Dilution or Ready-to-Use Refill</u>

DIRECTIONS FOR [HOUSEHOLD] [INSTITUTIONAL] [COMMERCIAL] USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

REFILL DIRECTIONS: Refill undiluted product [into] properly labeled spray bottle[s].\Refill [only] [properly labeled] [Product name] [Cleaner with Bleach] spray bottle[s] with undiluted product.\Refill [1 QT] [/] [32 oz] sprayer [size] with undiluted product from [this convenient] container.\ Use undiluted product only in\to refill [CSP-3002-3] spray bottle.\Pour undiluted CSP-3002-3\[this] product into [CSP-3002-3] spray bottle.

PREPARING \MANUAL PREPARATION OF DISINFECTING[/] [AND] \[SANITIZING] SOLUTION: Mix 1 part [of this] product\concentrate per 4 parts water into a [Product Name] [Cleaner with Bleach] spray bottle.

TO [CLEAN AND] SANITIZE hard, non-porous surfaces: Clean surfaces prior to sanitizing visibly soiled areas.\For visibly soiled areas, clean before sanitizing\following sanitizing directions. Thoroughly wet hard, non-porous surfaces [with [sanitizing] solution].\Spray product on surface. Treated surfaces must remain wet for 1 minute\60 seconds[, then rinse or wipe clean] [before wiping]. **TOILET BOWLS [AND URINALS]: To sanitize surfaces above the waterline,** empty water from the toilet bowl [or urinal]. [Hold 6-8" from surface.] Spray [covering] exposed surfaces. Brush thoroughly over surfaces and under the rim to completely wet surfaces. Treated surfaces must remain wet for 1 minute\60 seconds, then flush.

TO [CLEAN AND] DISINFECT hard, non-porous surfaces: Clean surfaces prior to disinfecting visibly soiled areas. \For visibly soiled areas, clean before disinfecting\following disinfecting directions. Thoroughly wet hard, non-porous surfaces [with [disinfecting] solution].\Spray product on surface. Treated surface must remain wet for 1 minute\60 seconds[, then rinse or wipe clean][before wiping]. **TOILET BOWLS [AND URINALS**]: To disinfect surfaces above the waterline, empty water from the toilet bowl [or urinal]. [Hold 6-8" from surface.] Spray [covering] exposed surfaces. Brush thoroughly over surfaces and under the rim to completely wet surfaces. Treated surfaces must remain wet for 1 minute\60 seconds, then flush.

PREPARING\MANUAL PREPARATION OF CLEANING\[DEODORIZING] SOLUTION: Mix 1 part [of this] product\concentrate per 9 parts water into a [Product Name] [Cleaner with Bleach] spray bottle .

GENERAL CLEANING [DIRECTIONS]: Apply to hard, non-porous surfaces. Spray\Pour\spray directly onto surface [or] [damp sponge] [cloth] [paper towel] [towel]. Rinse or wipe clean. For tough stains or soil, let soak\stand [1 minute\60 seconds].\For tougher soils, allow to soak. [FLOORS: Add 250 ml\1 cup [concentrate\product] per 3.78 L\1 gallon warm water. Mop and rinse.]

GENERAL DEODORIZING [DIRECTIONS]: Apply to hard, non-porous surfaces. Spray\Pour\spray directly onto surface [or] [damp sponge] [cloth] [paper towel] [towel]. Rinse or wipe clean. For tough odors, let soak\stand [1 minute\60 seconds].\For tougher odors, allow to soak. [FLOORS: Add 250 ml\1 cup [concentrate\product] per 3.78 L\1 gallon warm water. Mop and rinse.]

POULTRY FARM DISINFECTION [DIRECTIONS]: Remove all poultry and feeds from premises, trucks, coops, and crates. Remove all litter and droppings from floors, walls and surfaces of facilities occupied or traversed by poultry. Empty all troughs, racks, and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with the disinfecting solutions for a period of 10 minutes. Ventilate buildings, coops, and other closed spaces. Do not house poultry or employ equipment until treatment has been absorbed, set, or dried. Thoroughly scrub treated feed racks, troughs, automatic feeders, fountains, and waterers with soap or detergent, and rinse with potable water before reuse.

DAIRY FARM DISINFECTION [DIRECTIONS]: Do not use in milking stalls, milking parlors, or milk houses (for phenolics, cresylic acid, and pine oils). Remove all animals and feed from premises, vehicles, and enclosures. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes, and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks, and other feeding

and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate all surfaces with the disinfecting solution for a period of 10 minutes. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure. Ventilate buildings, cars, boats, and other closed spaces. Do not house livestock or employ equipment until treatment has been absorbed, set, or dried. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains, and waterers with soap or detergent, and rinse with potable water before reuse.

{Note to reviewer: For labels that list medical environments, hospitals, nursing homes, medical and dental offices and clinics, operation rooms, isolation wards, patient chairs, examination chairs and wheelchairs, the following statement must be used:}

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

{Note to Reviewer: The bloodborne pathogens listed in these special instructions will match those listed elsewhere on the final printed label.}

KILLS [HIV-1 (AIDS VIRUS)][,] [and] [HBV][,] [and] [HCV] ON PRECLEANED ENVIRONMENTAL SURFACES\OBJECTS PREVIOUSLY SOILED WITH BLOOD\BODY FLUIDS, in health care settings in which there is an expected likelihood of soiling of inanimate surfaces\objects with blood or body fluids, and in which the surfaces\objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of [human immunodeficiency virus Type 1(HIV-1) (associated with AIDS)][,] [and] [HBV][,] [and] [HCV].

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST [HIV-1][,] [and] [HBV][,] [and] [HCV] ON SURFACES\OBJECTS SOILED WITH BLOOD\BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks and eye protection.

CLEANING PROCEDURE: Blood and other body fluids containing [HIV][,] [and] [HBV][,] [and] [HCV] must be thoroughly cleaned from surfaces and objects before application of this product.

CONTACT TIME: Thoroughly wet surfaces with disinfecting solution for 1 minute\60 seconds, then rinse or wipe clean. Please consult the usage directions to determine the appropriate contact times for other organisms.

DISPOSAL OF INFECTIOUS MATERIAL: Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.