

ACCEPTED
 3579-23
 FEB 21 1980
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC PEST AND WEED CONTROL
 REGISTERED UNDER NO.

Job no. 4972

**PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS
 AND DOMESTIC ANIMALS**

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS:
STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth, feces, urine, etc., or with strong acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

Manufactured By
BREWER CHEMICAL CORPORATION a C. BREWER company
 311, Pacific Street, Honolulu, Hawaii 96816
 also Barber's Point/Hilo/Kahului/Kawaihae/Puhi/Guam

EPA EST. NO. 3579-HI-1
 EPA REG. No. 3579-23



**BREWER
 SPAR-CHLOR**

Liquid Chlorinating Product

ACTIVE INGREDIENT:	
SODIUM HYPOCHLORITE	12.5%
INERT INGREDIENTS	87.5%

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention if swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel

NET CONTENTS: 1 GALLON (3.785 Liters)

**DIRECTIONS FOR
 GENERAL CLASSIFICATION**
 This is a violation of Federal law to use in a manner inconsistent with the label.

SWIMMING POOL CHLORINATION

REGULAR TREATMENT: To a freshly lined pool add 10,000 gallons of water. This is equivalent to approximately 100 gallons of water. Check reading with a suitable test kit. If the reading is 0, add 1/2 ounce of Spar-Chlor. If the chlorine demand has not been met, add Spar-Chlor until a chlorine residual of 1 - 3 ppm is obtained. Thereafter, 10,000 gallons of water will increase the available chlorine maintenance requires a continual residual of 1.0 to 1.5 ppm.

For optimum pool care maintain the pH between 7.2 and 7.6 and after chlorination, and make proper pH adjustments.

ALGAE SHOCK: Adjust pool water pH between 7.2 and 7.6. Add Spar-Chlor, preferably in the evening, for each 10,000 gallons of water 1/2 ounce of Spar-Chlor. Circulate pool water for 24 hours. Brush dead algae from pool walls and floor. Repeat shock treatment as necessary.

NOTE: This product degrades with age. Use a test kit as necessary to obtain the required chlorine level.

STORAGE AND DISPOSAL: Store in a cool, dry place. In case of spill, flood area with large amounts of water. Thoroughly wash empty container with water and discard by placing in trash collection or bury. Product or residue that cannot be used should be disposed of in a sanitary sewer. Do not contaminate water or cleaning of equipment.

BEST DOCUMENT AVAILABLE

39

ACCEPTED
3579-23
FEB 21 1980

UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTERED
 UNDER NO.

Job no. 4972

**CAUTIONARY STATEMENTS
 HAZARDS TO HUMANS
 AND DOMESTIC ANIMALS**

• Corrosive. may cause severe skin irritation or
 burn skin. Causes eye damage. Do not get in eyes.
 • Wear goggles or face shield and rubber gloves.
 • Wash after handling. Avoid breathing vapors.
 • Avoid areas as soon as possible. Do not return until

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish,
 streams or ponds. Treated effluent may not be dis-
 charged into streams or public waters without a valid dis-
 charge. In absence, contact the regional office of the Environ-
 ment Agency.

CHEMICAL HAZARDS:
MIXING AGENT: Mix only with water according to
 label. Do not mix this product with gross filth as feces, urine, etc.
 • Do not mix with detergents or other chemicals may release
 vapors irritating to eyes, lungs and mucous membranes.



**BREWER
 SPAR-CHLOR**

Liquid Chlorinating Product

ACTIVE INGREDIENT:	
SODIUM HYPOCHLORITE ...	12.5%
INERT INGREDIENTS	87.5%

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water
 for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of
 milk, or gelatin solution or, if those are not available, drink large quantities of water.
 Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical
 attention.

See additional precautions on side panel

NET CONTENTS: 1 GALLON (3.785 Liters)

BEST DOCUMENT AVAILABLE

**DIRECTIONS FOR USE
 GENERAL CLASSIFICATION**

It is a violation of Federal Law to use this product in a
 manner not specified on the label.

SWIMMING POOL CHLORINATION

REGULAR TREATMENT: To a freshly filled pool add 1-4 pints (28 oz) Spar-Chlor per
 10,000 gallons of water. This is equivalent to approximately 3 ppm available chlorine.
 Check reading with a suitable test kit. If the reading is below 1 ppm, then the pool's
 chlorine demand has not been met. Spar-Chlor should be added until an available
 chlorine residual of 1-3 ppm is attained. Thereafter the addition of 1 oz Spar-Chlor per
 10,000 gallons of water will increase the available chlorine by 0.1 ppm. Normal pool main-
 tenance requires a continual residual of 1.0 to 1.5 ppm available chlorine.

For optimum pool care maintain the pH between 7.2 and 7.6. Check it frequently, before
 and after chlorination, and make proper pH adjustments via appropriate pH adjusting
 chemicals.

ALGAE KILLER: Adjust pool water pH between 7.2 and 7.6 then add 3 quarts (96 oz)
 Spar-Chlor, preferably in the evening, for each 10,000 gallons of pool water. This is
 equivalent to 10 ppm available chlorine. Circulate pool water for at least 4 hours. Then turn
 off recirculation system. Brush dead algae from pool's deck and bottom and vacuum. Do not
 allow persons into pool until an available chlorine residual of 1-3 ppm has been estab-
 lished. Repeat shock treatment as necessary.

NOTE: This product degrades with age. Use a chlorine test kit and increase
 dosage as necessary to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Store in a cool, dry area away from direct
 sunlight. In case of spill, flood area with large quantities of water. Rinse
 empty container thoroughly with water and either return to manufacturer or
 discard by placing in trash collection or burying in an approved landfill.
 Product or residue that cannot be used, should be diluted with water and
 disposed of in a sanitary sewer. Do not contaminate food or feed by storage
 disposal or cleaning of equipment.

39

39-A