

[3618-20]

SPACE-SPRA

FOR: BAKERIES, FOOD PLANTS, RESTAURANTS, SCHOOLS, HOTELS, MOTELS, OFFICE BUILDINGS, HOSPITALS AND FOOD HANDLING PLANTS.

Active Ingredients:

- 1,1,1-Trichloro-2,2,2-trifluoroethane
- 1,1,1-Trichloro-2,2,2-trifluoroethane
- 1,1,1-Trichloro-2,2,2-trifluoroethane
- 1,1,1-Trichloro-2,2,2-trifluoroethane
- 1,1,1-Trichloro-2,2,2-trifluoroethane
- 1,1,1-Trichloro-2,2,2-trifluoroethane
- 1,1,1-Trichloro-2,2,2-trifluoroethane
- 1,1,1-Trichloro-2,2,2-trifluoroethane
- 1,1,1-Trichloro-2,2,2-trifluoroethane
- 1,1,1-Trichloro-2,2,2-trifluoroethane

Inert Ingredients:

- 1,1,1-Trichloro-2,2,2-trifluoroethane
- 1,1,1-Trichloro-2,2,2-trifluoroethane
- 1,1,1-Trichloro-2,2,2-trifluoroethane
- 1,1,1-Trichloro-2,2,2-trifluoroethane
- 1,1,1-Trichloro-2,2,2-trifluoroethane
- 1,1,1-Trichloro-2,2,2-trifluoroethane
- 1,1,1-Trichloro-2,2,2-trifluoroethane
- 1,1,1-Trichloro-2,2,2-trifluoroethane
- 1,1,1-Trichloro-2,2,2-trifluoroethane
- 1,1,1-Trichloro-2,2,2-trifluoroethane

DIRECTIONS FOR USE:

Mosquitoes, Flies, Gnats: Close all doors and windows. Direct spray in all parts of the room. Fill the room with mist, then leave the room closed. Reenter room only if air is not too hot. Ventilate the room when treatment is completed.

Wasps: Application should be made in late evening when insects are out of their nests and hiding, and breeding places are intact. Do not spray in areas where people are present.

For Crawling Insects: Crickets, earwigs, roach, mites, silverfish, spider, centipedes. Spray thoroughly into hiding places such as cracks, crevices, under pipes, under and behind, and under refrigerator, under sink, and in range tops. Spray directly on insect where possible.

Ants: Spray trails, nests and points of entry. Spray on ants which are not necessary.

CAUTION KEEP OUT OF REACH OF CHILDREN

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. Do not use spray in food processing plants or in plant material. Do not use in areas where food is prepared during treatment. All food and dishes should be removed or thoroughly cleaned before use. Do not eat or drink until 2 hours after spraying. Do not return patients to the area until 2 hours after spraying. Avoid contamination of food and feedstuff. Do not use in areas where children are present. Do not use in areas where children are present. Do not use in areas where children are present.

Net Contents One Gallon

INDUSTRIAL COLLOIDS & CHEMICALS, Inc.

127 W. Jackson Avenue — Knoxville, Tennessee

Phone: 522-0214 and 522-6192

ACCEPTED

MARCH 29, 1972

UNDER THE FEDERAL INSECTICIDE, FUNGICIDE, AND ROVIDENTICIDE ACT FOR ECONOMIC PESTICIDE REGISTRATION UNDER NO. 447-114 SUBJECT

3618-20