

ACCEPTED
 AUG. 24, 1973
 U.S. DEPARTMENT OF HEALTH, EDUCATION & WELFARE
 DIVISION OF FOOD & DRUGS
 FEDERAL REGISTER
 TRADE AND COMMERCE DEPARTMENT

3618-21

DIRECTIONS FOR USE

For general cleaning and disinfecting in one operation, use 3 ounces of DYNOSOLV to 5 gallons of water.

For porous or extremely dirty surfaces, use 6 ounces to 5 gallons of water.

For sanitizing previously-cleaned food contact surfaces and food-processing equipment, use 1 ounce of DYNOSOLV in 5 gallons of water.

FOR HOSPITAL DISINFECTION: Use as recommended above in animal rooms and cages, cafeterias, morgues, laboratories, operating areas, patient rooms, bedframes, walls and floors, thermometers, instruments, rubber gloves, tubing and catheters. Allow at least 10 minutes contact time. Rinse all food-handling surfaces with potable water before reuse. Before disinfecting, instruments should be cleaned to remove all adhering blood and serous exudates.

COMMERCIAL BUILDINGS, INSTITUTIONS, AND GENERAL HOUSE-KEEPING: Use 3 ounces of DYNOSOLV to 5 gallons of water for cleaning and disinfecting floors, walls, lavatories, shower rooms, refuse containers, kitchen areas, and lunch rooms. Rinse all food-handling equipment with potable water before reuse.

FOOD PLANTS: To sanitize previously-cleaned food-processing equipment and utensils, use 1 ounce of DYNOSOLV to 5 gallons of water. Allow to drain but do not rinse. When used in this manner, DYNOSOLV does not require a potable water rinse, in accordance with Federal Food Additive Regulation 121.2547.

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT.

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY
DYNOSOLV IODOPHOR SANITIZER

Recommended for cleaning, disinfecting and sanitizing in hospitals, institutions, food plants, and commercial buildings.

ACTIVE INGREDIENTS:

alpha- (p-Nonylphenyl) -omega-hydroxypoly
 (oxyethylene) -iodine complex 18.05 %
 (Providing 1.75% titratable iodine)

Phosphoric Acid 16.00 %

INERT INGREDIENTS: 65.95 %

Total 100.00 %

Manufactured under the following U.S. Patents:
 2,931,777, 2,977,315, 3,028,299

DYNOSOLV has its own built-in indicator of germicidal activity. When the amber color disappears, a fresh solution should be prepared. This product is not adversely affected by water hardness or low temperatures.

DANGER:

Keep Out of Reach of Children

(See side panel for **FIRST AID** and additional precautions)

Net Contents: One U.S. Gallon

Manufactured by

INDUSTRIAL COLLOIDS & CHEMICALS, Inc.

127 WEST JACKSON AVENUE • KNOXVILLE, TENNESSEE 37901

DANGER

CORROSIVE:

in eyes, on skin
 Harmful if swallowed

FIRST AID:

In case of contact with eyes, flush with plenty of water. If swallowed, do not induce vomiting. Give 1-2 glasses of water. Call doctor if symptoms persist.

NOTE TO PHYSICIAN:

Indicate the use of appropriate respiratory protection.

FED
1973

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY
DYNOSOLV IODOPHOR SANITIZER

Recommended for cleaning, disinfecting and sanitizing in hospitals, institutions, food plants, and commercial buildings.

ACTIVE INGREDIENTS:

alpha- (p-Nonylphenyl) -omega-hydroxypoly (oxyethylene) -iodine complex (Providing 1.75% titratable iodine)	18.05%
Phosphoric Acid	16.00%

INERT INGREDIENTS:	65.95%
Total	100.00%

Manufactured under the following U.S. Patents:
2,931,777, 2,977,315, 3,028,299

DYNOSOLV has its own built-in indicator of germicidal activity. When the amber color disappears, a fresh solution should be prepared. This product is not adversely affected by water hardness or low temperatures.

DANGER:

Keep Out of Reach of Children

(See side panel for **FIRST AID** and
additional precautions)

Net Contents: One U.S. Gallon

Manufactured by

INDUSTRIAL COLLOIDS & CHEMICALS, Inc.

127 WEST JACKSON AVENUE • KNOXVILLE, TENNESSEE 37901

DANGER:

CORROSIVE: Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

EPA Reg. No. 3618-21