

[3624-5]

FOR USE IN HOMES AND
FOOD PROCESSING PLANTS.

DIRECTIONS

FLYING INSECTS

FLIES, MOSQUITOES, GNATS: Direct the spray toward the upper portions of the enclosure and fill the atmosphere with mist using 2 to 3 ounces of the product to each 1000 cubic feet of space. If possible, keep the doors and windows closed for 10 minutes after applying the spray.

CRAWLING INSECTS

Exposed or accessible stages:

ROACHES, SILVERFISH, SPIDERS: Spray infested areas thoroughly and direct the liquid behind baseboards, moldings, cabinets, shelves, sinks, door and window frames and pipes, toward drains and dark corners, and into cracks, crevices, recesses and similar hiding places. Repeat as needed.

ANTS: Treat shelves, cabinets and storage areas. Spray ant runs, trails, baseboards, thresholds and other places of entry, and treat nests liberally.

FLEAS, TICKS: Direct the spray toward lower wall portions, baseboards, rugs, carpets and floors of infested areas. Spray animal quarters, kennels and the bedding of pets and other domestic animals.

BEDBUGS: Apply liberally to top, ends, sides and bottom of mattresses, spraying all tufts, seams and folds. Spray springs and frame, directing the liquid into all cracks, crevices and lock joints. Spray walls, baseboards, moldings, floors, closets and bedroom furniture with special attention to protected bedbug hiding and breeding places.

CLOTHES MOTHS and CARPET BEETLES: Remove infested articles from storage, brush



NOVASPRAY 10

ACTIVE INGREDIENTS: 100%

Pyrethrins	0.10%
Technical Piperonyl Butoxide*	1.00%
Petroleum Distillate	98.90%

*Equivalent to 0.8% of (butylcarbityl) (6-propylpiperonyl) ether and 0.20% of related compounds.

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

See additional cautions on side panels:

USDA Reg. No. 3624-5

NOVA PRODUCTS, INC.

Kansas City, Kansas 66119

thoroughly and, if possible, air several hours in direct sunlight. Apply spray liberally to all surfaces of empty chests, closets, bureaus and storages, directing the liquid into cracks, joints and crevices. After airing, infested articles may be treated by holding the spray nozzle at least 2 feet away from the fabric and applying the liquid lightly to avoid the possibility of staining. Treat both sides of rugs, carpets and pads and all exposed and accessible surfaces of overstuffed furniture. Repeat application in 30 days for susceptible articles not stored in mothtight containers.

STORED FOOD PESTS (Exposed stages of flour beetles, weevils, cadellies, grain beetles, meal worms, meal moths, skippers, grain and cheese mites): To avoid sources of re-infestation, wormy flour, grain and cereals should be destroyed before treatment. Spray thoroughly all surfaces of shelves, bins, cupboards, cabinets, pantries, lockers and similar storages, with special attention to cracks, niches, crevices and other hiding places.

CAUTION

Do not spray near or toward an open flame. Harmful if swallowed. Avoid contamination of foodstuffs.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product as a space spray in these areas, apply only when plant is not in operation.

Do not remain in treated areas and ventilate the area after treatment is completed.

