ACCEPTED

May 28, 1971

LEC STOLLAR ST

### **DIRECTIONS**

APPLICATION General) Apply with a low pressure sprayer which gives a coarse wet spray and very little mist. DO NOT USE AS A SPACE SPRAY FOR FLYING INSECTS. AROUND FOOD INDUSTRIES AND HOMES USE ONLY FOR SPOT APPLICATION FOR CONTROL OF CRAWLING INSECTS.

ROACHES: Apply thoroughly to infested cracks and other hiding or resting places. Spray a limited amount of exposed surface where roaches will crawl over it when they come out of hiding. Repeat applications as needed.

SILVERFISH: Apply as for roaches but in addition treat baseboards, areas behind shelves, bookcases and storage areas.

BROWN DOG TICKS IN PREMISES: Spray around baseboards, window and door frames, wall cracks and sleeping quarters of household pets. The frequency of application should depend on the source and the intensity of infestation. Fresh bedding should be placed in animal quarters following the spraying. DO NOT APPLY DIRECTLY OR INDIRECTLY TO ANIMALS.

CARPET BEETLES IN PREMISES: Spray localized areas of the floor and baseboards. Use oil can to squirt diluted meterial into cracks and behind baseboards. Small areas under carpets may be sprayed BUT DO NOT APPLY TO LARGE AREAS OF THE CARPET. Spot application to floors, baseboards and shelves may be made and applications should be repeated as needed.

ANTS: Spray trails and areas around door



# DIAZINON SPRAY

ACTIVE INGREDIENTS: 100%	
Petroleum Distillate	97.412%
Aromatic Petroleum Derivative	
Derivative Solvent	2.000%
J,O-Diethyl O-(2-isopropyl-4-	
methy 1-6-pyrimidiny 1) phos-	
phorothioate*	0.500%
Technical Piperonyl Butoxide **.	0.063%
Pyrethrins	0.025%

\*Diazinon

\*\* Equivalent to 0.05% of (butyl carbityl) (5-propyl piperonyl) ether and 0.013% of related compounds:

## CAUTION KEEPOUT OF THE REACH OF CHILDREN

See additional cautions on side panels.
USDA Reg. No. 3624-80

## NOVA PRODUCTS, INC.

Kansas City, Kansas 66119

sills and window frame enter the premises. S water pipes, heat duc and baseboards. Rej often as needed.

FLYING INSECTS: (I toes): Residual treatrilected outside porticion around windows, door and ceilings or porchother than dairy barrithese insects. Fly pare best reduced by places where they brea

CAU1
Contact with skin can a
Avoid breathing spray
In case of spillage or
soap and water. Avoid
and foodstuffs. Harmfu

Do not spray into or ne Do not smoke while sp commercial food prep edible products areas plants. This product wildlife. Do not contam ing of equipment, or

ANTID INTERNAL: Call a ph Administer emetic of m EXTERNAL: In case a clothing wash AT O

water.
2-PAM is also antidote istered in conjunction to

**CONTENTS** 

### DIRECTIONS

ON (General): Apply with a low layer which gives a coarse wet bry little mist. DO NOT USE AS PRAY FOR FLYING INSECTS. DOD INDUSTRIES AND HOMES OR SPOT APPLICATION FOR DF CRAWLING INSECTS.

Apply thoroughly to infested other hiding or resting places, ted amount of exposed surface es will crawl over it when they hiding. Repeat applications as

d: Apply as for roaches but in the baseboards, areas behind becases and storage areas.

G TICKS IN PREMISES: Spray coards, window and door frames, and sleeping quarters of house. The frequency of application and on the source and the intentation. Fresh bedding should be animal quarters following the D NOT APPLY DIRECTLY OR Y TO ANIMALS.

EETLES IN FREMISES: Spray as of the floor and baseboards. to squirt diluted meterial into behind baseboards. Small areas a may be sprayed BUT DO NOT LARGE AREAS OF THE CARpplication to floors, baseboards may be made and applications peated as needed.

y trails and areas around door



# DIAZINON SPRAY

ACTIVE INGREDIENTS: 100%	
Petroleum Distillate	97.412%
Aromatic Petroleum Derivative	
Derivative Solvent	2.000%
0,0-Diethyl 0-(2-isopropyl-4-	
methy I-6-pyrimidiny I) phos-	
phorothioate*	0.590%
Technical Piperonyl Butoxide **.	0.063%
Pyrethrins	0.025%

\*Diazinon

\*\* Equivalent to 0.05% of (butyl carbityl) (6-propyl piperonyl) ether and 0.013% of related compounds:

# CAUTION KEEPOUT OF THE REACH OF CHILDREN

See additional cautions on side panels. USDA Reg. No. 3624-80

### NOVA PRODUCTS, INC.

Kansas City, Kansas 66119

sills and window frames where the pests may enter the premises. Spray openings around water pipes, heat ducts, electrical outlets and baseboards. Repeat applications as often as needed.

FLYING INSECTS: (Flies, gnats, mosquitoes): Residual treatment of outdoors (selected outside portions of dwellings, as around windows, doors and screens, walls and ceilings or porches and out-buildings other than dairy barns) will help control these insects. Fly populations and gnats are best reduced by spraying the outside places where they breed.

### CAUTION

Contact with skin can cause toxic symptoms. Avoid breathing spray mist or skin contact. In case of spillage on the skin, wash with soap and water. Avoid contamination of feed and foodstuffs. Harmful if swallowed.

Do not spray into or near fire or open flame. Do not smoke while spraying. Do not use in commercial food preparation areas or in edible products areas of food processing plants. This product is toxic to fish and wildlife. Do not contaminate water by cleaning of equipment, or disposal of wastes.

### ANTIDOTE

INTERNAL: Call a physician immediately. Administer emetic of mustard.

EXTERNAL: In case of spillage on skin or clothing wash AT ONCE with soap and water.

2-PAM is also antidotal and may be administered in conjunction with atropine.

**CONTENTS** 

GALLONS