

FORMULATED ESPECIALLY FOR PAKERIES AND FOOD PROCESSING PLANTS. RESIDUAL IN ACTION. READY TO USE. CONTAINS KORLAN' KILLS EXPOSED STAGES OF ROACHES AND FLIES.

ACTIVE INGREDIENTS:

Konnel*	_0,0-dimethyl-0-(2,4,5 trich
phos	phorothioate 1*
)\$
	al Piperonyl Butoxide**
	Petroleum Derivative Solve
	m Distillate

INERT INGREDIENTS

*Korlan is registered tradename for ronnel, Dow Pat. 2,599,516.

** Equivalent to 0.05% (butyl carbityl) (6-propyl pi of related compounds.

CAUTION. Keep Out of the I See additional caution

USDA Reg. No. 3624

DIRECTIONS

BAKERIES AND FOOD PROCESSING PLANTS. FOR REFUSE AREAS: Nova-Ron is a ready to use oil base insecticide especially formulated for use in bakeries and food processing plants. It is especially compounded for control of resistant roaches and flies.

APPLICATION - COCKROACHES IN BUILDINGS:

For bakeries and food processing plants apply Nova-Ron as a coarse wet spray. DO NOT FOG. Apply 1 gallon to 350 to 1,000 square feet of surface, depending upon the absorbent properties of the surface. Spray surfaces such as inside walls, partitions and ceilings of buildings until the surfaces are wet but the spray is not running in streams. Apply Nova-Ron as a spot treatment under and behind processing machinery and similar areas where insects are seen running, congregating or hiding, paying particular attention to cracks, crevices and hidden areas where insects may breed.

Avoid deposits on areas frequently contacted by children. Do not contaminate food, food containers or cooking utensils.

FLY CONTROL - BUILDINGS:

Apply Nova-Ron as a medium to coarse spray until the surfaces are wet but not running. Apply to doorways, around windows, ceilings, loading docks and similar areas where flies feed and rest. Under normal conditions of climate a single treatment will give control for 4 to 6 weeks.

Use Nova-Ron, enough to soak the surfaces, or areas such as manure piles, garbage dumps and similar breeding locations. Maintenance of good sanitary conditions will add greatly to the success of fly control programs.


Harmful if swallowed. Irritating to the skin and eyes. Do not get in eyes. Avoid prolonged or repeated contact with the skin.

Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Avoid contamination of food, foodstuffs and

water supplies. Keep away from flames and heat. Cover food receptacles and utensils while spraying.

Do not apply while plant is in operation. Do not use in milk houses or milk processing. plants.

Note to Physician: This material is a cholinesterase inhibitor. Treat symtomatically. Atropine is indicated.



NOVA PRODUCTS, INC.

Kansas City, Kansas 66119

orophenyl)-	tion food
2.000%	Êŝ
0.025%	5 g
0.063%	
12 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	
95.172%	
0.430%	i por
Chemical Company. U.S.	Ĕ
iperonyl) ether and 0.13%	commercial fo dible products miss
	in edi
Reach of Children.	Do not use in co areas or in edibl processing plants
ons below.	not us of
4-82	Do n areas
	Do

CAUTION

CONTENTS GALLONS

ACCEPTED WITH COMMENTS

