ACTIVE INGREDIENTS 100%

Technical	Piperonyl	Butoxide*	 . 2.5 0%
•	Distillate		
	0.1/0		

*Equivalent to 0: 16% (buty) carbityl) (6-propyl piperonyl) ether and 0.4% related compounds

FLYING INSECTS

Flies, Mosquitoes, Gnats: Direct the spray toward the upper portions of the enclosure and fill the atmosphere with mist, using 2 to 3 ounces of the product to each 1000 cubic feet of space. If possible, keep the dears and windows closed for 10 minutes after applying the spray.



crothes Moths and Carpet Beetles: Remove infested articles from stance, brush thoroughly und, if possible, air several hours in direct sublight. Apply spray liberally to all surface; of empty chests, closets bureaus and storages, directing the liquid into cracles, joints and crevices. After airing, infested articles may be treated by holding the spray nozzle at least 3 feet away from the fabric and epolying the liquid lightly to avail the possibility of staining. Treat both sides of rugs, corpets and pads and all exposed and accessible surfaces of overstuffed furniture. Repeat application in 30 days for susceptible articles not stared in moth-tight containers.

Stored Feed Pests (Exposed stages of flour beetles, weavits, cadelles, grain beetles, meal worms, meal mothe, skippers, grain and cheese mites): To avoid sources of reinfestation, wormy flour, grain and cereals should be destroyed before treatment. Sprey thoroughly all surfaces of shelves, bins, cupboards, cebinets, pantries, lockers and similar storages, with special attention to cracks, niches, crevices and other hiding places.

CON

Crawling Insects (Exposed or accessible stages)

Roaches, Silverfish, Spiders: Spray infested areas thoroughly and direct the liquid behind baseboards, moldings, cabinets, shelves, sinks, door and window trames and pipes, toward drains and dark carners, and into cracks, recesses and similar hiding places. Repeat as needed.

Ants: Treat shelves, cabinets and storage areas. Spray ant runs, trails, baseboards thresholds and other places of entry, and treat nests liberally.

Fleas, Ticks: Direct the spray toward lower wall portions baseboards, rugs, carpets and floors of infested areas. Spray animal quarters, kennels and the bedding of pets and other domestic animals.

Bedbugs: Apply liberally to top, ends, sides and bottom of mattresses, spraying all tufts, seams and folds. Spray topings and frame, directing the liquid into all cracks, mexices and lock joints. Spray walls, Eiseboards, moldings: floors, closets and bedroom furniture with special tiers in to protected bedbug hiding and breeding places.



ATED

CAUTION: Do not spray near or toward an open flame. Harmful if swallowed. Keep out of reach of children. Avoid contamination of foodstuffs.

NOTICE TO BUYER: SELLER makes
no warranty of any kind, expressed or implied, concerning the use of this product.
BUYER assumes all risk of handling and of use whether in accordance with directions or not.

1808 Oak - VI 2-4859 Kansas City, Mo. 64108



130024-94) 10f2

CAUTION:

Keep Out of Reach of Children
See Side Panel for Additional Cautions

@-34

CON SOLID

FOG SPRAY

[3624-94] 20F2



APR 10 1967

NOVASPRAY-25A

ACTIVE INGREDIENTS: 100°

Technical Piperonyl Butoxide Pyrethrias

Petroleum Distillate

*Equivalent to 🍧 % of (butyl corbityl) (6-propyl piperonyl) either and % of related compounds

CAUTION. Keep Out of the Reach of Children. See additional coutions below USDA Reg. No. 3624- (444

DIRECTIONS

FLYING INSECTS

FLIES, MOSQUITOES, GNATS: Direct the spray toward the upper portions of the enclosure and fill the atmosphere with mist, using 2 to 3 ounces of the product to each 1000 cubic feet of space. If possible, keep the doors and windows closed for 10 minutes after applying the spray.

CRAWLING INSECTS

(Exposed or accessible stages)

ROACHES, SILVERFISH, SPIDERS, Spray infected areas thoroughly and direct the liguid behind baseboards, moldings, cabinets, shelves, sinks, door and window frames and pipes, toward drains and dark corners, and into crocks, crevices, recesses and similar STORED FOOD PESTS (Exposed stages of hiding places. Repeat as needed

ANTS: Treat shelves cabinets and storage areas. Spray ant runs, trails, basebourds, thresholds and other places of entry, and treat nests liberally.

lower wall portions, baseboards, rugs, car lar storages, with special attention to cracks pets and floors of infested areas. Spray ani. niches, crevices and other hiding places. mal quarters, kennels and the bedding of pets and other domestic animals.

BEDBUGS. Apply liberally to top, ends, sides and bottom of mattresses, spraying all taffs, scams and folds. Spray springs and frame, deciting the liquid into all cracks, crevices and lock points. Spray walls, baseboards, holdings, floors, closets and bedroom furni tire with special attention to gerte, ted hidbug hide a and breeding places

CLOTHES MOTHS and CARPET BEETLES Remove infested articles from storage, brush thoroughly and, if possible, air several hours in direct sunlight. Apply spray liberally to all surfaces of empty chasts, closets, bureaus and storages, directing the liquid into cracks, joints and crevices. After airing, infested articles may be treated by holding the spray nozzle at least 3 feet away from the fabric and applying the liquid lightly to avoid the possibility of staining. Treat both sides of rugs, carpets and pads and all exposed and accessible surfaces of overscuffed furniture. Repeat application in 30 days for susceptible articles not stored in mothtight containers

flour beetles, weevils, cadelles, grain beetles, meal worms, meal moths, skippers. grain and cheese mites). To avoid sources of reinfestation, wormy flour, grain and cereals should be destroyed before treatment. Spray thoroughly all surfaces of shelves, bins, cup FLEAS, TICKS: Direct the spray toward opards, cabinets, pantries, lockers and simi

CAUTION

Do not sprny near or toward an open flume Harmful if swallowed Avoid contamination of foodstuffs

CONTENTS

GALLONS

NOVA PRODUCTS, INC.

Kansas City, Kansas 66119