

Log # 3624-177
CMA 17 1.10.84

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	EPA REGISTRATION NO. 3624-177	DATE OF ISSUANCE OCT 29 1985
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT Double A - Fogging Concentrate	

NOTICE OF PESTICIDE: ☒ REGISTRATION
☐ REREGISTRATION
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Nova Products, Inc.
800 Hickory
Kansas City, MO 64101

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:


1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 3624-177." Note - correct the EPA Est. Number.
 - b. Either delete references to establishments under the jurisdiction of the United States Department of Agriculture such as meat packing plants or obtain USDA approval before shipping product.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Timothy A. Gardner
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

☐ Enclosure
☐ ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL  **DATE** 10-28-85



DOUBLE A---FOGGING CONCENTRATE

For Use in Homes, Restaurants, Industrial Installations, Hospitals, Dairy and Beef Barns, Poultry Houses, Swine Housing and Feedlots.

FOR APPLICATION BY TRAINED PERSONNEL ONLY

ACTIVE INGREDIENTS:

Pyrethrins

1.50%

*Piperonyl butoxide, technical

7.50%

INERT INGREDIENTS:

91.00%

100.00%

*Equivalent to 6.00% (butylcarbityl)(6-propylpiperonyl) ether and 1.50% related compounds.

Keep Out of Reach of Children

CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed—Call a physician immediately. DO NOT INDUCE vomiting without the advice of a physician. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled—Remove victim to fresh air. Apply respiration if indicated.

If on skin—Wash immediately with soap and water.

If in eyes—Flush eyes for at least 15 minutes with water. Call a physician immediately.

See side/back panels for additional precautionary statements.

NOTE: When used in hospitals, patients should be removed prior to treatment. Ventilate for two hours after treatment. Do not return patients to room until after ventilation.

NET CONTENTS _____ GAL.

EPA Est. No. 3624--

EPA Reg. No. 3624-MO-1

NOVA PRODUCTS, INC.

800 HICKORY • KANSAS CITY, MISSOURI 64101

OCT 29 1985

3624-177

1-38/4

**PRECAUTIONARY STATEMENTS
HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. Avoid breathing vapors or spray mist. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II. Contains petroleum distillate. If swallowed do not induce vomiting. Get immediate medical attention. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not apply directly to food. Do not apply space spray while food processing is underway. Cover or remove all food processing surfaces. Thoroughly wash and rinse with potable water all food processing surfaces before re-use. After spraying in meat packing plants, bakeries and the food processing plants, wash and rinse with potable water all equipment, benches, shelving, etc., where exposed food will be handled. Food processing operations have to be stopped while applying a wet spray with care and in accordance with the directions and cautions given above.

When using in animal housing areas, do not apply directly to food, water or feed supplements. Do not apply directly to animals. Wash teats of dairy animals before milking.

Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill, or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General: This product is designed for use undiluted in mechanical sprayers which produce particles of aerosol size, such as the LECO or MICRO-GEN. It can also be diluted with refined kerosenes which meet Food Additive Regulation 21 CFR 172.884 and can be applied in fogging equipment that gives larger than aerosol particle size. It can also be diluted with oil specified above and applied as a contact spray to kill crawling insects shown later on this label.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Keep container closed.

Prohibitions: Do not contaminate water, food, or feed by storage or disposal.

Pesticide Disposal: Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

Container Disposal: Metal (all uses)—Triple rinse (or equivalent) and offer for recycling, reconditioning, or dispose of in a sanitary landfill, or by other approved State and local procedures.

Glass (all)—Triple rinse (or equivalent) and dispose of in a sanitary landfill or by other approved State and local procedures.

General: Consult Federal, State or local disposal authorities for approved alternative procedures.

DIRECTIONS FOR USE

For Use in Homes, Restaurants and Industrial Installations, Hospitals: Space Spray - Undiluted Aerosol Generators - to Kill Flies, Mosquitoes, Small Flying Moths and Gnats: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Apply at the rate of .5 oz. of undiluted Concentrate per 1,000 cu. ft. of space. Direct output from aerosol generator upward towards upper corners of room and ceiling. Leave room closed for 1/2 hour. Do not remain in treated areas. Ventilate room thoroughly before re-entry.

Space Spray - Diluted for Ordinary Mechanical Fogging Equipment - to Kill Flies, Mosquitoes, Small Flying Moths and Gnats: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Dilute Concentrate with oil at the rate of 1 part Concentrate plus 14 parts of oil and mix well. Apply at the rate of 50 fl. oz. of dilute spray (.4 gal.) per 25,000 cu. ft. of space. Direct fog upward towards upper corners of room and ceiling area. Leave room closed for 1/2 hour. Do not remain in treated areas. Ventilate room thoroughly before re-entry.

Concentrate Spray - Diluted for Use with Sprayers that Give Large Wetting Spray Particles to Kill Cockroaches and Accessible Stages of Granary Insects: Granary Weevils, Rice Weevils, Confused Flour Beetles, Rusty Grain Beetles, Red Flour Beetles, Indian Meal Moth Larvae and Adults, Caddisflies, Grain Mites and Sawtoothed Grain Beetles: Cover or remove exposed food and close room as described above. Dilute Concentrate with oil at the rate of 1 part Concentrate plus 14 parts oil and mix well. Spray outside walls of grain bins, flooring, about base of milling machinery, walls and baseboards, areas behind cabinets, around pipes and other insect harborage using 1 gal. of spray per 1,000 sq. ft. of surface. Force spray into all cracks and crevices. Repeat applications as necessary.

For Use in Poultry Houses, Dairy and Beef Barns, Swine Housing: Space Spray - Diluted for Use in Aerosol Generators to Kill Flies, Mosquitoes, Gnats, Small Flying Moths and Exposed Cockroaches: Cover or remove exposed food and watering troughs and close house as tightly as possible. Dilute Concentrate with refined kerosene at the rate of 1 part Concentrate plus 2 parts of oil and mix well. Direct spray upward and apply until room is filled with mist. Keep closed for 1/2 hour and ventilate thoroughly prior to re-entry.

Space Spray - Diluted for Ordinary Mechanical Fogging Equipment to Kill Flies, Mosquitoes, Small Flying Moths and Gnats: Prepare for application as above. Dilute Concentrate with refined kerosene at the rate of 1 part Concentrate plus 14 parts of refined kerosene and mix well. Apply at the rate of 50 fl. oz. dilute spray (.4 gal.) per 25,000 cu. ft. of space above animals. Direct fog upward toward upper corners of room and ceiling. Vacate room and leave closed for 1/2 hour.

For Use Around Feedlots to Kill Flies, Mosquitoes, Small Flying Moths and Gnats: Apply undiluted using ULV aerosol generators emitting particles in the 50 to 30 micron range. Apply when wind is 5 m.p.h. or less. Apply at the rate of 10 ounces per minute over no more than a 300 foot swath. If machine is vehicle-mounted, the speed should be maintained at 5 m.p.h.