

RESIDUAL FORMULA No.5

Kills Exposed stages of Roaches, Silverfish, Ants, Gnats, Mosquitoes, Granary Weevils, Rice Weevils, Saw-toothed Weevils, Flat Grain Beetles, Indian Meal Moths, Confused Flour Beetles, Cadelles.

Ready-To-Use. Residual In Action. For Bakeries and Other Food Processing Plants.

ACTIVE INGREDIENTS:

Ronnel, 0,0-dimethyl 0-2,4,5-trichlorophenyl phosphorothioate	2.00%
Pyrethrins	0.24%
Piperonyl butoxide, Technical. *	1.20%
Petroleum Distillate **	95.36%
INERT INGREDIENTS	1.20%

* Equibalent to 0.96% of (butylcarbityl)(6-propylpiperonyl) ether and 0.24% of related compounds.


** Minimum flash point of 176°F (TCC).

CAUTION. Keep Out of the Reach of Children.
See side panel for additional cautions.

USDA Reg. No. 3624-

Contents Gallons
Nova Products, Inc.
Kansas City, Kansas 66119

DIRECTIONS.



This product is residual in action. Apply it only to surfaces specified below. Application to operating surfaces or to surfaces which may become operating zones must be avoided.

Before spraying this product clean all surfaces to be sprayed. Remove all food and ingredient debris from the areas. Good sanitation aids in insect control.

Use a low pressure tank type sprayer and pump it after filling to 50 pounds pressure. Pressure should be reapplied when it falls to 32 pounds. Application should be made with an even up and down motion so that a film of liquid covers the desired surface to such an extent that the surface when freshly covered glistens but does not run. This practice will deposit approximately one gallon per 1000 square feet. A rough check should be made to determine the number of square feet covered with each application so that a correction may be made if the spray is being applied too heavily or too lightly. The nozzle should be held about 18 inches from the surface being sprayed, but experience will dictate the exact

distance desirable. The area covered should not extend more than 5 feet up the wall nor more than 18 inches out from the wall on the floor. In some basement areas it is desirable to spray the wall-ceiling junction and the top surfaces of foundation walls.

The operator must apply the solution so that it does not come in contact with any of the ingredients or product zones of equipment. Surfaces that may later become product zones should never be sprayed.

In addition to the above surfaces - [? ? ? ? ?] wall and 18 inches out on the floor - it is well to use an oil can or a jet - if such an adjustment is available on the sprayer - to squirt insecticide into cracks and crevices, behind power outlets, behind switchboxes and cabinets and other obstructions where insects hide and breed.

Food processing plants which have a pipe tunnel through which steam enters the building from an outside source should have the tunnel sprayed thoroughly, tops, bottom, walls and pipes.

CAUTIONS

Harmful if swallowed. Avoid prolonged breathing of spray mist. Avoid prolonged and repeated contact with skin. Wash thoroughly after using. Avoid contamination of feed and foodstuffs. Do not use when food processing plant is in operation.