


DIRECTIONS

This product is residual in action. Apply it only to surfaces specified below. Do not use as a space spray. Application to operating surfaces or to surfaces which may become food zone surfaces must be avoided.

Before spraying this product clean all surfaces to be sprayed. Remove all food and ingredient debris from the area. Good sanitation is most important for good insect control.

Use a low pressure tank type sprayer. After filling the tank pump the pressure to 50 lbs. and reapply pressure when it falls to 32 lbs. Application should be made with an even up and down motion so that a film of liquid covers the desired surface to such an extent that the surface when freshly covered glistens but does not run. This practice will deposit approximately one gallon per 1000 square feet. A rough check should be made to determine the number of square feet covered by each application so that a correction may be made if the spray is being applied too lightly or too heavily. The nozzle should usually be held about 18 inches from the surface, but experience will dictate the exact distance desirable.

The area covered should not extend more than 5 feet up the walls and about 18 inches out on the floor. In some basement areas it is desirable to spray the wall ceiling junction and the top surfaces of foundation walls. The operator must apply the solution so that it does not come in contact with any of the ingredients or product zones or equipment. Surfaces that may later become product zones should



Kills exposed stages of: Roaches, Silverfish, Granary Weevils, Rice Weevils, Saw-tooth Weevils, Flat Grain Weevils, Indian Meal Moths, Confused Flour Beetles, Cadelles.

Ready-To-Use. Residual in Action — For Bakeries and Other Food Processing Plants.

ACTIVE INGREDIENTS:

o-Isopropoxyphenyl methylcarbamate 1%
Petroleum Distillate 84%

INERT INGREDIENTS 15%

†U.S. Patent No. 3,111,539

This material used under license from Chemagro Corporation.

®BAYGON is the registered trademark of Farbenfabriken Bayer A. G., Chemagro Corporation licensee.

W A R N I N G :
KEEP OUT OF THE REACH OF CHILDREN.
See side panel for additional warnings.

E.P.A. Reg. No. 3624-133

CONTENTS GALLONS

NOVA PRODUCTS, INC.

Kansas City, Kansas 66119

never be sprayed.

In addition to the wall-floor areas indicated above - 5 feet up the wall and 18 inches out on the floor - it is well to use an oil can - or a jet, if such an adjustment is available on the sprayer - to squirt insecticide behind cabinets and other wall obstructions where insects may hide or breed and into cracks and crevices and behind power outlets and switchboxes.

Repeat applications, if necessary, when plant is not in operation.

Food processing plants which have pipe tunnels through which steam and other utilities enter the building from outside should have this tunnel sprayed thoroughly, top, bottom, walls and pipes. Insulated pipes are a favorite hiding place for roaches.

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes.

Do not reuse containers. Destroy when empty.

CAUTION

May be harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes, or clothing should be avoided. Wash thoroughly after using. Avoid contamination of food, utensils, and food preparation areas. Should illness occur get prompt medical aid.

To Physician — Atropine sulfate is antidotal.

