

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

Harmful if swallowed. May be absorbed through skin. Do not breathe spray mist. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling. Do not contaminate food or feedstuffs. Keep out of reach of domestic animals. Do not use on humans, household pets, or livestock. Do not permit children or pets to go onto the sprayed grass until spray has completely dried.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds, and other wildlife. Birds and other wildlife in treated areas may be killed. Do not apply directly to water (lakes, streams or ponds). Do not apply where runoff is likely to occur. Do not apply when wet conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use, pour, spill, or store near heat or open flame.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

**Prohibitions:** Do not contaminate water, food, or feed by storage or disposal.  
**Pesticide Disposal:** Pesticide, spray mixture, or rinse that cannot be used or chemically reprocessed must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.  
**Container Disposal:** Metal (all sizes)—Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in a sanitary landfill, or by other approved State and local procedures.  
**Glass (all)**—Triple rinse (or equivalent) and dispose of in a sanitary landfill or by other approved State or local procedures.  
**General:** Consult Federal, State or local disposal authorities for approved alternative procedures.



**NOVA-SECT**

WATER EMULSIFIABLE INSECTICIDE

**ACTIVE INGREDIENTS:**

Methoxychlor\* Technical ..... 25%  
Heavy Aromatic Naptha ..... 61%

**INERT INGREDIENTS** ..... 14%

\*Equivalent to 22%, 2,2-Bis (p-methoxyphenyl)-1,1,1-trichloroethane and 3% of other isomers and related compounds

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**


**STATEMENT OF PRACTICAL TREATMENT**

If swallowed—Call a physician immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE vomiting** unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give in one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.  
If inhaled—Remove victim to fresh air. Apply respiration if indicated.  
If on skin—Wash immediately with soap and water.  
If in eyes—Flush eyes for at least 15 minutes with water. Call a physician immediately.  
See side/back panels for additional precautionary statements.

EPA Reg No 3624-134

EPA Est No 3624 KS-01

NET CONTENTS



**NOVA PRODUCTS, INC.**

Kansas City, Kansas 66119

**DIRECTIONS**

1 of 1  
PM 12  
3624-134

**FLIES AND MOSQUITOES:** The surface deposit of a mixture of 1 gallon of NOVA-SECT with 20 gallons of water or fuel oil will aid in the control of flies and mosquitoes. Thoroughly wet the surfaces where flies breed or alight, such as garbage dumps, refuse heaps, outside of barns and buildings. For mosquito spray undergrowth near stagnant water, low dump areas and refuse dumps where water is trapped in tin cans, discarded tires and other things of this type. Repeat when necessary.

**COCKROACHES:** Mix 1 gallon NOVA-SECT to 13 gallons of solvent such as kerosene or diesel fuel. Apply as a coarse wet spray to sewer manholes, around building foundations, pipes, around garbage storage racks and garbage dumps. Repeat as necessary.

**FOR FOGGING AND MIST MACHINES:** Use 1 gallon NOVA-SECT to 50 gallons of solvent. Effective in thermal and mist generators. Insects to be controlled are mosquitoes and houseflies. Apply 1 diluted gallon for each 1000 square feet of area to be treated on painted surfaces. Apply 2 diluted gallons for each 1000 square feet of unpainted surfaces.

**ELM TREES:** For aid in control of Dutch Elm Disease: Apply as a dormant treatment after leaves drop in the fall and before new leaves or flowers appear in the spring; when temperature is above 40°F and there is no possibility of freezing before spray dries, apply as follows:

**HYDRAULIC SPRAYERS--**Mix 8 gallons per 100 gallons spray. Wet all bark on trunk, limbs and twigs (20 to 30 gallons spray usually required for a 50 foot tree).

**MIST BLOWERS--**Mix 5 gallons per 10 gallons spray. Thoroughly cover all bark surfaces (about 2 to 3 gallons spray per 50 foot tree). Thoroughly spray all bark surfaces.

**SHADE TREES and SHRUBS:** Tent caterpillars, cankerworms, Japanese beetle: Use 2 to 3 quarts per 100 gallons of water and spray thoroughly to runoff. Begin applications when insects first appear and repeat at 7 to 14 day intervals as needed.

Chinese elms may be injured by foliar sprays of high dosage.