

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

If swallowed. Do not apply directly to food. Cover or remove all food and food processing equipment during application. Do not apply space sprays while food processing underway. Food processing operators have to be stopped when applying a wet spray with care and in accordance with the directions and cautions above. After spraying in meat packing plants, bakeries and other food processing plants, wash and rinse with potable water all equipment, benches, tables, etc. where exposed food will be handled.

Remove pets and cover fish bowls before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill, or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage. Store in cool, dry place. Keep container closed.

Prohibitions. Do not contaminate water, food, or feed by storage or disposal.

Pesticide Disposal. Pesticide spray mixture or residue that cannot be used or chemically reprocessed must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

Container Disposal. Metal cans—Triple rinse, or equivalent, and offer for recycling, reconditioning, or dispose of in a sanitary landfill, or by other approved State and local procedures.

Glass (all)—Triple rinse, or equivalent, and dispose of in a sanitary landfill, or by other approved State and local procedures.

General. Consult Federal, State or local disposal authorities for appropriate alternative procedures.



NOVA 50



For Use in the Home, and Non-Food and Food Areas of:
Food Processing Plants, Schools, Warehouses, Office Buildings,
Theatres, Garages, Hotels, Motels, Kennels, and Hospitals

ACTIVE INGREDIENTS:

Pyrethrins	50%
*Piperonyl butoxide, technical	1.00%
†N-octyl bicycloheptene dicarboximide	1.67%
Petroleum distillate	96.83%
	Total — 100.00%

*Equivalent to 80% (butylcarbityl) (6-propylpiperonyl) ether and 20% related compounds.
†MKG 264 Insecticide Synergist

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed. Call a physician immediately. DO NOT INDUCE vomiting without the advise of a physician. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

NOTE: When used in hospitals, patients should be removed prior to treatment. Ventilate for two hours after treatment. Do not return patients to room until after ventilation.

NET CONTENTS _____ GAL.

NOVA PRODUCTS, INC.

Kansas City, Kansas 66119

EPA Reg. No. 3624-16

EPA Est. No. 3624-KS

NOVA 50



For Use in the Home, and Non-Food and Food Areas of:
Food Processing Plants, Schools, Warehouses, Office Buildings,
Theatres, Garages, Hotels, Motels, Kennels, and Hospitals

INGREDIENTS:

Permethrin technical	50%
Cyanoheptene dicarboximide	1.00%
Petroleum distillate	1.67%
	<u>96.83%</u>
	Total — 100.00%

Contains 80% (butylcarbityl) (6-propylpiperonyl) ether and 20% related compounds
Insecticide Synergist.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

Call a physician immediately. DO NOT INDUCE vomiting without the advice of a physician. Inducing vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

Patients should be removed prior to treatment. Ventilate for two hours after treatment. Do not re-enter room until after ventilation.

NET CONTENTS _____ GAL.

NOVA PRODUCTS, INC.

Kansas City, Kansas 66119

EPA Reg No 3624-168

EPA Est No 3624-KS-1

IN FOGGING EQUIPMENT AND HAND SPRAYERS

To Kill Accessible Stages of Insects Infesting Dried Fruit Products in Storage or Being Processed: Close room or warehouse and shut off all ventilating systems. Do not apply to food. Do not apply to the above trays or shelves of dried fruit. Use a spraying device similar to the Microfog machine or use fixed ceiling sprayers that produce a very fine spray. Do not apply to food directly. If overhead sprayers are used, be sure that the spray is discharged from a position at least 15 feet over the trays of fruit. Use a dosage of 1 gallon of this spray per 50,000 cubic feet of room space. Repeat applications as necessary for insect control, but do not exceed more than ten (10) applications of this dosage in any given month. More than ten (10) applications may also be made if this spray is diluted with more petroleum distillate, so that the pyrethrins and synergist in the final mixture are reduced proportionately. Do not remain in treated areas. Ventilate the area after treatment is completed. Maximum dilution is 1 part Nova 50 plus 5.6 parts oil.

Indian Meal Moth, Dried Fruit Beetle, Confused Flour Beetle, Saw-toothed Grain Beetle and Prock.

To Kill the Adult and Accessible Forms of Insect Pest of Stored Food (Stored in Multiwall Paper Bags or Cloth Bags) in Warehouses, Storage Rooms and Similar Locations: Close room or Warehouse and shut off all ventilating systems. Use a spraying device similar to the Microfog machine or use fixed ceiling sprayers that produce a very fine spray. Use a dosage of one fluid ounce of this spray per 1000 cubic feet of room space. Do not remain in treated area. Ventilate the area after treatment is completed. Repeat applications as necessary for insect control.

Rice Weevil, Yellow Meal Worm, Cattle, Confused Flour Beetle, Saw-toothed Grain Beetle, Angoumois Grain Moth, Mediterranean Flour Moth and Indian Meal Moth.

To Kill Flies, Mosquitoes and Gnats: Close room and discharge spray as described above. Use a dosage of 1/2 to 1 fluid ounce per 1000 cubic feet of room space. Leave room closed for at least ten (10) minutes. Sweep up and destroy fallen insects. Repeat as necessary for control. Do not remain in treated areas. Ventilate the area after treatment is completed.

IN PRESSURIZED TANK SPRAYERS FOR WETTING CONTACT SPRAYS

As a Surface Spray to Kill the Accessible Stages of Grainary Insects: Rice Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Saw-toothed Grain Beetles, Cigarette Beetles, Meal Moth Larvae and Adults, Cigarette Beetles, Drug Store Beetles and Granary Weevils: Apply as a coarse wet spray to all areas infested by these insects. Use a dosage of 1 gallon per 1000 square feet. Pay particular attention to cracks and crevices in floor, walls and ceilings. Spray thoroughly around and into floor drains, conveyors and other areas where granary insects may be found. For Flying Moths and Beetles, treat as for Flies, Mosquitoes and Gnats. See Above. Do not apply this spray to surfaces that may come in contact with food, excessive residues in food may result.

To Kill Roaches, Silverfish and Waterbugs in Sheltered Situations: Apply this spray with a sprayer that produces coarse wetting droplets into all cracks and crevices in walls, floors, underneath sinks, areas behind pipes, and in all places where these insects shelter. Spray as many times as possible. Repeat as necessary for control. Do not allow spray to contact food or feed.