

**PRECAUTIONARY STATEMENTS  
HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

Harmful if swallowed. Avoid breathing vapors or spray mist. Wear a pesticide respirator, jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11. Contains petroleum distillate. If swallowed do not induce vomiting. Get immediate medical attention. Avoid contact with skin and eyes. In case of contact immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not apply directly to feed. Do not apply space spray while food processing is underway. Cover or remove all food processing surfaces. Thoroughly wash and rinse with potable water all food processing surfaces before reuse. After spraying in meat packing plants, bakeries and the food processing plants, wash and rinse with potable water all equipment, benches, shelving, etc. where exposed food will be handled. Food processing operations have to be stopped while applying a wet spray with care and in accordance with the directions and cautions given above.

When using in animal housing areas, do not apply directly to food, water or feed supplements. Do not apply directly to animals. Wash teats of dairy animals before milking.

Remove pets, birds and cover fish aquariums before spraying.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use, pour, spill or store near heat or open flame.

**DIRECTIONS FOR USE**

This is violation of Federal law to use this product in a manner inconsistent with its labeling.  
General: This product is designed for use indicated in mechanical sprayers which produce particles of aerosol size, 1-10 microns (ECC or MICRO-TEK).

**STORAGE AND DISPOSAL**

**Storage:** Store in a cool, dry place. Keep container closed.  
**Precautions:** Do not contaminate water, food or feed by storage or disposal.  
**Pesticide Disposal:** Pesticide spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.  
**Container Disposal:** Metal or plastic: Triple rinse or equivalent and offer for recycling, reconditioning, or disposal in a sanitary landfill or by other approved State and local procedures.  
**Glass:** Triple rinse or equivalent and dispose of in a sanitary landfill or by other approved State and local procedures.  
**General:** Consult Federal or State or local health authorities for approved alternative procedures.



**NOVA 123**

For use in Household and Food Processing Plants, Restaurants, Industrial Buildings, schools, warehouses, offices, theatres, garages, hotels, motels, hospitals and kennels.

**ACTIVE INGREDIENTS:**

Pyrethrins	1.00%
*Piperonyl butoxide technical	2.00%
(N-acyl) bicycloheptene diorthoamide	3.00%
Petroleum distillate	94.00%

\*Equivalent to 1.6% bicycloheptene 6-propylperoxy ether and 4% related compounds (EPA Reg. No. 3624-169)

**Keep Out of Reach of Children  
CAUTION**

**STATEMENT OF PRACTICAL TREATMENT**

If swallowed: Call a physician immediately. DO NOT INDUCE vomiting without the advice of a physician. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled: Remove victim to fresh air. Apply respiration if indicated.

If on skin: Wash immediately with soap and water.

If in eyes: Flush eyes for at least 15 minutes with water. Call a physician immediately.

See side back panels for additional precautionary statements.

**NOTE:** When used in hospitals, patients should be removed prior to treatment. Ventilate for two hours after treatment. Do not return patients to room until after ventilation.

NET CONTENTS \_\_\_\_\_ GAL

EPA EST No. 3624-KS-1

EPA Reg. No. 3624-169

**NOVA PRODUCTS, INC.**

Kansas City, Kansas 66119

Space Spray—Undiluted all air conditioning or 1 per 1,000 cu ft of space. Leave room closed for 1 hour.

Space Spray—Diluted Moths and Gnats: Co conditioning or ventilation and mix well. Apply toward upper corners. Ventilate room thoroughly.

Contact Spray—Undiluted Beetles, Black Carpet ventilation equipment, these pests. Special refrigerators and like. Leave room closed for 1 hour.

Contact Spray—Diluted and Accessible Strips Grain Beetles, and Sawtoothed Grain B Concentrate with all or bins, flooring, about b other insect harborage. Repeat applications as needed.

**FOR USE IN DAIRY AP** to Kill Flies, Mosquito and watering troughs: 1 part Concentrate plus closed for 1/2 hour a

Space Spray—Diluted Moths and Gnats: Pre Concentrate plus 9 parts 25,000 cu ft of space and leave closed for 1 hour.



# NOVA 123

For use in Household and Food Processing Plants, Restaurants, Industrial Buildings, schools, warehouses, offices, theatres, garages, hotels, motels, hospitals and kennels

### ACTIVE INGREDIENTS:

Pyrethrins	1.00%
*Piperonyl butoxide, technical	2.00%
†N-octyl bicycloheptene dicarboximide	3.00%
Petroleum distillate	94.00%

\*Equivalent to 1.6% (butylcarbitol (6-propylperonyl) ether and 4% related compounds  
†MGE 264 Insecticide Synergist

### Keep Out of Reach of Children CAUTION

#### STATEMENT OF PRACTICAL TREATMENT

If swallowed—Call a physician immediately. DO NOT INDUCE vomiting without the advice of a physician. Vomiting may cause asphyxiation pneumonia. If it is necessary to induce vomiting give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled—Remove victim to fresh air. Apply respiration if indicated.

If on skin—Wash immediately with soap and water.

If in eyes—Flush eyes for at least 15 minutes with water. Call a physician immediately.

See side back panels for additional precautionary statements.

NOTE: When used in hospitals, patients should be removed prior to treatment. Ventilate for two hours after treatment. Do not return patients to room until after ventilation.

NET CONTENTS \_\_\_\_\_ GAL

EPA EST No 3624-KS-1

EPA Reg No 3624-169

## NOVA PRODUCTS, INC.

Kansas City, Kansas 66119

**Space Spray Undiluted: To Kill Houseflies, Mosquitoes, Gnats and Small Flying Moths.** Close room and shut off all air conditioning or ventilating equipment. Using a cold fog generator, apply at the rate of one half (1/2) ounce per 1,000 cu. ft. of space. Direct output from aerosol generator upwards toward upper corners of room and ceiling. Leave room closed for one half hour. Ventilate room thoroughly before re-entry. Repeat as necessary.

**Space Spray—Diluted for Ordinary Mechanical Fogging Equipment—to Kill Flies, Mosquitoes, Small Flying Moths and Gnats:** Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Dilute Concentrate with oil at the rate of 1 part Concentrate plus 9 parts of oil and mix well. Apply at the rate of 50 fl. oz. of dilute spray (4 gal.) per 25,000 cu. ft. of space. Direct fog upward toward upper corners of room and ceiling area. Leave room closed for 1, 2 hour. Do not remain in treated areas. Ventilate room thoroughly before re-entry.

**Contact Spray—Undiluted—to Kill Cockroaches, Rice Weevils, Sawtoothed Grain Beetles, Confused Flour Beetles, Black Carpet Beetles and Indian Meal Moth Larvae:** Close room and shut off all air conditioning or ventilation equipment. Using a cold fog aerosol generator, direct discharge into areas suspected of harbouring these pests. Special attention should be paid to cracks, hidden surfaces under sinks, behind stoves and refrigerators, and wherever these pests are suspected of hiding. Spray until treated surfaces are moist with deposit. Leave room closed for one half hour, ventilate room thoroughly before re-entry. Repeat as necessary.

**Contact Spray—Diluted for Use with Sprayers that Give Large Wetting Spray Particles to Kill Cockroaches and Accessible Stages of Granary Insects: Granary Weevils, Rice Weevils, Confused Flour Beetles, Rusty Grain Beetles, Red Flour Beetles, Indian Meal Moth Larvae and Adults, Cadellus, Grain Mites and Sawtoothed Grain Beetles.** Cover or remove exposed food and close room as described above. Dilute Concentrate with oil at the rate of 1 part Concentrate plus 9 parts of oil and mix well. Spray outside walls of grain bins, flooring, about base of milling machinery, walls and baseboards, areas behind cabinets, around pipes and other insect harbours using 1 gal. of spray per 1,000 sq. ft. of surface. Force spray into all cracks and crevices. Repeat applications as necessary.

**FOR USE IN DAIRY AND BEEF BARN, SWINE HOUSING: Space Spray—Diluted for Use in Aerosol Generators to Kill Flies, Mosquitoes, Gnats, Small Flying Moths and Exposed Cockroaches.** Cover or remove exposed food and watering troughs and close house as tightly as possible. Dilute concentrate with refined kerosene at the rate of 1 part Concentrate plus 1 part of oil and mix well. Direct spray upward and apply until room is filled with mist. Keep closed for 1, 2 hour and ventilate thoroughly prior to reentry.

**Space Spray—Diluted for Ordinary Mechanical Fogging Equipment to Kill Flies, Mosquitoes, Small Flying Moths and Gnats.** Prepare for application as above. Dilute Concentrate with refined kerosene at the rate of 1 part Concentrate plus 9 parts of refined kerosene and mix well. Apply at the rate of 50 fl. oz. of dilute spray (4 gal.) per 25,000 cu. ft. of space above animals. Direct fog upward toward upper corners of room and ceiling. Ventilate room and leave closed for 1, 2 hour.

T

1911