

1061
PM 12
3635-100

Kilz-M

ACCEPTED
SEP 3 1982

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid breathing vapor. Aspiration is a potential hazard. Avoid contact with skin, eyes or clothing. Wear mask or respirator of type recommended by NIOSH (National Institute for Occupational Safety or Health) to give adequate protection against this material. Wear protective clothing. Wash exposed skin with soap and water after handling and before eating. Wash all contaminated clothing with soap and water, separately from other clothing, before re-use. Do not use as space spray. Provide adequate ventilation or area being treated. Do not allow children to contact treated areas until surfaces are thoroughly dry. Do not store near feed or food products. Do not use in commercial food preparation areas or in edible product areas of food processing plants. Do not apply to animals. Remove pets and cover fish bowls before spraying. Do not spray plants.

PHYSICAL OR CHEMICAL HAZARDS

Extinguish open flame before space spraying. This formulation is combustible. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. SEE SIDE PANEL FOR ADDITIONAL INSTRUCTIONS

STORAGE AND DISPOSAL

PROHIBITIONS Do not contaminate water, food or feed by methods of storage or disposal. Open dumping is prohibited unless in an EPA approved landfill.

PESTICIDE DISPOSAL Pesticide, spray mixture, or insects that cannot be used according to label instructions must be disposed of according to applicable Federal, State, or local procedures.

CONTAINER DISPOSAL Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

GENERAL Consult Federal, State or local disposal authorities for approved alternate procedures.

Residual Insecticide With Propoxur

OXFORD KILZ-M is a highly effective ready to use formulation for control of Ants, Brown Dog Ticks, Centipedes, Cockroaches, Clover Mites, Crickets, Earwigs, Firebrats, Fleas, Flies, Gnats, Millipedes, Mosquitoes, Paperlice, Punkies, Sandflies, Scorpions, Silverfish, Sowbugs, and Spiders.

For use in Nursing Homes, Hospitals, Schools, Hotels, Motels, Apartment Buildings, Research Facilities and other Commercial, Industrial and Institutional Areas.

ACTIVE INGREDIENTS

Petroleum Distillates	83.88%
o-Isopropoxyphenyl methyl carbamate	1.00%
N-octyl bicycloheptene dicarboximide	0.17%
Pyrethrins I and II	0.05%

INERT INGREDIENTS

TOTAL	100.00%
-------	---------

*U.S. Patent No. 3,111,538

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

For eye and skin contact. Flush immediately with plenty of water for at least 15 minutes. If irritation persists, obtain medical attention.

If swallowed, do not induce vomiting unless directed by a physician. Call physician immediately.

NOTE TO PHYSICIAN: Propoxur is a cholinesterase inhibitor. Atropine sulfate is antidotal.

**Read Carefully Additional Precautions
On Side Panel.**

EPA Reg. No. 3635-100 / EPA Est. 3635-GA-1

NET CONTENTS _____ GALS.

GENERAL: Apply with a low-pressure sprayer equipped with a coarse spray nozzle. Spray surface only until wet. Avoid excessive run-off. Apply to all insect breeding sites and harborages. Also treat adjacent exposed surfaces where insects may crawl in they come out of hiding. Repeat treatment as necessary. **NOTE:** To prevent damage, DO NOT USE ON CARPET.

COCKROACHES — Thoroughly treat the infested area. Spray baseboards, cracks and crevices, around window and door frames, under surfaces of shelves, drawers and work tables behind and beneath refrigerators, sinks and stoves, in and around waste or trash cans, switch panels, junction boxes, floor drains and other places where cockroaches hide or nest.

ANTS — Apply to trails and places where ants enter premises such as window and door sills. Spray hills and runways outdoors.

SILVERFISH, FIREBRATS AND PAPPELICE — Apply to localized areas infested by these insects.

BROWN DOG TICKS — Spray sleeping quarters of pets: around baseboards, window and door frames, wall cracks, and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals.

CLOVER MITES, CRICKETS, EARTHWIGS, MILLIPEDES, CENTIPEDES, SOWBUGS, SCORPIONS AND SPIDERS — Thoroughly spray the interior and exterior perimeter of the infested premises. For Clover Mites give special attention to window sills.

FLEAS, FLIES, GNATS, MOSQUITOES, PUNKIES AND SANDFLIES (outdoors only) — Spray infested areas thoroughly including outside surfaces of screens, doors, window frames, foundations, patios and other areas where insects may enter.

FOR USE IN MEAT PACKING AND FOOD PROCESSING PLANTS: Use only in the inedible product areas of meat packing plants, including those that are federally inspected. Any exposed food products, equipment, or packaging materials must be removed or covered before spraying. Rinse all equipment with water before resuming operations. Treat food processing plants early in the season before canning or other processing begins. Repeat applications, if necessary, when plant is not in operation. Spraying unloading docks and outside areas where insects congregate will aid in preventing re-infestation. Good sanitation and proper disposal of waste is essential in any effective insect control program.

OG
57 50
(G7)

I.C.C.: Insecticide, O.T.A.