

D'Germ

Staphylocidal • Fungicidal • Pseudomonacidal • Virucidal

Disinfectant — Toilet — Urinal Cleaner

DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For Toilets— It is not necessary to remove the water from the bowl.

One (1) ounce is sufficient to remove soils, rust, lime, scale and uric deposits, disinfect and deodorize.

Open flip cap, invert bottle and with light pressure, direct stream completely around underneath side of toilet bowl rim. Allow at least 10 minutes contact time for surface to be cleaned and disinfected. Wet bowl mop in solution and swab all surfaces including seat and lid. Rinse. Repeat application for cleaning heavily encrusted deposits.

On Solid Porcelain Urinals— Place bowl mop over drain. Add enough water to make a solution and follow the same procedure as for toilet bowls. OXFORD D'GERM Disinfectant will not damage solid porcelain china or vitreous ware.

Shower Stalls — Glazed or other ceramic tile and grouting may be cleaned without damage. Use one ounce in a gallon of water, allow 10 minutes contact time for surface to be cleaned and disinfected, rinse thoroughly.

OXFORD D'GERM Disinfectant may be used on most metals (including aluminum and stainless steel) at 1 ounce per gallon of water. Rinse thoroughly. Septic tanks will not be affected.

For Commercial and Industrial
Use Only

NET CONTENTS ____ GALS.

ACTIVE INGREDIENTS:	27.21%
Phosphoric acid	22.50%
Hydrogen Chloride	4.71%
INERT INGREDIENTS:	72.79%
TOTAL	100.00%

PRECAUTIONARY STATEMENTS

Hazardous To Humans And Domestic Animals.

DANGER

KEEP OUT OF REACH
OF CHILDREN

CORROSIVE: Causes eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles and rubber gloves when handling. Harmful or fatal if swallowed. Avoid breathing dust. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Drink promptly a large quantity of water. Do not induce vomiting. Avoid alcohol. Get Medical attention

If In Eyes: Flush with plenty of water for 15 minutes. Get medical attention.

If On Skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

See Side Panels For Additional
Precautionary Statements.

A.O.A.C. USE DILUTION

CONFIRMATION TESTS, 11th Edition

1. Staphylococcus aureus — 1:128
2. Salmonella choleraesuis — 1:128
3. Pseudomonas aeruginosa (PRD-10) — 1:128

A.O.A.C. 11th Edition

Official Fungicidal Test

Trichophyton interdigitale — 1:80

Official Virucidal Test

OXFORD D'GERM is virucidal against Herpes Simplex Virus type 2 (HSV-2) at 1:128 dilution on inanimate environmental surfaces.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL. OPEN DUMPING IS PROHIBITED. DO NOT REUSE EMPTY CONTAINER. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

EPA Reg. No. 3635-115
EPA Est. 3635-GA-1

OE90
BC-8

Not Reviewed. Registrant claims to be in accordance with

United States Environmental Protection Agency
Registration No. 3635-115

BEST AVAILABLE COPY

292

Germ

idal • Fungicidal • Pseudomonacidal • Virucidal
it — Toilet — Urinal Cleaner

Federal law to use this product in a
 nt with its labeling.
 not necessary to remove the water

sufficient to remove soils, rust, lime,
 posits, disinfect and deodorize.
 ert bottle and with light pressure,
 pletely around underneath side of
 ow at least 10 minutes contact time
 cleaned and disinfected. Wet bowl
 nd swab all surfaces including seat
 peal application for cleaning heavily
 is.

in Urinals— Place bowl mop over
 gh water to make a solution and
 procedure as for toilet bowls.
 M Disinfectant will not damage solid
 r vitreous ware.

- Glazed or other ceramic tile and
 cleaned without damage. Use on
 of water, allow 10 minutes contact
 o be cleaned and disinfected, rinse

RM Disinfectant may be used on
 uding aluminum and stainless steel)
 gallon of water. Rinse thoroughly.
 not be affected.

ercial and Industrial

NTENTS ____ GALS.

ACTIVE INGREDIENTS:	27.21%
Phosphoric acid	22.50%
Hydrogen Chloride	4.71%
INERT INGREDIENTS:	72.79%
TOTAL	100.00%

PRECAUTIONARY STATEMENTS

Hazardous To Humans And Domestic Animals.

DANGER

**KEEP OUT OF REACH
OF CHILDREN**

CORROSIVE: Causes eye and skin damage. Do
 not get in eyes, on skin or on clothing. Wear
 goggles and rubber gloves when handling. Harmful
 or fatal if swallowed. Avoid breathing dust. Wash
 thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Drink promptly a large quantity of
 water. Do not induce vomiting. Avoid alcohol. Get
 Medical attention.

If In Eyes: Flush with plenty of water for 15
 minutes. Get medical attention.

If On Skin: Wash with plenty of soap and water.
 Get medical attention if irritation persists.

NOTE TO PHYSICIAN: Probable mucosal
 damage may contraindicate the use of gastric
 lavage.

See Side Panels For Additional
 Precautionary Statements.

A.O.A.C. USE DILUTION CONFIRMATION TESTS, 11th Edition

1. Staphylococcus aureus — 1:128
2. Salmonella choleraesuis — 1:128
3. Pseudomonas aeruginosa
 (PRD-10) — 1:128

A.O.A.C. 11th Edition Official Fungicidal Test

- Trichophyton interdigitale — 1:80

Official Virucidal Test

OXFORD D'GERM is virucidal against Herpes
 Simplex Virus type 2 (HSV-2) at 1:128 dilution
 on inanimate environmental surfaces.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR
 FEED BY STORAGE OR DISPOSAL. OPEN
 DUMPING IS PROHIBITED. DO NOT REUSE
 EMPTY CONTAINER. DO NOT USE, POUR,
 SPILL OR STORE NEAR HEAT OR OPEN
 FLAME.

PESTICIDE DISPOSAL: Wastes resulting from the
 use of this product may be disposed of on site or at
 an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equiv-
 alent). Then offer for recycling or reconditioning, or
 puncture and dispose of in a sanitary landfill, or
 incineration, or if allowed by state and local
 authorities, by burning. If burned, stay out of smoke.

EPA Reg. No. 3635-115
 EPA Est. 3635-GA-1

OE90
 BC-8

BEST AVAILABLE COPY

D.O.T.:
 I.C.C.:

**CORROSIVE MATERIAL
 COMPOUND, CLEANING
 NA 1780**