

ACCEPTED

MAY 21 1986

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 3635-120

Oxford

T.M.

Quatertgent

Cleaner — Disinfectant — Deodorizer — Fungicide
Designed for Hospital and Institutional Use

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER

Keep Out Of Reach Of Children. Corrosive. Causes eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed or absorbed through skin. Avoid contamination of food.

DIRECTIONS FOR USE

General Classification

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL. OPEN DUMPING IS PROHIBITED. DO NOT REUSE EMPTY CONTAINER.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by State and local authorities.

GENERAL: Consult Federal, State or local disposal authorities for approved alternative procedures.

A. For sanitizing and cleaning food processing equipment.

1. Cleaning and Sanitizing Equipment in meat packing plants: Mop, swab or spray a solution of 1 oz. OXFORD QUATERTGENT per gallon of water onto surface. Allow 10 minutes contact time. Rinse thoroughly with potable water.

I.C.C.: Compound, Cleaning, Liquid

ACTIVE INGREDIENTS:

Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈) dimethyl benzyl ammonium chlorides 2.26%
Alkyl (68% C₁₂, 32% C₁₄) dimethyl ethylbenzyl ammonium chlorides 2.26%

INERT INGREDIENTS 95.48%
100.00%

KEEP OUT OF REACH OF CHILDREN DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

See Left Panel For Additional Precautionary Statements

EPA Reg. No. 3635-120 / EPA Est. 3835-GA-1

Only For Sale To, Use, And Storage By
Servicepersons.

NET CONTENTS — GALS.

OB73
LS-10*
(D&E)

2. Heavily Soiled Surfaces: Follow same procedure in part (1) except use a solution 2 oz. OXFORD QUATERTGENT per gallon of warm water. Use agitation where possible.

B. For Hospital Disinfection.

3. Food equipment or other food contact items: Use 1/2 oz. OXFORD QUATERTGENT per gallon of water. Mop, wipe or spray solution on equipment. Rinse with water where necessary.
4. Use at 2 oz. per gallon. OXFORD QUATERTGENT will be effective against *Pseudomonas aeruginosa* PRD-10. Mop or swab this solution onto surface. Allow 10 minutes contact time.

C. For General Disinfection.

To disinfect athlete's foot fungi on surfaces:

5. Prepare a solution of 1 oz. QUATERTGENT per gallon of water. Mop or spray this onto floors and other surfaces normally contacted by the feet in locker rooms, showers, and around swimming pools.

OXFORD QUATERTGENT is a cleaner, disinfectant, and sanitizer, designed for institutional use, such as food processing plants, hospitals, nursing homes, and schools, where housekeeping will be of prime importance. Hard surface disinfection using OXFORD QUATERTGENT can provide the assurance you need in this area, when used as directed. Non-corrosive to aluminum, tin, plain steel, rubber, asphalt, masonry or any surface on which water can be used.

AOAC USE DILUTION CONFIRMATION TESTS, 13th EDITION:

Staphylococcus aureus 1:128
Salmonella choleraesuis 1:428
Pseudomonas aeruginosa (PRD-10) 1:64

AOAC 13th EDITION OFFICIAL FUNGICIDAL TEST:

Trichophyton interdigitale 1:128

This product when used on environmental, inanimate, hard surfaces at 2 oz. per gallon of water, is effective against Influenza A₂, Herpes Simplex, Adenovirus type 2 and Vaccinia.

Oxford Chemicals, Inc.

P.O. Box 80202
Atlanta, Georgia 30366
(404) 452-1100