
Oxford



1-800-451-6996

Forr Iula "C" Disinfectant-Sanitizer

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

DANGER

Keep Out Of Reach Of Children. Corrosive. Causes eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles of face shield and rubber gloves when handling. Harmful or fatal if swallowed or absérbéd through skin. Avoid contamination of food.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL. OPEN DUMPING IS PROHIBITED. DO NOT REUSE EMPTY CONTAINER.

PESTICIDE DISPOSAL: Pesticide, spray moture or ninse water that cannot be used according to label instructions must be disposed of according to Federal or approved State procedures under Subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Triple nnse (or equivalent). Then offer for recycling ur reconditioning, or dispose of in a sanitary landfilt, or by incinerationing allowed by State and local authorities. GENERAL: Consult Federal, State or local disposal authorities for approved alternative procedures.

NOTE: Prior to sanitation or disinfection, clean all surfaces with a suitable detergent and mise thoroughly with potable water. Consult Oxford Chemicals regarding the specific detergent needed for each particular application. Follow the recommendation of your local Health Department regarding sanitation and disinfection of surfaces.

DISINFECTION SOLUTION: In hospitals, public rooms, and homes, clean surfaces with detergent

ACTIVE INGREDIENTS:

* TryAll(y) (60%) Ç₁₄, 30% C₁₆, 5%
• C₁₂, 5% C_{A0}, dimethyl benzyl amminum chlondes

n-Alkyl (68% C₁₂, 32% C₁₄) dimethyl ethylbenzyl ammonium

chlondes INERT INGREDIENTS

OXFORD FORMULA "C" is a concentrate and should be diluted before using.

KEEP OUT OF REACH

DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, dnnk promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, dnnk large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of castric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

See Left Panel For Additional Precautionary Statements

EPA Reg. No. 3635-122 EPA Est. 3635-GA-1

Compound, Cleaning, Liquid

GALS.

and dose 1 **FORMULA** will be effect PRO-10 SANITATION PROCESSIN equipment solution of 1 gallons of wa No ninse rea SANITATION 590 onse equipit solution of 1 gallons of wa No nase real SANITIZING ly cleaned for tion of 1 nunc ions of water be warmer ti Wet eggs tho tized with the able water rin broken for us Eggs should breaking. The sanıtızing egy RESTAURAN olassware, si soap or syr making sure t removed, an solution conta to 4 gallons o minute. SANITATION containing 1 gallon of wate render diaper to retard dev solution of 1 c pounds of clo SANITATION BER SHOP E razors, etc., i **OXFORD FO** 0G83 LS-37