

# Super Brand Insecticide

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes.

Use the product in food processing plants only when plant is not in operation. Food should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned with detergent and water before using. Do not spray on food. Thoroughly ventilate treated area before re-entry.

Remove pets, birds and cover fish aquariums before spraying.

#### PHYSICAL OR CHEMICAL HAZARDS

Extinguish open flame before space spraying. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

#### PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

#### CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

#### ACTIVE INGREDIENTS:

Pyrethrins I and II .....	0.15%
Piperonyl Butoxide, Technical* .....	0.18%
N-octyl bicycloheptene dicarboximide .....	0.60%
d-trans Allethrin .....	0.03%

TOTAL

100.00%

\*Equivalent to 0.14% (Butylcarbityl) (6-propyl-piperonyl) ether and 0.04% related compounds

This product contains not more than 1% synergists.

## KEEP OUT OF REACH OF CHILDREN

## CAUTION

### Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

If swallowed, do not induce vomiting. Call physician immediately.

See left panel for additional precautionary statements.

EPA Reg. No. 3635 127  
EPA Est. 3635-GA-1

Only For Sale To, Use, And Storage By Servicepersons.

NET CONTENTS — GALS.

0178  
ISC-35  
(Gee)

1. **Flies and Mosquitoes:** Close doors and windows. Direct spray towards ceiling and fill entire room with fog. Keep room closed for 10 to 20 minutes. Sweep up and destroy fallen insects. Repeat treatment as frequently as required.

2. **Cockroaches, Waterbugs, Silverfish:** Thorough and repeated spraying of the infested area should be done, hitting as many of the insects as possible. Pay particular attention to spraying in cracks, crevices, baseboards and other hiding places.

3. **Fleas Infesting Premises:** Can be controlled quickly and effectively by spraying floors and cracks of the infested areas. Fleas lurk in carpets and upholstered furniture. Spray liberally in these areas, as well as in baseboards, wall cracks and sleeping quarters of animals for direct contact with these pests.

4. **Spiders:** Spray directly into or on spider webs with as wet a spray as possible. Also spray directly on all visible spiders with a wet spray.

For use in Meat Packing Plants, Bakeries, Food Processing Plants, Warehouses, Boxcars, Poultry Plants, Restaurants, Super Markets, Bottling Plants, milk handling areas of milk, cheese, and ice cream plants . . . . . Wherever food products are made, stored, shipped or handled. Recommended for use in Hotels, Motels, Institutions, Theaters, Hospitals, Transportation Facilities, Trains, Buses, Planes.

Super Brand Insecticide kills flies, mosquitoes, roaches, waterbugs, fleas, silverfish, and spiders that are contacted by the product.

May be used undiluted or can be diluted 1-1 with Oxford 7481, Special Base Carrier, and yield an AA grade fly spray, CS 72-54.

Noncorrosive and nondeleterious to equipment, machinery and utensils. Modern insect control requires regular treatment and good housekeeping.

NOTE: In hospitals, patients should be removed prior to treatment. Do not return patient to room until after ventilation.

I.C.C.: Insecticide, O.T.A.

BEST AVAILABLE COPY