

Super Fog

Insecticide

Highly Economical Insecticide • Quick Knockdown • Effective Kill • Especially Formulated for Use in Thermal Fog Generating Machines

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes.

Use the product in food processing plants only when plant is not in operation. Food should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned with detergent and water before using. Do not spray on food. Thoroughly ventilate treated area before re-entry.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Extinguish open flame before space spraying. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

1. Flying Insects (Flies, Mosquitoes, Gnats and Exposed Stages of Grain Moths) For indoor space spraying and fogging use 2 1/2 oz per 1000 cu ft of space. Cover all exposed foodstuffs and close all windows and doors and other openings into room to be treated, including air conditioning vents. Fill entire air space with a dense fog of product. The length of time necessary to do this will

ACTIVE INGREDIENTS

[1] Isoparaffinic Petroleum Hydrocarbons	98.08%
[2] N-octyl bicycloheptene dicarboximide	1.20%
[3] Piperonyl Butoxide, Technical*	0.36%
[4] Pyrethrin I and II	0.30%
[5] Allethrin***	0.06%
TOTAL	100.00%

*Equivalent to 0.29% (Butylcarbyl) (6-propylpiperonyl) ether and 0.07% related compounds*** Allyl homolog of Cinerin I

KEEP OUT OF REACH OF CHILDREN

CAUTION

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

If swallowed, do not induce vomiting. Call physician immediately.

See left panel for additional precautionary statements.

EPA Reg. No. 3635-133

EPA Est. 3635-GA-1

Only For Sale To, Use, And Storage By Servicepersons.

NET CONTENTS 1 GALS.

0178
ISC-32
(L85)

JAN 15 1986

For the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, by the pesticide manufacturer under 7625-12B

vary with the size of the area. This will usually be from 1 to 5 minutes. Wait 15 to 20 minutes for fog or mist to settle, then open doors and windows, sweep up dead insects. Use only when food processing plant is not in operation.

2. Crawling Insects (Roaches, Waterbugs, Silverfish and Exposed Stages of Grain Beetles) For indoor space spraying and fogging, use 2 1/2 oz per 1000 cu ft of space. Direct fog or mist into and onto areas frequented by these pests such as cracks and crevices around baseboards, drain pipes and surfaces where insects crawl. Wait 15 to 20 minutes after fogging for fog to clear and sweep up dead insects.

3. Outside Fogging for Flying Insects (Flies, Mosquitoes, Gnats and Exposed Stages of Grain Moths) Temporary relief from these pests can be obtained by fogging outside areas adjacent to plants. Direct fog onto trash piles, refuse storage areas, dock areas and all other areas where insects usually congregate or harbor.

NOTE: This product must be undiluted when applied from a thermal fog generator to obtain effective result. Dilute only when applied as a mist spray using a machine such as the Power-Jet Fogger.

PRODUCT DESCRIPTION

This product is especially formulated for use in fogging machines in food processing plants, meat packing plants, bakeries, warehouses, poultry plants, bottling plants, eating establishments — wherever food is processed, stored or handled. This product when used as directed will knock down and kill flies, mosquitoes, gnats, grain moths, roaches, waterbugs, silverfish and grain beetles.

This product may also be diluted 1:1 with 7481, special base oil carrier, and applied as a space mist or a coarse wet spray for the control of flying and crawling insects using a suitable mist fogger such as the Power-Jet Fogger. When diluted and applied in this manner, this product will contain no more than 1% synergist.

This product is non-corrosive to equipment. Do not apply this product undiluted as a coarse spray in the edible products areas of federally inspected meat, poultry, and egg processing plants. Dilute 1:1 with base oil carrier and use only in the food processing areas when these areas are not in operation. Remove or cover exposed foodstuffs while spraying. After spraying thoroughly wash all surfaces on which spray may have deposited with a detergent solution and rinse with potable water. Periodic and regular spraying coupled with good housekeeping procedure, is essential for good insect control.

I.C.C.: Insecticide, O.T.A.