



DIRECTIONS FOR USE

WEARING APPAREL AND HOUSEHOLD FURNISHINGS AGAINST MOTHS, BOOK LICE, CARPET BEETLES—Hang articles in air-tight vault at temperature of 70° F. or higher. Pour Fumisol in a shallow pan near ceiling, using 1½ gal. Fumisol per 1,000 cu. ft. of vault. Close door and seal. Do not enter vault during fumigation. After a minimum of 16 hours, open door and ventilate vault until no odor of fumigant remains.

GRAIN IN BINS OR SILOS AGAINST GRANARY, GRAIN AND FLOUR BEETLES, AND GRAIN WEEVILS, THEIR LARVAE AND EGGS: Use in air-tight bin or silo, if necessary line with heavy paper before filling with grain. Level surface of grain, breaking up any lumps caused by mold. Pour Fumisol directly and evenly on grain at rate of 6 gal. per 1,000 bushels of grain. If top of bin or silo has a large open space, cover treated grain with tarpaulin. Period of exposure should be at least 24 hours.

GRAIN IN TERMINAL ELEVATORS: Drip or spray Fumisol onto grain while grain is being turned, using 4 gal. per 1000 bushels of grain. Close and seal doors of elevator. Period of exposure should be at least 24 hours.

FUMISOL

ACTIVE INGREDIENTS: 100%
Ethylene Dichloride 70.3% by wt., Carbon Tetrachloride 29.7%
by wt.

USDA REG. NO. 3635-136

DANGER



POISON

KEEP OUT OF REACH OF CHILDREN

**SEE FIRST AID INSTRUCTIONS
CONTAINS CHLORINATED
HYDROCARBONS
NOT FOR HOUSEHOLD USE**

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

See Side Panel for Additional Cautions.



NET CONTENTS _____ GALLONS

G-71

HIS-30

VOLATILE LIQUID. Hazardous if inhaled or swallowed. Use only as directed. Do not breathe vapor. Avoid prolonged contact with skin. Do not take internally. Not for use on surface or flame. During use wear full face mask with blower. For more information, contact the U.S. Bureau of Mines.

FIRST AID: If swallowed, do not induce vomiting. If inhaled, get patient to fresh air. If on skin, wash with soap and water. If in eyes, wash with water. Keep patient warm. If affected by exposure to Fumisol, call a physician. If breathing has stopped, call a physician. NOTE: Use of Fumisol is not recommended for higher dosages and longer periods of exposure. Consult a physician for further details.



FUMISOL

ACTIVE INGREDIENTS: 100%

Ethylene Dichloride 70.3% by wt., Carbon Tetrachloride 29.7%
by wt.

USDA REG. NO. 3635-136

DANGER



POISON

KEEP OUT OF REACH OF CHILDREN

**SEE FIRST AID INSTRUCTIONS
CONTAINS CHLORINATED
HYDROCARBONS
NOT FOR HOUSEHOLD USE**

Do not reuse empty drum. Return to drum reconditioner or destroy
by perforating or crushing and burying in a safe place.

See Side Panel for Additional Cautions.

NET CONTENTS _____ GALLONS

G-71

HIS-30

DANGER

VOLATILE LIQUID. Hazardous vapor and liquid. May be fatal if inhaled or swallowed. Use only with adequate ventilation. Do not breathe vapor. Avoid prolonged or repeated contact with skin. Do not take internally. Not for household use. Avoid contact with hot surface or flame. During application or re-entry of treated areas, wear full face mask with black canister meeting the specifications of the U.S. Bureau of Mines for organic vapors or an airline respirator.

FIRST AID: If swallowed, make patient vomit immediately (finger down throat or if conscious give warm mustard water or salt water freely. Keep patient warm. If conscious, give coffee, call a physician. If affected by exposure to fumes, remove to fresh air and call a physician. If breathing has stopped, apply artificial respiration. Call a physician. **NOTE:** Use of Fumisol at temperatures lower than 70° F., is not recommended. Use in spaces not air-tight will require higher dosages and longer exposures. Consult local county agricultural agent for further details.

MANUFACTURED BY

OXFORD CHEMICALS
HOCKWALD DIVISION

P.O. BOX 80202
ATLANTA, GEORGIA 30341

