

12 31 91

580

A Water Dispersible Concentrate Containing 5 Pounds Actual Premium Grade Malathion Per Gallon

PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS AND DOMESTIC ANIMALS****CAUTION:**

Harmful if swallowed. Avoid breathing of spray mist and contact with skin. Wash thoroughly after using. Avoid contamination of feed, foodstuff, utensils, milk, milk equipment and water. Do not use in commercial food preparation areas of food processing plants. OXFORD 580 upon use may cause cholinesterase inhibition. Atropine is antidotal.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water or wetlands. (I.E., swamps, bogs, marshes, and potholes). Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate in areas near the application site. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat and open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORED GRAINS: For the protection of stored grains (such as wheat, oats, rice, corn, rye, barley, grain, sorghum) against confused flour beetles, rice weevils, granary weevils, sawtoothed grain beetle, flat grain beetle, red flour beetle, rusty grain beetle, lesser grain borer, and Indian meal moths. Apply as grain is being loaded or turned into final storage 1 pint of OXFORD 580 in 2 to 5 gal. of water per 1,000 bushels. To protect stored grains from Indian meal moth, apply to surface of clean or uninfested grain, 1/2 pt. of OXFORD 580 in 1 to 2 gal. of water per 1,000 sq. ft. of grain storage area. Apply spray evenly over surface of grain. Apply immediately after grain is loaded into storage and repeat if necessary. For moldy wall, floor, machinery, grain elevators, truck beds, box cars, and ships' holds before loading grain, apply 1 gal. OXFORD 580 per 25 gal. of water, making thorough application. Before applying spray, clean elevators, box cars and similar areas thoroughly. Remove and burn all sweepings and debris.

ACTIVE INGREDIENT: %
Malathion* 57.0%

INERT INGREDIENT: %

* O-O-Dimethyl Phosphorodithioate of Diethyl Mercaptosuccinate.

CAUTION**KEEP OUT OF REACH OF CHILDREN****STATEMENT OF PRACTICAL TREATMENT**

IF SWALLOWED: Consult physician immediately.

Do not induce vomiting unless directed by a physician. Aspiration is a potential hazard.

IF INHALED: Move to fresh air, call physician.

IF ON SKIN: Flush with water for 15 minutes.

IF IN EYES: Flush with plenty of water for 15 minutes.

Consult physician immediately.

EPA Reg. No. 3635-144

EPA Est. 3635-GA-1

NET CONTENTS _____ GALS.

OE90
ISC 61

**D.O.T.A.C.C.: Malathion, ORM-A, NA2783,
"RQ", Insecticide, O.T.A.**

RESIDUAL SPRAY - BOX CARS FOR LOADING AND TRANSPORTING BAGGED FLOUR AND PACKAGED CEREALS: For control of the exposed stages of confused flour beetle, rice weevil, granary weevil, sawtoothed grain beetle, flat grain beetle, red flour beetle, rusty grain beetle, lesser grain borer, Indian meal moth and mite pests infesting empty box cars into which bagged flour and packaged cereals are to be loaded and transported, apply OXFORD 580 as follows:

Clean box car thoroughly, then remove and burn all sweepings and debris. Spray walls and floor to the point of run-off with either 1 gal. OXFORD 580 in 25 gal. of water, or 1 gal. OXFORD 580 in 19 gal. of deodorized kerosene. (The deodorized kerosene solution should be made up of 4 parts kerosene-type solvent plus 1 part aromatic hydrocarbon-type solvent.) Let sprayed box car stand empty with doors open until the spray has thoroughly dried. Line walls and floor of the box car with kraft paper before loading.

HOUSEHOLD INSECTS: For the control of ants, clover mites, crickets, earwigs, roaches, scorpions, silverfish and spiders, dairy and food processing plants use 6 1/2 fluid oz. OXFORD 580 per gal. of water. Spray or paint brush window sills, baseboards, under sinks, drainboards, stoves, cracks and crevices and other areas frequented by insects.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture or residue is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

Not Reviewed. For product information by in accordance with
Federal Insecticide, Fungicide, and Rodenticide Act
7 U.S.C. 136-136a