


3635-151



VAPORATOR kills the accessible exposed stages of flies, mosquitoes, gnats, silverfish, crickets, roaches, spiders, scorpions, wasps, hornets, flying moths, and skippers, as well as most common stored grain pests including granary weevil, rice weevil, confused flour beetle, sawtooth grain beetle, cadelle, meal worms, grain mites, angoumois grain moths, rust red flour beetles, and Mediterranean flour moths.

Can be used around food, food products, utensils, and equipment, but should not be applied directly onto uncovered food or foodstuffs. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when plant is not in operation.

ACCEPTED
Aug 10, 1971
U.S. FEDERAL INSECTICIDE
AND RODENTICIDE ACT
U.S. DEPARTMENT OF AGRICULTURE
POISON REGISTER
ELEMENTS

3635-151

VAPORATOR

A concentrated insecticide for use in the control of both flying and crawling stages of insect life.

ACTIVE INGREDIENTS: 100%
Pyrethrin 0.35%, Technical piperonyl butoxide 3.50%,
Petroleum hydrocarbons 96.15%

Equivalent to 2.80% (butylcarbityl) (6-propylpiperonyl) ether and 0.70% of related compounds.

USDA Reg. No. 3635-151

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed, DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

G-71

HIS-11

NET CONTENTS _____ GALLON

DIRECTIONS

Surface Treatment - For the control of exposed stages of crawling and running insects, such as ants, roaches, crickets, scorpions, ticks, weevils, sawtoothed grain beetle, cadelle, flour beetles, grain moths, meal worms, grain mites and skippers. Adjust nozzle of spray equipment to deliver coarse, wet particles. Direct spray onto exposed surfaces of walls, floors, baseboards, cupboards, shelving, and thorough spraying of the inside of empty grain bins. Do not fill bins until they are dry. Pay particular attention to cracks, crevices, holes and other possible hiding places. Spray liberally for deep penetration. Repeat application as necessary.

Space Spraying - For the control of flying, hopping and running insects such as flies, mosquitoes, gnats, silverfish, flying moths, fleas, wasps, spiders. Adjust nozzle of spray equipment to deliver fine, moist particles. Keep doors and windows closed during spraying, and for at least 10 minutes thereafter. Direct spray upwards and outwards, filling room with mist, using 1 to 3 ounces of spray for each 1000 cubic feet of air space. Direct spray onto beams, rafters, ceilings, etc. For best results, allow mist to settle onto floors before opening doors and windows for airing. For fleas, spray thoroughly floors, floor coverings, baseboards and upholstered furniture.

MANUFACTURED BY

OXFORD CHEMICALS
HOCKWALD DIVISION

P.O. BOX 80202
ATLANTA, GEORGIA 30341