

# ORF THERMOFOG

o A Concentrated Economical Insecticide o Quick Knock-down and Effective Kill o Especially Formulated for Use in Thermal Fog Generating Machines

1-20-72

3635-176

## DIRECTIONS FOR USE

1. General use as manufacturer's directions for fogging and thermal fogging unit. Repeat application as necessary for control.
2. **Flying Insects: Flies, Mosquitoes, Gnats and Exposed Stages of Flour Moths:** Cover all exposed foodstuffs and close all windows and doors and other openings into room to be treated, including air conditioning vents. Fill entire air space with a dense fog of product. The length of time necessary to do this will vary with the size of the area. This will usually be from 1 to 5 minutes. Wait 15 to 20 minutes for fog or mist to settle, then open doors and windows, sweep up dead insects.
3. **Crawling Insects: Roaches, Waterbugs, Silverfish and Exposed Stages of Flour Beetles:** Direct fog or mist into and onto areas frequented by these pests such as cracks and crevices, around baseboards, drain pipes and surfaces where insects crawl. Wait 15 to 20 minutes after fogging for fog to clear and sweep up dead insects.
4. **Outside Fogging for Flying Insects: Flies, Mosquitoes, Gnats and Exposed Stages of Flour Moths:** Temporary relief from these pests can be obtained by fogging outside areas adjacent to plants. Direct fog onto trash piles, refuse storage areas, dock areas and all other areas where insects usually congregate or harbor.

## Active Ingredients

Butylcyclohexyl hydrocarbon base oil 97.5% 100%  
Permethrin Technical 2.20% Pyrethrins 1 and 6 0.22%

Equivalent to 1.8% (Butylcyclohexyl) 26 propylperoxy ether and 0.4% related compounds.

## PRODUCT DESCRIPTION

This product is especially formulated for use in thermal generating type fogging machines in food processing plants, meat packing plants, dairies, bakeries, dairy barns, flour mills, granaries, warehouses, poultry plants, bottling plants, eating establishments wherever food is processed, stored or handled. This product when used as directed will knock down and kill flying insects: flies, mosquitoes, gnats and exposed stages of flour moths, and crawling insects: roaches, waterbugs, silverfish and exposed stages of flour weevil, cadelle and confused flour beetle and flour beetle.

EPA Reg. No. 3635-176

## CAUTION

KEEP OUT OF REACH OF CHILDREN

Avoid contamination of food. Harmful if swallowed. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before reusing. When using the product in these areas, apply only when plant is not in operation. Stay outside treated buildings until the buildings are aired. Do not spray near open flame or smoke while spraying.

Remove birds, pets and fish bowls from room being sprayed. Do not use in poultry houses.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

Net Contents \_\_\_\_\_ Gallons

ISC-22