

OXFORD®SYNTOX

For use in hotels, motels, homes, institutions, packaging and processing plants, seed houses and horse stables.

SPACE SPRAY: To kill flies, mosquitoes and gnats. Remove or cover exposed food and food handling surfaces. Remove animals and plant life. Shut off ventilating systems, air ducts, air-conditioning equipment and close off room or area to be treated. Do not apply while food processing plant is occupied or in operation. For use in either thermal or non-thermal equipment.

Thermal Applications: This formulation is to be used undiluted in only such portable thermal application equipment that can deliver spray particle sizes within the aerosol size range. Extinquish all flames and pilot lights. Apply as a dry fog at the rate of 11/3 fluid ounces per 1,000 cubic feet of space. Direct nozzle of thermal applicator toward the upper corners of the room and along the ceiling. Close off room for at least one half hour. Do not remain in treated areas. Ventilate the area after treatment.

Non-Thermal Applications: Apply undiluted as a very fine mist through manually operated equipment or with electrical and other powered applicators. Avoid staining by holding the spray nozzle at least five feet from objects. Direct the fine spray mist toward the upper corners of the room. Fill the room with a fine mist space spray, at the rate of 5 fluid ornces per 5,000 cubic feet. Leave room closed for one half hour. Ventilate thoroughly before re-entry.

ACTIVE INGREDIENTS: 10 (b Benzyl-3-furyl-methyl 2, 2, d i m e th y l. 3, c.2, m e th y l propenyl 5 cyclopropanecarboxylate ... 0,200%, Related compounds ... 0,027%, d-trans. Allethrin (allyl homolog of cinerin 1) ... 0,100%; Related compounds ... 0,008%, Aromatic petroleum hydrocarbons ... 0,265%; Petroleum distillate ... 99,392%

*Cis/trans isomers ratio: max, 30% (\pm) dis and min, 70% (\pm) trans.

+U.S. Patent No. 3,455,007

C73

CAUTION

OF CHILDREN

Harmful if swallowed. Do not use, pour, spill or store near open flame. Read complete directions and cautions on back panel before using.

EPA Reg. No. 3635-182

Net Contents Gallo

ISC-62

CONTACT SPRAY: For control of roaches, ants, earwigs, grad mates, sowbugs, spiciers and centipedes. Adjust sprayer, to produce large wetting type spray particles. Direct spray to contact these insects in cracks and crevices in floors, baseboards, around pipes, behind cabinets and other harbourages. Spray these infested areas until thoroughly were Repeat as necessary.

CAUTION: Avoid exposing babies and small children to the fog. Do not get in eyes. Avoid breathing mists.


Remove fish, birds and other pets from area to be sprayed. This formulation is toxic to fish.

food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

Extinguish open flames before space spraying. This formulation is combustible. Keep container closed and store at room temperatures above 32 degrees F.

container disposal: Do not reuse container. Crush used container and bury in non-cropland soil away from water.





Pm17

5602

BEST AVAILABLE CUPY

ACCEPTED

MAY 7, 1973

FUNG CIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTER ED UNDER NO. 3 6.35 -/13

DIRECTIONS FOR USE

For use in hotels, motels, homes, institutions, packaging and processing plants, seed houses and horse stables.

SPACE SPRAY: To kill flies, mosquitoes and gnats. Remove or cover exposed food and food handling surfaces. Remove animals and plant life. Shut off ventilating systems, air ducts, air-conditioning equipment and close off room or area to be treated. Do not apply while food processing plant is occupied or in operation. For use in either thermal or non-thermal equipment.

Thermal Applications: This formulation is to be used undituted in only such portable thermal application equipment that can deliver spray particle sizes within the aerosol size range. Extinquish all flames and pilot lights, Apply as a dry fog at the rate of I I/3 fluid ounces per 1,000 cubic feet of space. Direct nozzle of thermal applicator toward the upper corners of the room and along the ceiling. Close off room for at least one half hour, Do not remain in treated areas, Ventilate the area after treatment.

Non-Thermal Applications: Apply undiluted as a very fine mist through manually operated equipment or with electrical and other powered applicators. Avoid staining by holding the spray nozzle at least five feet from objects, Direct the fine spray mist toward the upper corners of the room. Fill the room with a fine mist space spray, at the rate of 5 fluid ounces per 5,000 cubic feet. Leave room closed for one half hour, Ventilate thoroughly before re-entry.

OXFORD*SYNTOX

ACTIVE INGREDIENTS: 2,2-dimethyl -3- (cyclopropanecarboxylate 0,200 -0.027%; d-trans Allethrin (allyl 0.100%; Related compounds 0, hydrocarbons 0,265%; Petroleu	(2 - methylpropenyl) 0%; Related compounds homolog of cinerin !) .008%; Åromatic petroleum
INERT INGREDIENTS:	
Total	
*Cis/trans isomers ratio: max, 30	% (±) cis and min. 70% (±)
trans, +U.S. Patent No. 3,465,007	

CAUTION KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not use, pour, spiil or store near open flame. Read complete directions and cautions on back panel before using.

EPA Reg. No. 3635-182

Net Contents Gallons

C7:

1SC-62

CONTACT SPRAY: For control of roaches, ants, earwigs, grain mites, sowbugs, spiders and centipedes. Adjust sprayer to produce large wetting type spray particles. Direct spray to contact these insects in cracks and crevices in floors, baseboards, around pipes, behind cabinets and other harbourages. Spray these infested areas until thoroughly wet. Repeat as necessary.

CAUTION: Avoid exposing babies and small children to the feg. Do not get in eyes, Avoid breathing mists.

feg. Do not get in eyes, Avoid breathing mists.

Remove fish, birds and other pets from area to be sprayed,
This formulation is toxic to fish.

Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

Extinguish open flames before space spraying. This formulation is combustible. Keep container closed and store at room temperatures above 32 degrees F.

CONTAINER DISPOSAL: Do not reuse container, Crush used container and bury in non-cropland soil away from water,

XFORD

S 1972 CONSOLIDATED FOCOS CORPORATIO ALL RIGHTS RESERVED

P.O. BOX 80202, ATLANTA, GEORGIA 30341

