

919 Iodophor Concentrate

Disinfectant — Sanitizer — Detergent

PRECAUTIONARY STATEMENTS

Hazards To Humans And Domestic Animals

DANGER

Keep Out Of Reach Of Children. Harmful if swallowed. Avoid getting in eyes or on skin. If OXFORD 919 gets in eyes, flush with plenty of water. If irritation persists, get medical attention.

Do not contaminate food with OXFORD 919 or its solution. Avoid contact with alkalies, soap and detergents.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open burning and dumping are prohibited.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT — Use fresh solutions after each clean-up. The daily use of OXFORD 919 prevents milkstone build-up. A yellow color on equipment indicates milkstone build-up and can be removed by brushing with OXFORD 919, allowing a few minutes rinsing.

GENERAL INFORMATION: OXFORD 919 solutions will contain sodium surfaces to assure effective germicidal action. Clean all surfaces with suitable detergent and rinse prior to use of OXFORD 919 solution. Rinse or scrape soil from surfaces prior to detergent/sanitizer applications. For sanitizing pre-cleaned utensils, use a minimum exposure of two minutes at temperatures from 75°F to 100°F. For disinfecting applications, an exposure period of 10 minutes is required. Do not use water over 100°F.

P.O.T.: CORROSIVE LIQUID,
N.O.S.
UN 1760
I.C.C.: Disinfectant, OTM In Bulk

Pseudomonacidal • Virucidal
Tuberculocidal • Fungicidal

ACTIVE INGREDIENTS:

Iodine	1.762
Phosphoric Acid	6.752
INERT INGREDIENTS	91.492
TOTAL	100.002

(*from Nonylphenoxypolyethoxy Iodine Complex)

DILUTION TABLE

Solution	Dilution	Oz. Per 5 Gal. Water	PPM Available Iodine
A	1:1200	1/2	125
B	1:640	1	250
C	1:213	3	750
D	1:120	5	1250
E	1:100	7	1750

KEEP OUT OF REACH
OF CHILDREN
DANGER

See Left Page For Additional Precautionary
Statements

EPA Reg. No. 3635-185 / EPA Est. No. 3635-GA-1

NET CONTENTS — GALS.

0B77
LS-17*
(AB7)

DIRECTIONS (Continued)

1. General Disinfection: Floors, Walls, Equipment in Kennels, Poultry Plants, Hatcheries, Meat Plants and Food Processing Plants — Clean with a suitable detergent and rinse thoroughly. To disinfect, use Solution C for non porous surfaces and Solution D for porous surfaces. Allow a minimum of 10 minutes exposure and rinse thoroughly. Follow recommendations of Federal and local regulatory groups.

2. Canteens, Restaurants, Bars — Eating Utensils, Cutlery, Glassware:

Scrape and pre-wash utensils and glasses.

Wash with a good detergent or compatible cleaner.

Rinse with clean water.

d. Sanitize in a solution of 1/2 ounce in 5 gallons of water (125 ppm — Solution A). Immerse all utensils for at least 2 minutes or for contact time specified by governing sanitary code or act in place.

e. Place sanitized utensils on a rack or drainboard to air dry.

3. Dairy Farms — Milking Machines and Utensils:

a. Flush residual milk from equipment with cold or lukewarm water after each milking. Do not use hot water. Take equipment apart and immerse all parts except pulv in Solution B and thoroughly brush clean. A fresh Solution B should be used to wash parts and chambers. Flush with warm water, reassemble and rack in a clean, dust free place.

b. Sanitize with Solution A for 2 minutes. No water rinse required.

4. Dairy Plants:

After processing milk, flush residual milk from equipment and all surfaces with lukewarm water. Wash with a suitable detergent. Rinse with water. Sanitize surfaces with Solution B. Allow at least a 2 minute exposure. Follow recommendations of local Health Department.

5. For disinfecting floors and walls in patient rooms, operating rooms and laboratory rooms — clean first with a suitable detergent to remove dirt, oil or dust deposits from surfaces and rinse prior to application of OXFORD 919 Solution E. Allow a minimum of ten minutes exposure for disinfecting.

ACCEPTED

NOV 28 1988

Under the Federal Insecticide, Fungicide, and
Rodenticide Act, as amended, for the
pesticide registered under
EPA Reg. No. 3635-185

BEST AVAILABLE COPY