

# 514 Insecticide

## For Indoor And Professional Use Only.

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

##### CAUTION

Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing vapors or spray mist. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR, Part II. Wash hands, arms and face with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and hot water before reusing.

Use the product in food processing plants only when plant is not in operation. Food should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned with detergent and water before using. Do not spray on food. Thoroughly ventilate treated area before re-entry.

Remove pets, birds and cover fish aquariums before spraying.

#### PHYSICAL OR CHEMICAL HAZARDS

Extinguish open flame before space spraying. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

#### ACTIVE INGREDIENTS:

* Resmethrin [5-(phenylmethyl)-3-furanyl] methyl 2, 2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate .....	4.000%
Related compounds .....	0.545%
Pyrethrins .....	1.000%
** Piperonyl butoxide technical .....	5.000%
Aromatic petroleum hydrocarbons ...	5.295%
Petroleum distillate .....	84.000%
INERT INGREDIENTS: .....	0.160%

#### TOTAL

100.000%

\* Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans. + U.S. Patent No. 3,465,007.  
\*\* Equivalent to 4.0% (butylcarbityl) (6-propyl-piperonyl) ether and 1.0% related compounds.

#### KEEP OUT OF REACH OF CHILDREN

##### CAUTION

#### Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

If swallowed, do not induce vomiting. Call physician immediately.

See left panel for additional precautionary statements.

EPA Reg. No. 3635-192

EPA Est. No. 3635-GA-1

Only For Sale To, Use, And Storage By Servicepersons.

NET CONTENTS — GALS.

0175  
ISC-71  
(L85)

#### PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

#### CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

#### FOR APPLICATION BY TRAINED PERSONNEL ONLY

For: Bakeries, Food Plants, Restaurants, Schools, Hotels, Motels, Office Buildings, Hospitals, and Food Handling Plants.

#### DIRECTIONS FOR USE

GENERAL: This concentrate is designed for use undiluted in mechanical sprayers which give particle sizes of aerosol size.

SPACE SPRAY: Use undiluted in aerosol generators — to kill German cockroaches, flies, mosquitoes, small flying moths, and gnats: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Apply at the rate of 0.3 ounces of undiluted concentrate per 1000 cubic feet of space. Direct output from aerosol generator upward toward upper corners of room and ceiling. Leave room closed for one hour. Ventilate room thoroughly before reentering. Repeat as necessary.

NOTE: In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation.

I.C.C.: Insecticide, O.T.A.

