

# OXFORD<sup>®</sup> 1270

## USE DIRECTIONS

Use at two ounces per gallon. This product will provide 500 ppm quaternary to the use solution. This is enough for general disinfection, fungicidal activity against pathogenic fungi and deodorizing.

For best results, use Oxford 1270 with a cloth or mop and apply to walls, floors, table tops, counters and garbage pails.

For use in hospitals, three ounces per gallon will be required for disinfection against *Pseudomonas aeruginosa*.

For heavy soil, a pre-cleaning step is recommended before using Oxford 1270.

### AOAC Phenol Coefficients

Guaranteed Minimum:

|                       |    |
|-----------------------|----|
| Staphylococcus aureus | 30 |
| Salmonella typhosa    | 19 |

"Do not reuse empty container. Rinse thoroughly with water before discarding or returning to drum re-conditioner."

Oxford 1270 is a cleaner, disinfectant, and sanitizer designed for general household and light industrial cleaning. For use on walls, floors and similar inanimate hard surfaces. When used as directed, Oxford

## CLEANER DEODORANT

### ACTIVE INGREDIENTS:

N-Alkyl (60% C<sub>14</sub>, 30% C<sub>16</sub>, 5% C<sub>12</sub>, 5% C<sub>18</sub>) dimethyl benzyl ammonium chlorides, 1.6%; N-Alkyl (68% C<sub>12</sub>, 32% C<sub>14</sub>) dimethyl ethylbenzyl ammonium chlorides, 1.6%; Sodium carbonate, 3.0%.

INERT INGREDIENTS: ..... 93.8%

## DISINFECTANT FUNGICIDE

1270 will also deodorize those areas which generally are hard to keep fresh smelling, such as garbage pails, sink tops, and bathroom areas which are prone to odors caused by the growth of some micro-organisms. Effective against *Staphylococcus aureus* and *Salmonella choleraesuis* at two ounces per gallon. Also effective against pathogenic fungi, *Trichophyton interdigitale*, at this use dilution.

At three ounces per gallon, a hospital disinfecting claim against *Pseudomonas aeruginosa* can be made.

## DANGER

### KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.

### FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

H75

FCD-3

## DANGER

### KEEP OUT OF REACH OF CHILDREN

See right side of panel for additional precautionary and first aid statements.

EPA Reg. No. 3635-205  
EPA Est. No. 3635-GA-1

Net Contents \_\_\_\_\_ Gallons

I.C.C.: Liquid Cleaning Compound

**OXFORD**  
CHEMICALS

TM



A CONSOLIDATED FOODS COMPANY  
RESPONSIVE TO CONSUMER NEEDS

© 1972 CONSOLIDATED FOODS COMPANY  
ALL RIGHTS RESERVED

P.O. BOX 80202, ATLANTA, GEORGIA 30341

ACCEPTED

OCT 28 1975