3635-255 11 3




xford Chemicals. Inc.

PO. Box 80202

404) 452-110ō

Atlanta, Georgia 30366





100%

Cleaner — Deodorant — Disinfectant — Fungicide

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep Out Of Reach Of Children, Corrosive, Causes eye and skin damage. Do not get in eyes, on skin or on clothing. Wear googles or face shield and rubber gloves when handling. Harmful or fatal if swallowed or absorbed through skin. Avoid contamination of

DIRECTIONS FOR USE

General Classification

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL, OPEN DUMPING IS PROHIBITED. DO NOT REUSE EMPTY CONTAINER.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law, if these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency. or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by State and local authorities.

GENERAL: Consult Federal, State or local disposal authorities for approved alternative procedures.

 Use at 2 ounces per gallon. This product will provide 1500 ppm quaternary to the use solution. This is enough for general disinfection, funcicidal activity against pathogenic fungi and deodonzing.

ACTIVE INGREDIENTS:

n-Alkyl (60% C14, 30% C15, 5% C₁₂, 5% C₁₈) dimethyl benzyl ammonium chlorides 1.6% n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides 1.6%

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

See Left Panel For Additional Precautionary Statements

EPA Reg. No. 3635-208 EPA Est. No. 3635-GA-1

NET CONTENTS GALS.

For best results, use OXFORD PINE-D with a cloth or mop and apply to walls, floors, table tops, counters and garbage pails.

Treated food contact surfaces must be rinsed with potable water pnor to reuse.

For use in hospitals, 3 ounces per gallon will be required for disinfection against Pseudomonas aeruginosa.

For heavy soi, a pre-cleaning step is recommended before using OXFORD PINE D.

AOAC Phenol Coefficients

Guaranteed Minimum:

OXFORD PINE-D is a cleaner, disinfectant, and sanitizer designed tor general bidusehold and light industrial cleaning. For use on wals, floors and similar inanimate hard surfaces. When used as directed, OXFORD PINE-D will also decodorise those. areas which generally are half to keep treet-smelling, such as garbage paile, sink tops. and bathroom areas which are prone to odors caused by the growth of some micro-equivisms. Filective against Staphylococcus aureus and Salmenelle choleraesuis at 2 ounces per gallon. Also efficiave against pathogenic fungi, Tuchophyton interdicitale, at this use dilution.

At 3 ounces per gallon, a hospital disinfecting claim against Pseudomonas aeruginesa can be made.

Only For Sale To, Use: And Storage By Servicepersons.

0175 FCD-2

I.C.C.:

Compound, Cleaning, Liquid